

[432-542]

NET WT. _____

YOUR BRAND

SBP-1382[®] / BIOALLETHRIN (.20% + .40%)

AQUEOUS PRESSURIZED SPRAY

PROFESSIONAL STRENGTH

ACTIVE INGREDIENTS:

++ (5-Benzyl-3-furyl) methyl 2,2-dimethyl-3-(2-methylpropenyl)cyclopropanecarboxylate.....	0.200% w/w
Related compounds.....	0.028%
++ d-trans Allethrin (allyl homolog of Cinerin I)...	0.400%
Related compounds.....	0.030%
Aromatic petroleum hydrocarbons.....	0.272%
Petroleum distillate.....	6.500%

INERT INGREDIENTS..... 92.570%
100.000%

* Cis/trans isomers ratio: max. 30% (+)cis and min. 70% (+)trans.
+ Resmethrin, SBP-1382(R)
++ Bioallethrin

SHAKE WELL BEFORE USING

WARNING: KEEP OUT OF REACH OF CHILDREN.

Harmful if swallowed. Avoid contamination of feed and foodstuffs. Remove birds, pets, and cover aquariums before spraying. Do not use on edible crops. Apply this product only as specified on this label.

WARNING: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

KILLS: House flies, mosquitoes, gnats, wasps, roaches, earwigs, spiders, centipedes, ants, biting flies.

PENICK S. B. Penick & Company
1050 Wall Street West, Lyndhurst, NJ 07071 USA
a Unit of GPC International Inc.

DIRECTIONS FOR USE

Shake well before each use. Remove protective cap. Aim spray opening away from person. Push button to spray. Apply this product only as specified on this label.

FOR USE IN HOUSEHOLDS AND INDUSTRIAL PLANTS

KILLS FLIES, MOSQUITOES, AND GNATS: Close all doors and windows. Point nozzle upward. Direct spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed. Sweep up and destroy fallen insects. Repeat treatment as necessary.

FOR CRAWLING INSECTS: Roaches, earwigs, grain mites, sowbugs, spiders and centipedes: Spray thoroughly into cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, and storage areas. Spray directly on insects where possible as a contact spray. Repeat applications as necessary.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

OUTDOORS - REDUCE ANNOYANCE FROM FLYING INSECTS AROUND PICNIC AND RECREATIONAL AREAS, HOMES AND INDUSTRIAL PLANTS.

Kill mosquitoes, gnats (midges), house flies, biting flies and flying moths (millers) by spraying their resting areas. Follow precautions listed above. Hold container 18 to 24 inches from shrubs, bushes and grassy areas. Spray these areas with a slow sweeping motion at the rate of from 1 to 3 seconds per cubic yard of space while moving away from the treated areas. To reduce annoyance from these flying insects, treat open porches and patios in a similar manner. Spray only when the air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary.

NUISANCE PESTS - ON OR ENTERING BUILDINGS:

WASPS: Applications should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary. Spray directly on stray wasps that enter buildings.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

SPIDERS: Direct short burst of spray on spider and repeat as necessary.

EARWIGS: Spray directly on earwigs in crevices and other hiding places on outdoor porches, patio floor and doorway entrances. Repeat as necessary.

LOT NO.

EPA Reg. No. 432-542
EPA Est. 432-NJ-1

