

~~432-452~~ 432-542

7/16/76

P 13

JUL 20 1976

S.B. PENICK & CO.
A UNIT OF CPC INTERNATIONAL INC.
COMMERCIAL DEVELOPMENT DEPT.
215 WATCHUNG AVENUE
ORANGE, NJ. 07050

Gentlemen:

Subject: SBP 1382/BIOALLETHRIN (.20% + .40%) AQUEOUS PRESSURIZED
EPA REG. NO. 432-542
Application received July 8, 1976

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable, and a stamped copy is enclosed for your records.

The required fabric stain test, which was contingent upon the acceptance of the space spray application for wasps and hornets in attics and crawl spaces, is waived for this respective use.

Sincerely,

Charles T. Mitchell
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (WH-567)

Enclosure
Stamped copy

WH-567:IRB:C.T.Mitchell:cq:rm.219:WSME:

7/12/76

NET WT.

YOUR BRAND

SBP-1382®/BIOALLETHRIN (.20% + .40%)

AQUEOUS PRESSURIZED SPRAY

PROFESSIONAL STRENGTH

ACTIVE INGREDIENTS:

* (5-Benzyl-3-furyl)methyl 2,2-dimethyl-3-(2-methylpropenyl)cyclopropanecarboxylate	0.200%	w/w
Related compounds	0.028%	
†† d-trans Allethrin (allyl homolog of Cinerin I)	0.400%	
Related compounds	0.030%	
Aromatic petroleum hydrocarbons	0.272%	
Petroleum distillate	4.500%	
INERT INGREDIENTS	92.570%	

100.000%

* Cis/trans isomers ratio: max. 30% (±) cis and min. 70% (±) trans.

† Resmethrin, SBP-1382®

†† Bioallethrin

SHAKE WELL BEFORE USING

CAUTION: KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Avoid contamination of feed and foodstuffs. Remove birds, pets, and cover aquariums before spraying. Do not use on edible crops. Apply this product only as specified on this label.

Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the plant is not in operation.

WARNING: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

KILLS: House flies, mosquitoes, gnats, wasps, roaches, earwigs, spiders, centipedes, ants, biting flies.

EPA Reg. No. 432-542

EPA Est. 432-NJ-1

E-3055YA -RD

PENICK

S. B. Penick & Company
1050 Wall Street West, Lyndhurst, NJ 07071 USA

a Unit of CPC International Inc.

DIRECTIONS FOR USE

Shake well before each use. Remove protective cap. Aim spray opening away from person. Push button to spray. Apply this product only as specified on this label.

FOR USE IN HOUSEHOLDS AND INDUSTRIAL PLANTS

KILLS FLIES, MOSQUITOES, AND GNATS: Close all doors and windows. Point nozzle upward. Direct spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed. Sweep up and destroy fallen insects. Repeat treatment as necessary.

KILLS WASPS AND HORNETS: Space spray—Before applying, close all doors, windows and ventilator openings. In unfinished attics and crawl spaces where direct sprays cannot reach pests, point nozzle upward and fill the area with mist at the rate of 35 seconds per 1,000 cu. ft. of space. Leave treated area immediately after application is complete, closing off area for at least 1/2 hour. Ventilate area when treatment is complete. Repeat as necessary.

FOR CRAWLING INSECTS: Roaches, earwigs, grain mites, sowbugs, spiders and centipedes: Spray thoroughly into cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, and storage areas. Spray directly on insects where possible as a contact spray. Repeat applications as necessary.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

OUTDOORS—REDUCE ANNOYANCE FROM FLYING INSECTS AROUND PICNIC AND RECREATIONAL AREAS, HOMES AND INDUSTRIAL PLANTS.

Kill mosquitoes, gnats (midges), house flies, biting flies and flying moths (millers) by spraying their resting areas. Follow precautions listed above. Hold container 18 to 24 inches from shrubs, bushes and grassy areas. Spray these areas with a slow sweeping motion at the rate of from 1 to 3 seconds per cubic yard of space while moving away from the treated areas. To reduce annoyance from these flying insects, treat open porches and patios in a similar manner. Spray only when the air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary.

NUISANCE PESTS — ON OR ENTERING BUILDINGS:

WASPS AND HORNETS, Direct spray: Applications should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary. Spray directly on stray wasps that enter buildings.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

SPIDERS: Direct short burst of spray on spiders and repeat as necessary.

EARWIGS: Spray directly on earwigs in crevices and other hiding places on outdoor porches, patio floor and doorway entrances. Repeat as necessary.

IMPORTANT — Sweep up all dead insects and deposit these sweepings into a closed garbage container within two hours after each treatment.

LOT NO.

213

MANUFACTURING FORMULA

Materials for 100 Parts Aerosol

†SBP-1382®/Bioallethrin Concentrate 8-16	2.5 parts w/w
Shell-Sol 71	6.5
Deionized water	61.0
*Propellant A-46	30.0

100.0 parts w/w

*87% isobutane + 13% propane
†Identified under Environmental Protection Agency
Registration Number 432-537

ACCEPTED
JUL 16 1976
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. **432-542**