

UltraT

SBP-1382®/CHLORPYRIFOS TRANSPARENT

CONTAINS DURSBAN*

A COMBINATION OF INSECTICIDES OFFERING GOOD FLUSHING ACTIVITY, QUICK KNOCKDOWN AND RESIDUAL KILL OF COCKROACHES FOR UP TO 4 WEEKS

FOR RESIDUAL AND CONTACT CONTROL OF COCKROACHES, CRICKETS, SILVERFISH, CLOVER MITES, CENTIPEDES, MILLIPEDES, FIREBRATS, EARWIGS, SOWBUGS, SPIDERS, BROWN DOG TICKS, LONE STAR TICKS, ANTS, CARPET BEETLES, FLEAS.

To be applied only by or under the supervision of pest control operators or other trained personnel responsible for insect control programs.

ACTIVE INGREDIENTS:

*Resmethrin[5-(phenylmethyl)-3-furanyl]methyl-2,2-dimethyl-3-(2-methyl-1-propenyl)cyclopropanecarboxylate	3.20%w/w
*Chlorpyrifos [0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl)phosphorothioate]	16.00
Aromatic petroleum derivative solvents	13.32
INERT INGREDIENTS:	67.48
	100.00%w/w

*Cis/trans Isomers ratio: max. 30% (±) cis and min. 70% (±) trans.

†U.S. Patent Nos. 3,465,007 and 3,542,928.

Penick's SBP-1382 brand of resmethrin insecticide.

Penick Corp., 1050 Wall Street West, Lyndhurst, N.J. 07071

*U.S. Patent No. 3,244,586. Dursban is a Trademark of Dow Chemical Co.

**U.S. Patent No. 3,683,078.

TM PENICK CORPORATION Trademark

PRECAUCION AL USUARIO: Si usted no lee Ingles, no use esta product hasta que la etiqueta le haya sido explicada ampliamente.

TRANSLATION: (TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

**KEEP OUT OF REACH OF CHILDREN
WARNING**

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

CAN BE USED IN NON-FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS
SHAKE WELL BEFORE USING.

NET CONTENTS 1 GALLON

EPA Est. No. 432-NJ-1

EPA Reg. No. 432-568

PENICK Penick Corporation

1050 Wall Street West, Lyndhurst, NJ 07071 USA

E-29926-P

PRECAUTIONARY STATEMENTS

HAZARUS TO HUMANS & DOMESTIC ANIMALS

WARNING: Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Causes eye irritation. Do not get in eyes, or skin or on clothing. Do not allow spray to contact food, feedstuffs or water supplies. Thoroughly wash food contact surfaces with soap and water if they become contaminated by application of this product. Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish bowls (tanks) before spraying. Do not use this product in edible areas of food processing plants, restaurants or other areas where food is commercially processed or prepared. Do not use in serving areas while food is exposed.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Get immediate medical attention. If in eyes or on skin: Flush with plenty of water for at least 15 minutes. For eyes, get medical attention.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. If symptoms of cholinesterase inhibition appear, atropine only by injection is an antidote.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams, ponds, tidal marshes or estuaries. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL & CHEMICAL HAZARDS

Flammable. Keep away from heat and open flame. Flash point minimum 60°F.

DIRECTIONS FOR USE OF

**SBP-1382/CHLORPYRIFOS TRANSPARENT
EMULSION DILUTABLE CONCENTRATE 3.2-16**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Do not store at temperatures below 40°F. If exposed to temperatures below 40°F, warm to above 40°F and thoroughly mix before using.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to Federal, State or Local procedures.

CONTAINER DISPOSAL: Puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.

(continued...)

DIRECTIONS

FOR USE IN NON-FOOD AREAS OF MOTELS, HOMES, PRESCHOOLS, INSTITUTIONAL AND STORAGE CABINS, AND HOSPITALS. IN VENTILATE ROOMS FOR TV. THIS PRODUCT CAN BE USED IN OFFICES, FOYERS, LAVATORIES, PACKAGING AND PROCESSING MILK STORAGE ROOMS, RESTAURANTS, BOTTLING PLANTS, BAKERIES.

ALSO, FOR USE IN AND AROUND AUTOMOBILES. THIS PRODUCT CAN BE USED ON SHIP CARGO HOLDS ONLY. DO NOT USE ON FOOD OR FOOD PRODUCTS AND EQUIPMENT. ALSO, FOR USE IN DOG KENNELS AND HORSES. DO NOT SPRAY DOGS OR HORSES.

NOTE TO PEST CONTROL OPERATOR: Use with a 6 inch spray. **GENERAL INFORMATION:** Mix Concentrate 3.2 - 16 with water as directed to quickly reduce heavy infestation and for maintenance purposes.

GALLONS OF SPRAY MIXTURE DESIRED	FL. OZ.
1	128
3	384
5	640
10	1280

*NOTE: DO NOT STORE THE CONCENTRATE IS EXPOSED TO LIGHT AND THOROUGHLY MIX BEFORE USING. MIXTURE TO TEMPERATURES BELOW 40°F.

NOTE: 1 fluid ounce = 2 tablespoons. CONTACT SPRAY-KILLS AND RESIDUAL CONTROL OF SILVERFISH, CARPET BEETLE, FIREBRATS, EARWIGS, SOWBUGS, AND OTHER PESTS. If possible, spray directly on pests to kill. If not possible, brush into hiding places such as cracks, under refrigerators and other appliances until area is wet, but not to the point of dripping. **ANTS: To kill ants, spray trails and nest directly on ants where possible. Re-

UltraTEC™ INSECTICIDE

WITH
TRANSPARENT EMULSION DILUTABLE CONCENTRATE 3.2 - 16**

DIRECTIONS FOR USE (Continued)

FOR USE IN NON-FOOD AREAS INDOORS AND OUTSIDE PREMISES OF HOTELS, MOTELS, HOMES, PRESCHOOLS, APARTMENT BUILDINGS, COMMERCIAL, OFFICE, INSTITUTIONAL AND STORAGE BUILDINGS, RECREATIONAL BUILDINGS, BOATS, SHIP CABINS, AND HOSPITALS. IN HOSPITALS, REMOVE PATIENTS PRIOR TO TREATMENT. VENTILATE ROOMS FOR TWO HOURS BEFORE RETURNING PATIENTS.

THIS PRODUCT CAN BE USED IN NON-FOOD AREAS ONLY, SUCH AS CORRIDORS, OFFICES, FOYERS, LAVATORIES, GARAGES, UTILITY ROOMS AND BASEMENTS, OF PACKAGING AND PROCESSING PLANTS, MILK HANDLING AREAS OF MILK PLANTS, MILK STORAGE ROOMS, EGG PROCESSING PLANTS, SUPERMARKETS, RESTAURANTS, BOTTLING PLANTS, CANNERIES, FLOUR AND FEED MILLS, AND BAKERIES.

ALSO, FOR USE IN AND AROUND CAMPERS, MOBILE HOMES, BUSES AND AUTOMOBILES. THIS PRODUCT CAN BE USED IN CARGO PLANES, TRUCKS, BOXCARS AND SHIP CARGO HOLDS ONLY IF THE VEHICLES ARE NOT USED FOR TRANSPORT OF FOOD OR FOOD PRODUCTS AT ANY TIME.

ALSO, FOR USE IN DOG KENNELS AND HORSE STABLES. DO NOT SPRAY ON DOGS AND HORSES. DO NOT SPRAY DOG AND HORSE FOOD OR FEED ITEMS.

NOTE TO PEST CONTROL OPERATORS: One gallon of spray is sufficient to treat 1500 linear feet with a 6 inch spray.

GENERAL INFORMATION: Mix SBP-1382/Chlorpyrifos Transparent Emulsion Dilutable Concentrate 3.2 - 16 with water as shown in the SPRAY DILUTION CHART. *Use an 0.1 + 0.5 spray to quickly reduce heavy infestations, and an 0.05 + 0.25 spray to control light infestations and for maintenance purposes.

SPRAY DILUTION CHART

GALLONS OF SPRAY MIXTURE DESIRED	FLUID OUNCES** OF SBP-1382/CHLORPYRIFOS TEDC 3.2-16	
	0.05 + 0.25	0.1 + 0.5
1	2	4
3	6	12
5	10	20
10	20	40

*NOTE: DO NOT STORE THE CONCENTRATE AT TEMPERATURES BELOW 40°F. IF THE CONCENTRATE IS EXPOSED TO TEMPERATURES BELOW 40°F, WARM TO ABOVE 40°F AND THOROUGHLY MIX BEFORE DILUTING WITH WATER. DO NOT EXPOSE THE SPRAY MIXTURE TO TEMPERATURES BELOW 32°F. SHAKE WELL BEFORE USING.

**NOTE: 1 fluid ounce = 2 tablespoons = 6 teaspoonfuls.

CONTACT SPRAY-KILLS AND REDUCES INFESTATIONS: COCKROACHES, CRICKETS, SILVERFISH, CARPET BEETLES, CLOVER MITES, CENTIPEDES, MILLIPEDES, FIREBRATS, EARWIGS, SOWBUGS, ANTS, SPIDERS, FLEAS: Use as a spot treatment. When possible, spray directly on pests to reduce infestations. Apply as a coarse spray or with a paint brush into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators and other appliances, baseboards and storage areas. Apply spray until area is wet, but not to the point of run-off. Repeat as necessary.

ANTS: To kill ants, spray trails, nests and points of entry within buildings and homes. Spray directly on ants where possible. Repeat as necessary.

(continued...)

DIRECTIONS FOR USE (Continued)

FLEAS, BROWN DOG AND LONE STAR TICKS: Thoroughly apply as a spot treatment to infested areas such as pet's beds and resting quarters; nearby cracks and crevices; along and behind baseboards, window and door frames and localized areas of floor and floor covering where these pests may be present. Old bedding of pets should be removed and replaced with clean fresh bedding after treatment of pet areas. **DO NOT TREAT PETS WITH THIS PRODUCT.** Treat pets with a product registered for animal application such as SBP-1382*/Bioallethrin Aqueous Pressurized Spray, EPA Reg.No. 432-482, to control the source of flea and tick infestation.

CARPET BEETLES: Thoroughly apply as a spot treatment along baseboards and edges of carpeting, under carpeting, rugs and furniture, in closets and on shelving and wherever else these insects are seen or suspected.

ATTENTION (PESTS INDOORS): Do not apply this water-based product in conduits, motor housings, junction and switch boxes or other electrical equipment because of possible shock hazard. If there is need to treat such areas use only oil-base sprays. Prior to application, de-energize electrical equipment. After application, allow time for oil to evaporate before starting motors or placing switches in the "ON" position.

RESIDUAL SPRAY: Aids in the control of COCKROACHES, CRICKETS, SILVERFISH, CENTIPEDES, MILLIPEDES, EARWIGS, SOWBUGS. Kills up to 4 weeks. Apply on baseboards, cracks and crevices, around door and window frames, and other hiding places such as closets, in back of and under appliances, sinks and cupboards in kitchens and bathrooms. In basements, apply in hiding places in cracks and crevices, lower walls and dark places. Apply as a coarse wet spray in a 6 inch band until area is thoroughly wet but not to the point of run-off. Treat on a monthly basis or as necessary.

GENERAL INFORMATION: Use SBP-1382/Chlorpyrifos Transparent Emulsion Dilutable Concentrate 3.2 - 16 according to the SPRAY DILUTION CHART for the control of certain pests on the outside surfaces of buildings. Consult the following directions for dosage and application details to control the pests listed.

PESTS ON OUTSIDE SURFACES OF BUILDINGS: Use SBP-1382/Chlorpyrifos Transparent Emulsion Dilutable Concentrate 3.2 - 16 to control ants, clover mites, crickets, earwigs, millipedes, and sowbugs by application as a residual spray or with a paint brush to outside surfaces of buildings, including porches, screens, window frames, eaves, patios, garages, refuse dumps and other areas where these pests congregate or have been seen. Do not treat or allow the spray to contact plants (lawns, flowering plants, shrubs, trees, evergreens, etc.) because of possible injury. Repeat treatment as needed to maintain effectiveness.

NOTE: To help prevent infestation of buildings by ants, crickets, earwigs and sowbugs (pillbugs), treat a band of soil 6 to 10 feet wide around and adjacent to the buildings, also the building foundation to a height of 2 to 3 feet, where pests are active and may find entrance. Use 25 ounces of SBP-1382/Chlorpyrifos Transparent Emulsion Dilutable Concentrate 3.2-16 per 100 gallons of water and apply as a coarse spray at the rate of about 10 gallons per 1000 sq. ft. to thoroughly and uniformly wet the band.

WARRANTY STATEMENT

Our recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.