UltraTEC[®] INSECTICIDE with SBP-1382[®]/CHLORPYRIFOS TRANS-PARENT EMULSION** DILUTABLE CONCEN-TRATE 3.2% + 16%

PM 19

- CONTAINS 0.271 LB/GAL (32.5G/L) OF SBP-1382 AND 1.35 LB/GAL (162 G/L) OF CHLORPYRIPOS
- A COMBINATION OF INSECTCIDES OFFERING GOOD FLUSH-ING ACTIVITY AND RESIDUAL KILL OF COCKROACHES FOR UP TO 4 WEEKS
- POR RESIDUAL AND CONTACT CONTROL OF COCKROACHES (WATERBUGS), CRICKETS, BOXELDER BUGS, SILVERFISH (FIREBRATS), CLOVER MITES, CENTIPEDES, MILLIPEDES, EARWIGS, SCORPHONS, SOWBUGS (PILLBUGS), SPIDERS, BROWN DOG TICKS, LONE STAR TICKS, ANTS, SPIDER BEE-TLES, HOUSE FLIES, FIRE ANTS, CARPET BEETLES, FLEAS, MOSQUITOES, GNATS, FLYING MOTHS.
- TO BE APPLIED ONLY BY OR UNDER THE SUPERVISION OF PEST CONTROL OPERATORS OR OTHER TRAINED PERSON-**NEL RESPONSIBLE FOR INSECT CONTROL PROGRAMS.**
- CONTAINS DURSBAN* INSECTICIDE

ACTIVE INGREDIENTS:

* Resmethrin [5-(phenylmethyl)-3-furanyl] methyl 2,2-dimethyl-3-(2-methyl-1-propenyl) *Chlorpyrifos [0,0-diethyl 0-(3,5,6-trichloro-2 -pyridyl) phosphorothioatel......16.00%w/w INERT INGREDIENTS:

100.00% w/w


#Contains Methanol and Aromatic Petroleum Distillates. *Cis/trans isomers ratio: max. 30%(±)cis and min. 70%(±)trans.

• Roussel Uclaf Corporation's SBP-1382® brand of resmethrin insecticide. *U.S Patent No. 3,244,586 Dursban-Trademark of the Dow Chemical Co. **U.S. Patent No. 3,683,078.

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

(TO THE USER: If you cannot read English, do not use product until the label has been fully explained to yo EPA REG. NO 432-568 EPA EST. NQ.

KEEP OUT OF REACH OF CHILDREN DANGER



DANGER: Methanol may cause blindness. Harmful or fatal if swallowed. Vapor harmful. Avoid breathing mist or vapors. Avoid contact with skin. In case of eye contact: Flush with plenty of water and get medical attention

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center immediately. DO NOT induce vomiting. This product contains aromatic petroleum solvent. Aspiration might be a hazard.

If In Eves: Flush with plenty of water. Get medical attention

If On Skin: Wash with plenty of soap and water. medical attention if necessary.

NOTE TO PHYSICIAN: Chlorpyrifes is a cholinesterase

See Side Panel For Precautions a cinended, for the posticide

PRECAUTIONARY STATEMENTS Hazards To Humans & Domestic Animals DANGER

. 1940

432.568

Causes irreversible eye damage. Harmful or fatal if swallowed, Avoid breathing vapors. Do not get in eyes, on skin or on clothing. Wear goggles or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. In food handling areas, application is limited to crack and crevice and/or spot treatment. Do not apply directly to food or feedstuffs. In commercial food handling facilities, cover or remove any food or food processing equip-ment during application. Do not apply while food processing is underway. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish bowls (tanks) before spraying.

Environmental Hazards

This pesticide is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Physical And Chemical Hazards

Flammable: Keep away from heat or open flame. Flash point minimum of 60°F (15.5°C). Do not apply this pro conduits, motor housings, junction and switch boxes electrical equipment because of possible shock haved. use on surfaces that can be harmed or stained b

DIRECTIONS FOR CHE oduct in a manner that

It is a violation of federal law Other is inconsistent with a labeling.

n loog handling establishments, can be used in non-food areas s a connect or residual spray. In food areas, application is limited and a crack and crevice treatment.

STORAGE & DISPOSAL

to not contaminate water, food or feed by storage or disposal. Storage: This material may stratify upon standing, even at room temperature. Thoroughly mix before each use. Do not expose to temperatures below 40°F (4.5°C). Allow to stand until product reaches room temperature and thoroughly mix before using. DO NOT USE OPEN FLAME FOR WARMING.

Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste repre-sentative at the nearest EPA Regional Office for guidance. Container Disposal: For Containers One Gallon and Under:

Do not reuse empty container. Wrap container and put in trash. For Containers Over One Gallon: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or Ly other procedures approved by State and Local authorities.

INSTRUCTIONS FOR CONTACT AND RESIDUAL SPRAYS: FOR USE IN NON-FOOD AREAS INDOORS ANL OUTSIDE PREM-ISES OF HOTELS, MOTELS, HOMES, PRESCHOOLS, APART-MENT BUILDINGS, COMMERCIAL, OFFICE, INSTITUTIONAL AND STORAGE BUILDINGS, REGREATIONAL BUILDINGS, BOATS, SHIP CABINS AND HOSPITALS. IN HOSPITALS, RE-ACCE PEREDOURS BEFORE REFURNING PATIENTS.

BEST AVAILABLE COPY

inhibitor. Treat symptomatically. Atropine style () 2 19 As CORRIDORS, OFFICES, FOYERS, LAVATORIES, GARAGES, injection is an antidote. Under the Federal Insorticide.

Fungicide, and Rodoaticiide Act.

2

-569

rigistered under

EPA Rog. No.

PACKAGING AND PROCESSING PLANTS, MILK HANDLING AREAS OF MILK PLANTS, MILK STORAGE ROOMS, EGG PROC-ESSING PLANTS, SUPERMARKETS, RESTAURANTS, BOTTLING PLANTS, CANNERIES, FLOUR AND FEED MILLS, AND BAKER-IES.

In food areas of food handling establishments, application is limited to spot and/or crack and crevice treatment.

ALSO, FOR USE IN AND AROUND CAMPERS, MOBILE HOMES, BUSES AND AUTOMOBILES. THIS PRODUCT CAN BE USED IN CARGO PLANES, TRUCKS, BOXCARS AND SHIP CARGO HOLDS ONLY IF THE VEHICLES ARE NOT USED FORTRANS-PORT OF FOOD OR FOOD PRODUCTS AT ANY TIME.

ALSO, FOR USE IN DOG KENNELS AND HORSE STABLES. DO NOT SPRAY ON HORSES AND DOGS. DO NOT SPRAY DOG AND HORSE FOOD OR FEED ITEMS.

NOTE TO PEST CONTROL OPERATORS: One gallon (3.79 L) of spray is sufficient to treat 1500 linear feet (457 meters) with a six inch (15.2 cm) spray band.

GENERAL INFORMATION: Mix this product with water as shown in the SPRAY DILUTION CHART^{*}. Use a 0.1% + 0.50% spray to quickly reduce heavy infestations and a 0.05% + 0.25% spray to control light infestations and for maintenance purposes.

SP	PRAY DILUTION CHART Volume of UltraTEC	a Insecticide with
Gallons of Spray	SBP-1382/Chlorpyrifos TEDC 3 2%+16%	
Mixture Desired		
1 (3.79 L)	2 fl oz (59.2 ml)	4 fl oz (118.3 ml)
3 (11.37 L)	6 fl oz (177.4 ml)	12 fl oz (355 ml)
5 (18.95 L)	10 fl oz (295.7 ml)	20 fl oz (591.5 mJ)
10 (37.90 L)	20 fl oz (591.5 ml)	40 fl oz (1.183 !.)
		· · · · · · · ·

*NOTE: Do not store the concentrate at temperatures below 40°F (4.5°C). If the concentrate is exposed to temperatures below 40°F (4.5°C), allow to stand until product reaches room temperature and thoroughly mix before diluting with water. Do not expose the spray mixture to temperatues below 32°F (0°C). **NOTE: 1 fl oz (29.6 ml) = 2 tablespoons = 6 teaspoons.

CONTACT SPRAY: Kills and reduces infestations: Cockroacbes(Waterbugs), Crickets, Boxelder Bugs, Scorpions, Spider Beetles, Silverfisb (Firebrats), Carpet Beetles, Clover Mites, Centipedes, Millipedes, Earwigs, Sowbugs (Pillbugs), Ants, Spiders, Fleas: Use as a spot treatment. When possible, spray directly on pests to reduce infestations. Apply as a coarse spray or with a paint brush into hiding places such as cracks, crevices, moist areas, openings around p pes and sinks, under refrigerators and other appliances, baseboards and storage areas. Apply spray until area is wet, but not to the point of run-off. Repeat as necessary.

ANTS (Including FIRE ANTS): To kill ants within buildings and homes, spray trails, nests and points of entry. Spray directly on ants where possible. Repeat as necessary.

FLEAS, BROWN DOG AND LONE STAR TICKS: Thoroughly apply as a pot treatment to infested areas such as pet's beds and resting quarters; nearby cracks and crevices; along and behind baseboards, window and door frames and localized areas of floor and floor covering where these pests may be present. Old bedding of pets should be removed and replaced with clean fresh bedding after treatment of pet areas. DO NOT TREAT PETS WITH THIS PRODUCT. Treat pets with a product registered for animal application such as SBP-13827/Bioallethrin AqueousPressurized Spray, EPA Reg. 432-482, to control the source of flea and tick infestation.

CARPET BEETLES AND CLOTHES MOTHS: Do not spray clothing with this product. Do not allow clothing to contact areas where this product has been used. Spray edges of carpeting and under carpeting, rugs and closets. Make localized application to the floor and baseboards. Spray directly into cracks, crevices, closets, and infested areas of shelving and/or wherever these insects are seen or suspected. Repeat as necessary.

2012

RESIDUAL SPRAY: Aids in control of Cockroacbes (Waterbugs), Crickets, Boxelder Bugs, Scorpions, Spider Beetles, Silverfisb(Firebrats), Centipedes, Millipedes, Earwigs, Sowbugs (Pillbugs). Kills up to 4 weeks. Apply on baseboards, cracks and crevices, around door and window frames, and other hiding places such as closets, in back of and under appliances, sinks and cupboards in kitchens and bathrooms. In basements, apply in hiding places, in cracks and crevices, lower walls and dark places. Spray surfaces until wet, but not to the point of runoff.

PESTS OUT-OF-DOORS: DO NOT TREAT OR ALLOW THE SPRAY TO CONTACT PLANTS (LAWNS, FLOWERING PLANTS, SHRUBS, TREES, EVERGREENS, ETC.) BECAUSE OF POSSIBLE INJURY.

PESTS ON OUTSIDE SURFACES OF BUILDINGS: Use this product to control Ants, Clover Mites, Crichets, Earwigs, Millipedes and Sowbugs (Pillbugs) on the outside surfaces of buildings. To help prevent infestation of buildings treat the building foundation to a height of 2 to 3 feet (0.5 to 1 meter), where pests are active and may find entrance. Also, apply as a residual spray to outside surfaces of buildings, including porches, screens, window frames, eaves, patios, garages, refuse dumps, and other areas where these pests congregate or have been seen. Repeat treatment as needed to maintain effectiveness.

HOUSE FLIES, MOSQUITOES, GNATS, FLYING MOTHS OUT-DOORS: For outdoor use only as an aid in reducing annoyance from these insects. Spray outside surfaces of screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures on porches, in garages, and other places where these insects alight or congregate. Repeat as necessary.


ANTS, LONE STAR TICKS, CRICKETS, FLEAS, AND EARWIGS OUTDOORS: For treatment of localized infestations of these insects in outdoor areas where there are weeds or bushy noncrop areas, spray infested areas thoroughly. For ants, thoroughly wet hills and runways Repeat application as infestations warrant and as reinfestation occurs.

TO CONTROL FIRE ANTS: Dilute $4^{-1}/_2$ tsp. (22 ml) of this product in 1 gallon (3.79 L) of water. Apply 1 gallon (3.79 L) of solution as a gentle rain to each fire ant mound using a sprinkler can. Thoroughly wet the mound and surrounding area to a 4 foot diameter (1.22 m). For best results, apply in cool weather, 65-80EF (18.5-27EC), or in early morning or late evening hours. Treat new mounds as they appear. Do not disturb the mound prior to treatment. If possible, treat all mounds in the vicinity, and treat all colonies which may not as yet have constructed a mound.

Larger quantities of solution can be prepared for multiple mound treatments. Equipment to deliver the diluted product as a gentle rain at the rate of 1 gallon (3.79 L) per mound is still required.

WARRANTY STATEMENT

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with the directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.



REST AVAILABLE COPY