می شد. د می شوند به معین د می	
	and the second
PENICK C	Page 1. of 5. CORPORATION
SBP-1382 C/CHLOR TRANSPARENT EMU	PYRIFOS INSECTICIDE LSION** SPRAY 0.1% +0.5%
	FFERING FLUSHING ACTION AND RESIDUAL HES FOR UP TO 4 WEEKS
silverfish (firebrats), clover sowbugs (pillbugs), spiders, br fire ants, carpet beetles, flea beetles, bed bugs, houseflies, r confused flour beetles, sawtoot grain mites, red flour beetles, Indian meal moths, Mediterranea	l of cockroaches (waterbugs), crickets, mites, centipedes, millipedes, earwigs, own dog ticks, lone star ticks, ants, s, boxelder bugs, scorpions, spider mosquitoes, gnats, flying moths, hed grain beetles, shiny spider beetles, angoumois grain moths, grain weevils, n flour moths, lesser grain borers, eetles, chocolate moths, Clothes moths.
CONTAINS DURSBA	N INSECTICIDE
3-(2-methyl-l-pro Chlorpyrifos [0,0-diethyl 0-	-3-furanyl]methyl-2,2-dimethyl- penyl)cyclopropanecarboxylate 0.10% w/ (3,5,6-trichloro-2-pyridyl)
+U.S. Patent Nos. 3,465,007 and Penick's SBP-1382® brand of re Penick Corp., 1050 Wall Street	smethrin insecticide. West, Lyndhurst, N.J. 07071 Irsban is a Trademark of Dow Chemical Co.
hasta que la etiqueta le haya TRANSLATION: (To the user: I	sido explicada ampliament f you cannot read Englishy do not use as been fully explained to you
KEEP OUT OF	REACH OF CHILDREN
. CAU	UTION TO THE REPORT OF THE PARTY AND THE PAR
	R ADDITIONAL PRECAUTIONARY
EPA Reg. No. 432- 569	EPA Est. 432-NJ-1
NET CONTENTS:	· · · ·
In food handling establishment contact or residual spray. In to spot and/or crack and crevi	s, can be used in non-food areas as a second food areas, application is limited the treatment.
1050 k	Corporation It. Mill Street West wst, New Jersey 07071 U.S.A.
RM No. (016 C (3-78)	

ĸ

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

433-564

•

•

•••••

.....

CAUTION

Harmful if swallowed. Avoid contact with eyes, skin or clothing. Wash hands after using.

In food handling areas, application is limited to crack and crevice and/or spot treatment. Do not apply directly to food or feedstuffs. In commercial food handling facilities, cover or remove any food or food processing equipment during application. Do not apply while food processing is underway. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Get immediate medical attention. If in eyes or on skin: Flush with plenty of water for at least 15 minutes. For eyes, get medical attention.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. If symptoms of cholinesterase inhibition appear, atropine only by injection is an antidote.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Birds and other wildlife in treated areas may be killed. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes.

PHYSICAL/CHEMICAL HAZARDS

Do not apply this water-based product in conduits, motor housings, junction and switch boxes or other electrical equipment because of possible shock hazard. Do not use on surfaces that can be harmed or stained by water.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Do not store this water-based formulation at temperatures below 32°F.

DIRECTIONS FOR USE (continued)

Page 3. of 5. 4 32.564

<u>PESTICIDE DISPOSAL</u>: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to Federal, State or Local procedures.

CONTAINER DISPOSAL:

For containers one gallon and under: Do not use empty container. Wrap container and place in trash collection.

For containers over one gallon: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and Local procedures.

FOR USE IN NON-FOOD AREAS INDOORS AND OUTSIDE PREMISES OF HOTELS, MOTELS, HOMES, PRESCHOOLS, APARTMENT BUILDINGS, COMMERCIAL, OFFICE, INSTITUTIONAL AND STORAGE BUILDINGS, RECREATIONAL BUILDINGS, BOATS, SHIP CABINS, AND HOSPITALS. <u>IN HOSPITALS</u>, REMOVE PATIENTS PRIOR TO TREATMENT. VENTILATE ROOMS FOR TWO HOURS BEFORE RETURNING PATIENTS.

THIS PRODUCT CAN BE USED IN NON-FOOD AREAS SUCH AS CORRIDORS, OFFICES, FOYERS, LAVATORIES, GARAGES, UTILITY ROOMS, STORAGE ROOMS AND BASEMENTS, OF PACKAGING AND PROCESSING PLANTS, MILK HANDLING AREAS OF MILK PLANTS, MILK STORAGE ROOMS, EGG PROCESSING PLANTS, SUPER-MARKETS, RESTAURANTS, BOTTLING PLANTS, CANNERIES, FLOUR AND FEED MILLS, AND BAKERIES.

IN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, APPLICATION IS LIMITED TO SPOT AND/OR CRACK AND CREVICE TREATMENT.

ALSO FOR USE IN AND AROUND CAMPERS, MOBILE HOMES, BUSES AND AUTO-MOBILES. THIS PRODUCT CAN BE USED IN CARGO PLANES, TRUCKS, BOXCARS AND SHIP CARGO HOLDS ONLY IF THE VEHICLES ARE NOT USED FOR TRANSPORT OF FOOD OR FOOD PRODUCTS AT ANY TIME.

ALSO, FOR USE IN DOG MENNELS, AND HORSE STABLES. DO NOT SPRAY ON HORSES AND DOGS. DO NOT SPRAY DOG AND HORSE FOOD OR FEED ITEMS.

NOTE TO PEST CONTROL OPERATORS: One gallon (3.79 L) of spray is sufficient to treat 1,000 linear feet (457 m) with a 6 inch (15.2 cm) spray band.

For contact and residual sprays, use this product without diluting. For repeat applications, dilute with equal parts of water.

CONTACT SPRAY-KILLS AND REDUCES INFESTATIONS: Cockroaches (waterbugs), crickets, silverfish (firebrats), clover mites, centipedes, millipedes, earwigs, sowbugs (pillbugs), spiders, brown dog ticks, lone star ticks, ants, fire ants, carriet teetles, fleas, boxelder bugs, scorpions, spider beetles, bed bugs,

confused flour beetles, sawtoothed grain beetles, shiny spider beetles, grain mites, red flour beetles, angounois grain moths, grain weevils, Indian meal moths, Mediterranean flour moths, lesser grain borers, cigarette beetles, drug store beetles, chocolate moths. Use as a riot treatment. When possible, spray directly on posts to reduce investations. Apply as a coarse stray or with a point bruch into hiding places such as cracks, creviers, moist areas, or chings around pipes and sinks, under refrigerators and other applicates, bareboards and storage areas. Apply spray until area is wet, but not to the point of run-off. Repeat as necessary.

432-540 Page 4. of 5. .1

DIRECTIONS FOR USE (continued)

ANTS (Including Fire Ants): To kill ants, spray trails, nests and points of entry within buildings and homes. spray directly on ants where possible. Repeat as necessary.

FLEAS, BROWN DOG AND LONE STAR TICKS: Thoroughly apply as a spot treatment to infested areas such as pets' bods and resting quarters; nearby cracks and crevices; along and behind baseboards, window and door frames and localized areas of floor and floor covering where these pests may be present. Old bedding of pets should be removed and replaced with clean fresh bedding after treatment of pet areas. DO NOT TREAT PETS WITH THIS PRODUCT. Treat pets with a product registered for animal application such as SBP-1382@/Bioallethrin Aqueous Pressurized Spray, EPA Reg. No. 432-482, to control the source of flea and tick infestation.

CARPET BEETLES AND CLOTHES MOTHS: Do not spray clothing with this product. Do not allow clothing to contact areas where this product has been used. Spray edges of carpeting and under carpeting, rugs, and closets. Make localized application to the floor and baseboards. Spray directly into cracks, crevices, closets, and infested areas of shelving and/or wherever these insects are seen or suspected. Repeat as necessary.

RESIDUAL SPRAY: AIDS IN THE CONTROL OF COCKROACHES (WATERBUGS), CRICKETS, BOXELDER BUGS, SCORPIONS, SPIDER BEETLES, SILVERFISH (FIREBRATS), CENTIPEDES, MILLIPEDES, EARWIGS, SOWBUGS (PILLBUGS). Kills up to 4 weeks. Apply on baseboards, cracks and crevices, around door and window frames, and other hiding places such as closets, in back of and under appliances, sinks and cupboards in kitchens and bathrooms. In basements, apply in hiding places, in cracks and crevices, lower walls and dark places. Spray surfaces until wet, but not to the point of run-off.

PESTS OUT-OF-DOORS

PESTS OUT-OF-DOORS: DO NOT TREAT OR ALLOW THE SPRAY TO CONTACT PLANTS (LAWNS, FLOWERING PLANTS, SHRUBS, TREES, EVERGREENS, ETC.) BECAUSE OF POSSIBLE INJURY.

PESTS ON OUTSIDE SURFACES OF BUILDINGS: Use this product to control ants, clover mixes, crickets, carwigs, millipedes and sowbugs (pillbugs) on the outside surfaces of buildings. To help prevent infestation of buildings treat the building foundation to a height of 2 to 3 feet (0.5 to 1 m), where pests are active and may find entrance. Also, apply as a residual spray to outside surfaces of buildings, including porches, screens, window frames, caves, patios, garages, refuse dumps, and other areas where these pests congregate or have been seen. Repeat treatment as needed to maintain effectivenees.

HOUSEFLIES, MOSCULTONS, MARS, FLYING MOTHS, OUTDOORS: For outdoor use only a faid in requests tannoyance from these insects. Spring. outside surfaces of dereenc, decrs, window frames or wherever these insects may enter the rote. Also treat surfaces around light figures on perches, in marges, and other places where these insects alight or contregate. Lepeat as necessary.

DIRECTIONS FOR USE (continued)

ANTS, BROWN DOG TICKS, CRICKETS, FLEAS, AND EARWIGS OUTDOORS: For treatment of localized infestations of these insects in outdoor areas where there are weeds or bushy non-crop areas, spray infested areas thoroughly. For ants, thoroughly wet hills and runways. Repeat application as infestations warrant and as reinfestations occur.

TO CONTROL FIRE ANTS: Dilute 1.5 pints (0.71 L) of this product in 1 gallon (3.79 L) of water. Apply 1 gallon (3.79 L) of solution as a gentle rain to each fire ant mound using a sprinkler can. Thoroughly wet the mound and surrounding area to a 4 foot diameter (1.16 m). For best results, apply in cool weather, $65-80^{\circ}C-27^{\circ}C$), or in early morning or late evening hours. Treat new mounds as they appear. Do not disturb the mound prior to treatment. If possible, treat all mounds in the vicinity, and treat all colonies which may not as yet have constructed a mound. Larger quantities of solution can be prepared for multiple mound treatments. Equipment to deliver the diluted product as a gentle rain at the rate of 1 gallon (3.79 L) per mound is still required. Do not use equipment that generates a pressurized spray as pressurized sprays may disturb fire ants and cause migration, reducing product effectiveness.

WARRANTY STATEMENT

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

437 - 22

-