

JUL 29 1993

Ms. Christina M. Lawes
Roussel Uclaf Corporation
95 Chestnut Ridge Road
Montvale, New Jersey 07645

Subject: Revised Labeling--Environmental Hazards, Emesis
SBP-1382/Chlorpyrifos
Transparent Emulsion Spray 0.1% + 0.5%
EPA Registration Number 432-569
Your Application Dated June 8, 1993

Dear Ms. Lawes:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, is acceptable provided that you make the labeling change indicated below before you release the product for shipment bearing the amended labeling:

In the Directions for Use/Contract Spray-Kills and Reduces Infestations, delete "bed bugs" from the list of pests.

Submit five (5) copies of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

DHE

Dennis H. Edwards, Jr.
Product Manager (19)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

Enclosure

SBP-1382®/CHLORPYRIFOS INSECTICIDE TRANSPARENT EMULSION** SPRAY 0.1% + 0.5%

A COMBINATION OF INSECTICIDES OFFERING FLUSHING ACTION AND RESIDUAL KILL OF COCKROACHES FOR

This product breaks the life cycle of fleas. Kills adult fleas and pre-adult fleas on contact.

Keeps killing pre-adult fleas for up to 42 days and adult fleas for up to 30 days. Reaches fleas hidden in carpets.

For Residual and Contact Control of Cockroaches (Waterbugs), Crickets, Silverfish (Firebrats), Clover Mites, Centipedes, Millipedes, Earwigs, Sowbugs (Pillbugs), Spiders, Brown Dog Ticks, Lone Star Ticks, Ants, Fire Ants, Carpet Beetles, Fleas, including pre-adult fleas, Boxelder Bugs, Spider Beetles, House Flies, Mosquitoes, Gnats, Flying Moths, Confused Flour Beetles, Sawtoothed Grain Beetles, Shiny Spider Beetle, Grain Mites, Red Flour Beetles, Angoumois Grain Moths, Grain Weevils, Indian Meal Moths, Mediterranean Flour Moths, Lesser Grain Borers, Cigarette Beetles, Drug Store Beetles, Chocolate Moths, Clothes Moths.

CONTAINS DURSBAN * INSECTICIDE

ACTIVE INGREDIENTS:

*Resmethrin [5-(phenylmethyl)-3-furanyl]methyl 2,2-dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarboxylate	0 10%w/w
*Chlorpyrifos [0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate]	0.50%
INERT INGREDIENTS:	99.40%

100.00% w/w

*Cis/trans isomers ratio: max.30%(±)cis and min.70%(±)trans.
 •Roussel Bio's SBP-1382® brand of resmethrin insecticide.
 Roussel Bio Corp., 400 Sylvan Avenue, Englewood Cliffs, N.J. 07632
 *U.S. Patent No. 3,244,586. Dursban is a Trademark of Dow Chemical Co.
 **U.S. Patent No. 3,683,078.

PRECAUCION AL CONSUMIDOR: Si usted no lee Ingles, no use este producto hasta que la etiqueta le haya sido explicada amplamente.
(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS AND
STATEMENT OF PRACTICAL TREATMENT

In food handling establishments, can be used in non-food areas as a contact or residual spray.
 In food areas, application is limited to spot and/or crack and crevice treatment.

EPA Est.: See Lot No. For Correlation

EPA Reg. No. 432-569

NET CONTENTS:

ROUSSEL UCLAF
 Roussel Uclaf Corporation
 95 Chestnut Ridge Road
 Montvale, New Jersey 07645



**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water. In food handling areas application is limited to crack and crevice and do not apply directly to food or feedstuffs. In commercial food handling facilities do not apply to food or food processing equipment during application. Do not apply to food or food processing equipment during application. Do not apply to food or food processing equipment during application. Do not apply to food or food processing equipment during application. Do not allow children or pets on treated surfaces until spray has dried. Remove pets and cover fish aquarium.

STATEMENT OF PRACTICAL TREATMENT

Add Attachment 1 . If in eyes or on skin: Flush with water for at least 15 minutes. For eyes, get medical attention.
NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. If symptoms of inhibition appear, atropine only by injection is an antidote.

ENVIRONMENTAL HAZARDS

Add Attachment 2

PHYSICAL AND CHEMICAL HAZARDS

Do not apply this water-based product in conduits, motor housings, junction boxes or other electrical equipment because of possible shock hazard. Do not apply to surfaces that can be harmed or stained by water.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with the label.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
STORAGE: Do not store this water-based formulation at temperatures below 40°F. For containers one gallon and under: Store product in original container in a cool, dry area.
PESTICIDE DISPOSAL: Wastes resulting from the use of this product must be disposed of by incineration or at an approved waste disposal facility.
CONTAINER DISPOSAL: For Containers One Gallon and Under: Do not reuse. Wrap container and put in trash.
 For Containers Over One Gallon: Triple rinse (or equivalent). Then recleanse, or puncture and dispose of in a sanitary landfill, or by other means approved by State and Local authorities.

DIRECTION FOR USE (continued on reverse side)

DIRECTIONS FOR USE (Continued)

EPA Reg. No. 432-569

FOR USE IN NON-FOOD AREAS INDOORS AND OUTSIDE OF PREMISES OF HOTELS, MOTELS, HOMES, PRESCHOOLS, APARTMENT BUILDINGS, COMMERCIAL, OFFICE, INSTITUTIONAL AND STORAGE BUILDINGS, RECREATIONAL BUILDINGS, BOATS, SHIP CABINS, AND HOSPITALS. IN HOSPITALS, REMOVE PATIENTS PRIOR TO TREATMENT. VENTILATE ROOMS FOR TWO HOURS BEFORE RETURNING PATIENTS.

THIS PRODUCT CAN BE USED IN NON-FOOD AREAS SUCH AS CORRIDORS, OFFICES, FOYERS, LAVATORIES, GARAGES, UTILITY ROOMS, STORAGE ROOMS AND BASEMENTS, OF PACKAGING AND PROCESSING PLANTS, MILK HANDLING AREAS OF MILK PLANTS, MILK STORAGE ROOMS, EGG PROCESSING PLANTS, SUPERMARKETS, RESTAURANTS, BOTTLING PLANTS, CANNERIES, FLOUR AND FEED MILLS, AND BAKERIES.

IN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, APPLICATION IS LIMITED TO SPOT AND/OR CRACK AND CREVICE TREATMENT.

ALSO FOR USE IN AND AROUND CAMPERS, MOBILE HOMES, BUSES AND AUTOMOBILES. THIS PRODUCT CAN BE USED IN CARGO PLANES, TRUCKS, BOXCARS AND SHIP CARGO HOLDS ONLY IF THE VEHICLES ARE NOT USED FOR TRANSPORT OF FOOD OR FOOD PRODUCTS AT ANY TIME.

ALSO, FOR USE IN DOG KENNELS, AND HORSE STABLES. DO NOT SPRAY ON HORSES AND DOGS. DO NOT SPRAY DOG AND HORSE FOOD OR FEED ITEMS.

NOTE TO PEST CONTROL OPERATORS: One gallon (3.79 L) of spray is sufficient to treat 1500 linear feet (457 m) with a 6 inch (15.2 cm) spray band.

For contact and residual sprays, use this product without diluting. For repeat applications, dilute with equal parts of water.

CONTACT SPRAY - KILLS AND REDUCES INFESTATIONS: Cockroaches (waterbugs), crickets, silverfish (firebrats), clover mites, centipedes, millipedes, earwigs, sowbugs (pillbugs), spiders, brown dog ticks, lone star ticks, ants, fire ants, carpet beetles, fleas, boxelder bugs, scorpions, spider beetles, bed bugs, confused flour beetles, sawtoothed grain beetles, shiny spider beetles, grain mites, red flour beetles, angoumois grain moths, grain weevils, Indian meal moths, Mediterranean flour moths, lesser grain borers, cigarette beetles, dry storage beetles, chocolate moths. Use as a spot treatment. When possible, spray directly on

pests to reduce infestations. Apply as a coarse spray or with a paint brush into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators and other appliances, baseboards and storage areas. Apply spray until area is wet, but not to the point of run-off. Repeat as necessary.

ANTS (including Fire Ants): To kill ants, spray trails, nests and points of entry within buildings and homes. Spray directly on ants where possible. Repeat as necessary.

FLEAS, BROWN DOG AND LONE STAR TICKS: Thoroughly apply as a spot treatment to infested areas such as pets' beds and resting quarters; nearby cracks and crevices; along and behind baseboards, window and door frames and localized areas of floor and floor covering where these pests may be present. Old bedding of pets should be removed and replaced with clean fresh bedding after treatment of pet areas. **DO NOT TREAT PETS WITH THIS PRODUCT.** Treat pets with a product registered for animal application such as SBP-1382-/Bioallethrin Aqueous Pressurized Spray, EPA Reg. No. 432-482, to control the source of flea and tick infestation.

CARPET BEETLES AND CLOTHES MOTHS: Do not spray clothing with this product. Do not allow clothing to contact areas where this product has been used. Spray edges of carpeting and under carpeting, rugs, and closets. Make localized application to the floor and baseboards. Spray directly into cracks, crevices, closets, and infested areas of shelving and/or wherever these insects are seen or suspected. Repeat as necessary.

RESIDUAL SPRAY: AIDS IN THE CONTROL OF COCKROACHES (Waterbugs), CRICKETS, BOXELDER BUGS, SCORPIONS, SPIDER BEETLES, SILVERFISH (Firebrats), CENTIPEDES, MILLIPEDES, EARWIGS, SOWBUGS (Pillbugs). Kills up to 4 weeks. Apply on baseboards, cracks and crevices, around door and window frames, and other hiding places such as closets, in back of and under appliances, sinks and cupboards in kitchens and bathrooms. In basements, apply in hiding places, in cracks and crevices, lower walls and dark places. Spray surfaces until wet, but not to the point of run-off.

PESTS OUT-OF-DOORS

DO NOT TREAT OR ALLOW THE SPRAY TO CONTACT PLANTS (LAWNS, FLOWERING PLANTS, SHRUBS, TREES, EVERGREENS, ETC.) BECAUSE OF POSSIBLE INJURY.

PESTS ON OUTSIDE SURFACES OF BUILDINGS: Use this product to control ants, clover mites, crickets, earwigs, millipedes, and sowbugs (pillbugs), on outside surfaces of buildings. To help prevent infestation of buildings treat the building foundation to a height of 2 to 3 feet (0.5 to 1 m), where pests are active and may find entrance. Also, apply as a residual spray to outside surfaces of buildings, including porches, screens, window frames, eaves, patios, garages, refuse dumps, and other areas where these pests congregate or have been seen. Repeat treatment as needed to maintain effectiveness.

HOUSE FLIES, MOSQUITOES, GNATS, FLYING MOTHS OUTDOORS: For outdoor use only as an aid in reducing annoyance from these insects. Spray outside surfaces of screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures on porches, in garages, and other places where these insects alight or congregate. Repeat as necessary.

ANTS, BROWN DOG TICKS, CRICKETS, FLEAS, AND EARWIGS OUTDOORS: For treatment of localized infestations of these insects in outdoor areas where there are weeds or bushy non-crop areas, spray infested areas thoroughly. For ants, thoroughly wet hills and runways. Repeat application as infestations warrant and as reinfestations occur.

TO CONTROL FIRE ANTS: Dilute 1.5 pints (0.71 L) of this product in 1 gallon (3.79 L) of water. Apply 1 gallon (3.79 L) of solution as a gentle rain to each fire ant mounds using a sprinkler can. Thoroughly wet the mound and surrounding area to a 4 foot diameter (1.22 m). For best results, apply in cool weather, 65-80°F (18.5-27°C), or in early morning or late evening hours. Treat new mounds as they appear. Do not disturb the mound prior to treatment. If possible, treat all mounds in the vicinity, and treat all colonies which may not as yet have constructed a mound. Larger quantities of solution can be prepared for multiple mound treatments. Equipment to deliver the diluted product as a gentle rain at the rate of 1 gallon (3.79 L) per mound is still required. Do not use equipment that generates a pressurized spray as pressurized sprays may disturb fire ants and cause migration, reducing product effectiveness.

Notice: Buyer assumes all responsibility for safety and use not in accordance with directions.

Manufacturing Formula:


UltraTEC^(R) Insecticide with SBP-1382/Chlorpyrifos Transparent

Emulsion Concentrate 3.2% - 16%..... 3.13% w/w

EPA Reg. No. 432-571

Deionized Water..... 96.87%

100.00%



5095

ATTACHMENT 1

If swallowed: Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

ATTACHMENT 2

This pesticide is toxic to birds, fish, and aquatic invertebrates. Birds feeding in treated area may be killed. Clean up spilled product to reduce exposure to wildlife. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Runoff may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters.

