Reg # 432-570

PM -17

ULTRATEC® INSECTICIDE with SBP-1382[®]/Chlorpyrifos Transparent Emulsion** Concentrate 1.6% - 16%

- * 8.45 lb/gal (1012 g/L)
- * For the Formulation of Insecticide Only
- * Not for Resale Under this Label
- * Contains Dursban+ insecticide

ACTIVE INGREDIENTS: ttResmethrin [5-(phenylmethyl)-3-furanyl]methyl 2,2-dimethyl-3-(2-methyl-1-propenyl)cyclopropanecarboxylate 1.60% +Chlorpyrifos [O,)-diethyl O-(3,5,6-trichloro-2-pyridyl) 100.00%

*Contains Methanol and Aromatic Petroleum Solvent +Cis/trans isomers ratio: max. 30% (1) cis and min. 70% (1) trans #Roussel Uclaf's SBP-1382® brand of resmethrin insecticide +U.S. Patent No. 3,244,586; Dursban - Trademark of DowElanco **U.S. Patent No. 3,683,078

EPA Reg. No. 432-570

K

11

EPA Est. No.

DANGER

(SKull + (ross bones) POISON (SKull + Cross bones)


DANGER: Methanol may cause blindness. Harmful or fatal if swallowed. Vapor harmful. Avoid breathing mist or vapors. Avoid contact with skin. In case of eye contact: Flush with plenty of water and get medical attention.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a physician or Poison Control Center immediately. DO NOT induce vomiting. This product contains aromatic petroleum solvent. Aspiration might be a hazard.

If In Eyes: Flush with plenty of water. Get medical attention.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is an antidote. 4.8



AgrEvo Environmental Health 95 Chestnut Ridge Road Montvale, NJ 07645

NET CONTENTS:

.......

BEST AVAILABLE COPY

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS DANGER

Causes irreversible eye damage. Harmful or fatal if swallowed. Avoid breathing vapors. Do not get in eyes, on skin or on clothing. Wear goggles or safety glasses. Prolonged or repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

This product is highly toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. for guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS

Flammable. Keep away from heat or open flame. Flash point minimum of 60°F (15.5°C).

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is intended for formulating use only. The formulator using this concentrate is fully responsible for obtaining EPA registrations for his formulated products. For information on formulating this concentrate, refer to Technical bulletin #570.

Only For Formulation Into Insecticides Intended For:

{

1) The Following Uses: Domestic Indoor (Household), Domestic Outdoor (Household/Ornamental), Indoor Food Handling Establishments (Edible Product Areas), Greenhouse Ornamentals, Mosquito Control, Commercial Industrial Use, Treatments of Animals Not Intended for Food and Uncultivated Nonagricultural Areas; 2) Uses For Which US EPA has Accepted the Required Data and/or Citations of Data the Formulator has Submitted in Support of Registration; and, 3) Uses for Experimental Purposes that are in Compliance with US EPA Requirements.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: This material may stratify upon standing, even at room temperature. Thoroughly mix before each use. Do not expose to temperatures below 40°F (4.5°C). If exposed to temperatures below 40°F (4.5°C), allow to stand until product reaches room temperature and thoroughly mix before using. DO NOT USE OPEN FLAME.

Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and Local authorities.

BEST AVAILABLE COPY

WARRANTY STATEMENT

35

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.