

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed or absorbed through skin. Avoid breathing vapor. Avoid contact with skin, eyes, or clothing. Wear mask or respirator of type recommended by NIOSH (National Institute for Occupational Safety and Health) to give adequate protection against this material. Wear protective clothing. Wash exposed skin with soap and water after handling and before eating. Wash all contaminated clothing with soap and water, separately from other clothing, before re-use. Remove pets, birds, and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

If in eyes or on skin: Flush with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL & CHEMICAL HAZARDS

Do not use or store near heat or open flame.

VIOLATIONS FOR USE

It is a violation of both State and Federal law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Do not store at temperatures below 40°F (4.5°C). If this material has been exposed to temperatures below 40°F (4.5°C), there may be precipitation. Check for crystallization. If evident, warm to 80°F (26.5°C) and thoroughly mix before using. **DO NOT USE OPEN FLAME.**

PESTICIDE DISPOSAL: Pesticide, waste, or rinse water. Improper disposal of excess pesticide, spray mixture, or rinse is a violation of Federal Law. If these wastes cannot be disposed of according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling, or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and Local authorities.

DIRECTIONS FOR USE (continued)

**SBP-1382[®] INSECTICIDE
SOLVENT DILUTABLE CONCENTRATE 40%**

**FORMULA IV
With Methylene Chloride
Only For Mushroom Industry Use**

Contains 3.92 lb/gal (470 g/L) of SBP-1382

ACCEPTED
APR 2 1985
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 432-583

**KILLS HOUSE FLIES, SCIARIDS AND PHORIDS
NON-CORROSIVE TO METALLIC EQUIPMENT
NOT FOR USE ON ANY CROPS**

ACTIVE INGREDIENT:

*† Resmethrin[5-(phenylmethyl)-3-furanyl]methyl
2,2-dimethyl-3-(2-methyl-1-propenyl)
cyclopropanecarboxylate 40.00%w/w
Related Compounds 5.45%
INERT INGREDIENTS:..... 54.55%

100.00%w/w

*Cis/trans isomers ratio: max. 30%(±)cis and min. 70%(±)trans.

†U.S. Patent Nos. 3,487,007 and 3,542,928.

•Penick's SBP-1382[®] brand of resmethrin insecticide.
Penick Corp., 1050 Wall Street West, Lyndhurst, N.J. 07071

PRECAUTION AT HANDLING: Do not use in the kitchen. Do not use on produce. Do not use in areas where children play. Do not use in areas where food is prepared. (TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

**SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS AND
STATEMENT OF PRACTICAL TREATMENT**

EPA Reg. No. 432-583 EPA Est. 432-NJ-1

NET CONTENTS: Gallons(
LOT NO.

PENICK Penick Corporation

1050 Wall Street West, Lyndhurst, NJ 07071 USA

DIRECTIONS FOR USE (continued)

FOR CONTROL OF HOUSE FLIES and ADULT MUSHROOM FLIES (Sciarids and Phorids) IN BREEZEWAYS AND ON THE PREMISES OF MUSHROOM FARMS, INSIDE OF EMPTY MUSHROOM HOUSES, CAVES AND TRAY OPERATIONS BETWEEN GROWING CYCLES, AFTER PRODUCTION AND BEFORE REFILLING. NOT FOR DIRECT APPLICATION TO MUSHROOMS OR MUSHROOM SPAWNS.

To control the insects listed above, apply up to 4 times daily at a rate of 8 ml (1/4 fl oz) of this product + 1000 ml (around 10 liters) of Methylene Chloride per 10,000 cubic feet of space. Close doors and shut off ventilating systems. Use a non-thermal fogger adjusted to deliver an aerosol spray (no droplets over 50 microns in diameter and 80% less than 30 microns). Fogger should be operated 8 to 10 feet (2.4-3.0 m) away from surfaces and directed slightly upward over them. Circulating fans should be left in operation. Premises should be kept closed and ventilating systems should remain off for one hour during treatment.

WARRANTY STATEMENT

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage resulting from its misuse as such, or in combination with other materials.