

••Resmethrin[5-(phenylmethyl)-3-furanyl]methyl 2,2-dimethyl-
 3-(2-methyl-1-propenyl)cyclopropanecarboxylate 0.20%w/w
 • d/l-allethrolone d-trans chrysanthemate 0.10%
 ••Piperonyl Butoxide, technical 0.40%
INERT INGREDIENTS: 99.30%
100.00%w/w

• **ESBIOTHRIN**—Registered trademark of Roussel-UCLAF, Paris, France.
 Min. 72% d-trans-Chrysanthemum monocarboxylic ester of
 6-2-allyl-4-hydroxy-3-methyl-2-cyclopenten-1-one.
 Min 26% Other isomers.
 • Cis/trans isomers ratio: max. 36% (±) cis. and min. 70% (±) trans.
 • Roussel Bio's S&P-1382® brand of resmethrin insecticide.
 Roussel Bio Corp., 499 Sylvan Avenue, Englewood Cliffs, N.J. 07632
 **Equivalent to 0.32% (Butylcarbitol)(6-Propylpiperonyl) ether and 0.08% related compounds.

KEEP OUT OF REACH OF CHILDREN
CAUTION
 SEE SIDE PANEL FOR ADDITIONAL
 PRECAUTIONARY STATEMENTS AND
 STATEMENT OF PRACTICAL TREATMENT

A Synthetic pyrethroid for controlling the following flying and crawling insects in and around households, greenhouses, buildings, vehicles, boats, kennels and stables.

FLYING INSECTS

house flies
 mosquitoes
 gnats (midges)
 deer flies
 stable flies
 flying moths (millers)
 fruit flies
 wasps
 hornets
 yellow jackets
 bees

CRAWLING INSECTS

cockroaches
 waterbugs
 bedbugs
 ticks
 ants
 crickets
 silverfish
 bedbug bugs
 earwigs
 spiders
 arachnids
 centipedes
 millipedes
 grain mites
 grain insects
 fleas

PLANT PESTS

aphids
 thrips
 whiteflies
 leafhoppers
 two-spotted mites
 plant bugs
 spittlebugs
 lace bugs
 Japanese beetles
 minuscule webworm
 armyworms
 budworms
 leaf beetles
 gypsy moths
 tussock moths
 sawflies
 sawflies
 tent caterpillars
 weevils
 rose slugs
 spider mites
 red spider mites
 cutworms

SHAKE WELL BEFORE USING
 EPA Est.: See Lot No. For Correlation
 G 42545-MO-1
 H 5005-AR-1
 P 655-QA-1

NET CONTENTS:

ROUSSEL BIO
 CORPORATION
 PO Box 1077, 400 Sylvan Avenue
 Englewood Cliffs, New Jersey 07632

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying in bakeries and other food processing plants, wash all equipment, benches, shelving, etc. where exposed food will be handled, thoroughly with an effective cleaning compound and rinse with potable water. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Remove pets, birds and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

For skin and eyes: In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130°F (54.5°C) may cause bursting. Do not apply this product in conduits, motor housings, junction and switch boxes or other electrical equipment because of possible shock hazards.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Storage: Keep in locked storage area.
 Contains: Xpasek: Replace cap and discard container in trash.

FOR USE INDOORS AND OUTSIDE PREMISES OF HOTELS, MOTELS, HOMES, PRE-SCHOOLS, NURSERIES, DAY CAMPS, GREENHOUSES, LATHHOUSES, SEED HOUSES, FOOD HANDLING ESTABLISHMENTS, PACKAGING AND PROCESSING PLANTS, COMMERCIAL, INDUSTRIAL, OFFICE, INSTITUTIONAL AND STORAGE BUILDINGS, MILK HANDLING AREAS OF MILK PLANTS, MILK STORAGE ROOMS, EGG PROCESSING PLANTS, SUPERMARKETS, RESTAURANTS, BOTTLING PLANTS, CANNERIES, FLOUR AND FEED MILLS, BAKERIES, BOATS, SHIP CASINS AND HOSPITALS
 IN HOSPITALS: PATIENTS SHOULD BE REMOVED PRIOR TO TREATMENT. VENTILATE ROOMS FOR 2 HOURS BEFORE RETURNING PATIENTS. ALSO FOR USE IN CAMPER, MOBILE HOMES, BUSES, AUTOMOBILES, TRUCKS, BOXCARS AND SHIP CARGO HOLDS. ALSO FOR USE IN DOG KENNELS AND HORSE STABLES. IN HORSE STABLES: NOT FOR APPLICATION IF HORSES WILL BE USED FOR FOOD. DO NOT SPRAY DOG AND HORSE FOOD OR FEED ITEMS.

Do not use this product in or on electrical equipment due to the possibility of shock hazard. Shake well before using. Remove protective cap. Aim spray opening away from person. Push button to spray.

INDICIES: For use in households, commercial and institutional buildings, greenhouses and lathhouses, campers, mobile homes, vehicles and boats, as listed above.

DIRECTIONS FOR USE (Continued on reverse side)

1/2

