

ACCEPTED

5 SEP 1995

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 432-635

SBP-1382[®] 3% MULTIPURPOSE SPRAY FORMULA III

- * CONTAINS 0.2 POUNDS OF RESMETHRIN PER GALLON OR 24 GRAMS OF RESMETHRIN PER LITER
- * AUTHORIZED BY USDA FOR USE IN EDIBLE PRODUCT AREAS OF OFFICIAL ESTABLISHMENTS OPERATING UNDER THE MEAT, POULTRY, SHELL EGG GRADING AND EGG PRODUCTS INSPECTION PROGRAM

ACTIVE INGREDIENTS:

- * Resmethrin [5-(phenylmethyl)-3-furanyl] methyl 2,2-dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarboxylate..... 3.00%w/w
- ** INERT INGREDIENTS: 97.00%
100.00%w/w

**Contains Petroleum Distillate
 *Cis/trans isomers ratio: max. 30%(±)cis and min. 70%(±)trans.
 †AgrEvo Environmental Health, Inc.'s SBP-1382[®] brand of resmethrin insecticide.
 ‡Actisol is a registered trademarks of AgrEvo Environmental Health, Inc.
 ™ Accountable is a trademark of AgrEvo Environmental Health, Inc.

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.
 (TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

EPA REG. NO. 432-635 EPA EST. NO.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

- IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.
- IF INHALED: Remove victim to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. Get medical attention.
- IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.
- IF SWALLOWED: Do not induce vomiting because of potential aspiration hazard.

See Side Panel For Additional
Precautionary Statements

NET CONTENTS:

BEST COPY AVAILABLE

635 112194In

PRECAUTIONARY STATEMENTS

Hazards To Humans & Domestic Animals

CAUTION

Harmful if inhaled or absorbed through skin. Avoid breathing vapor or spray mist. Avoid contact with skin or clothing. Prolonged or repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Do not apply directly to food or feedstuffs. When space spraying in commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not space spray while food processing is underway. After space spraying in bakeries and other food processing plants, wash all equipment, benches, shelving, etc. where exposed food will be handled, thoroughly clean with an effective cleaning compound and rinse with potable water. In the home all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Remove pets, and cover aquariums before spraying.

ATTACHMENT A

Environmental Hazards

This pesticide is highly toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated sites may be hazardous to fish in adjacent waters. Do not contaminate water when disposing of equipment washwaters.

Physical Or Chemical Hazards

Extinguish open flame before space spraying. DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME. FLASH POINT MINIMUM 150°F (65.5°C).

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Store product in original container in a locked storage area.
Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.
Container Disposal: FOR CONTAINERS ONE GALLON AND UNDER: Do not reuse empty container. Wrap container and put in trash.
 FOR CONTAINERS OVER ONE GALLON: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and Local authorities.

Read entire label before using.

In non-USDA inspected restaurants and food handling establishments, ONLY surface and crack and crevice treatments are permitted while facilities are in operation. These methods are not allowed in USDA facilities while they are operating.

This concentrate is designed for use UNDILUTED in ULV printers that give particles of aerosol size. It can also be diluted with oils, which meet Food Additive Regulation (21 CFR 172.884) for use in mechanical misting equipment which give larger particles. It can also be diluted with oil as specified and applied as a contact spray with mechanical misting equipment or pump sprayers.

FOR USE INDOORS AND OUTSIDE PREMISES OF HOTELS, MOTELS, HOMES, SCHOOLS, NURSERIES, DAY CARE CENTERS.

Accountable™ System

AEROSOL SPRAY		Food Processing Plants		Commercial		Residential	
		Operating ¹	Nonoperating	Fabric	Without Fabric	Fabric	Without Fabric
ACTISOL® SPRAY EQUIP- MENT	Space Spray ²		X		X		X
	Deep Harborage/ Crack & Crevice	X	X	X	X	X	X
COARSE SPRAY	WET	Surface Spray	X	X		X	X
		Crack & Crevice Spray	X	X		X	X

¹ Pesticide applications are permitted in non-USDA inspected facilities when they are operating.

² When space spraying in food processing plants, foods should be removed or covered during treatment. After space spraying in USDA inspected plants, thoroughly wash all equipment, benches, shelving, etc. where exposed food will be handled with an effective cleaning compound and rinse with potable water. In non-USDA facilities, clean appropriately.

TERS, DAY CAMPS, GREENHOUSES, LATHOUSES, SEED HOUSES, FOOD HANDLING ESTABLISHMENTS, PACKAGING AND PROCESSING PLANTS, COMMERCIAL, INDUSTRIAL, OFFICE, INSTITUTIONAL AND STORAGE BUILDINGS, MILK HANDLING AREAS OF MILK PLANTS, MILK STORAGE ROOMS, EGG PROCESSING PLANTS, SUPERMARKETS, RESTAURANTS, BOTTLING PLANTS, CANNERIES, FLOUR AND FEED MILLS, BAKERIES, BOATS, SHIP CABINS, NURSING HOMES AND HOSPITALS. IN HOSPITALS, REMOVE PATIENTS PRIOR TO TREATMENT. VENTILATE ROOMS FOR TWO HOURS BEFORE RETURNING PATIENTS. ALSO FOR USE IN TRUCKS, BOXCARS, AND SHIP CARGO HOLDS. ALSO FOR USE IN DOG KENNELS AND HORSE STABLES. IN HORSE STABLES, NOT FOR APPLICATION IF HORSES WILL BE USED FOR FOOD. REMOVE ANIMALS BEFORE SPRAYING FACILITIES.

NOTE: This product contains petroleum distillates which may be phytotoxic to certain turf grasses and ornamental plants. Indoors: Avoid over application, treatment of surfaces subject to intense sunlight, and direct application to working radiators or other heated sources.

AEROSOL SPRAY

This product is designed for use UNDILUTED in ULV sprayers that give particles of aerosol size, such as ACTISOL equipment.

SPACE SPRAY

TO KILL ADULT AND ACCESSIBLE STAGES OF INSECT PESTS OF STORED FOODS: *Grain Weevils, Flour Beetles, Saw-toothed Grain Beetles, Cigarette Beetles, Angoumois Grain Moths, Mediterranean Flour Moths, Indian Meal Moths, Grain Mites, Carpet Beetles, Spider Beetles, Cockroaches, Spiders, Houseflies, Coffin Flies, Mosquitoes, Gnats, Flying Moths (millers), Fruit Flies, And Vinegar Flies.* Extinguish all flames in the area to be treated. Shut off all air conditioning or ventilating equipment. Vacate room before application. Apply UNDILUTED at the rate of 0.5 fl. ozs. (14.8 ml) of concentrate per 1,000 cu. ft. of space. Direct output from aerosol generator upward toward upper corners of room and ceiling, leave closed for two hours after spraying. Ventilate room thoroughly before re-entry.

ACTISOL SPRAY EQUIPMENT

DEEP HARBORAGE. To kill *Cockroaches, Carpenter Ants, Termites, Spiders, Bees, Wasps* and other labeled pests. Treat wall voids, insect tunnels, boxed beams and other hollow elements of construction, using UNDILUTED product through mechanical aerosol generators such as ACTISOL equipment, inject void 5-10 seconds followed by sufficient air to pressurize the void.

CRACK AND CREVICE TREATMENT. For treatment of *Cockroaches, Silverfish, Earwigs, Ants, Waterbugs, Crickets, Centipedes, Sowbugs, Millipedes, Spiders, Scorpions, Mites, Bedbugs, Lice, Carpet Beetles, Wasps, Hornets, Yellowjackets, and Grain Insects.* Crack and crevice treatments with Actisol equipment,

using undiluted product, represent a one second injection into openings, seams, holes, etc.

COARSE WET SPRAY

Use either a 0.25% spray dilution (10.6 fl. oz. [313.5 ml] in 1 gallon [3.75 L] of petroleum distillate) or a 0.50% spray dilution (21.2 fl. oz. [617 ml] in 1 gal. [3.75 L] of petroleum distillate) for the following applications.

In areas where there are large amounts of fabric, use only as a crack and crevice spray application.

SURFACE SPRAY: Apply as a coarse wet spray on walls, floors and other hard surfaces. When possible spray directly on pests.

CRACK AND CREVICE SPRAY: Applications may be made in restaurants and all non-USDA inspected food handling establishments while the facility is in operation taking care not to contaminate food or food handling surfaces. Apply spray into cracks and crevices of walls and floors where insects may hide.

TO KILL COCKROACHES, SILVERFISH, EARWIGS, ANTS, WATERBUGS, CRICKETS, CENTIPEDES, SOWBUGS AND MILLIPEDES: Apply as a coarse wet spray on walls, floors and other hard surfaces being careful to treat cracks and crevices in these places, as well as beneath sinks, inside conveying, processing and handling equipment. Spray garbage and refuse areas, especially around poultry houses, barns, and similar areas of heavy infestation, and around the bases of heavy machinery and equipment.

TO KILL SPIDERS, SCORPIONS, AND MITES: Spray directly on these pests and use repeated applications to spider webbing and all cracks and crevices which harbor these pests.

TO KILL *Ants*: Spray ant trails and hills around doors and window frames.

TO KILL BEDBUGS, CARPET BEETLES & LICE: First, strip bed of all sheets, blankets, quilts etc. and wash separately, then thoroughly clean and air mattresses and springs. Apply as a spot treatment to crack and crevices around baseboards, floorboards, and walls. Repeat as necessary.

TO KILL WASPS, HORNETS, YELLOWJACKETS: Application should be made in late evening when insects are at rest. Spray liberally into hiding and nesting places contacting as many insects as possible. Aim spray at nest opening in bushes, under eaves, chimneys, cracks and crevices to saturate and contact nest openings. Contact as many insects as possible. Repeat if necessary.

TO KILL GRAIN INSECTS: *Adults Of Flour Beetles, Saw-toothed Grain Beetles, Spider Beetles, Grain Weevils, Cigarette Beetles, Angoumois Grain Moths, Mediterranean Flour Moths, Indian Meal Moths, Grain Mites.* Remove infested grain, cereal or flour and destroy. Avoid contamination of other food and feedstuffs in

BEST COPY AVAILABLE

the areas by removing before spraying. Spray directly on exposed stages and into cracks and crevices where grain insects may be hiding. In homes, dispose of all infested products. The shelves and drawers should be cleaned and thoroughly sprayed so as to contact all pests, and covered with new shell paper after allowing shelves to dry. Any utensils that are contacted with spray should be washed before using. Repeat as necessary.

Notice: Buyer assumes all responsibility for safety and use not in accordance with directions.

AgrEvo Environmental Health
95 Chestnut Ridge Road
Montvale, NJ 07645

BEST COPY AVAILABLE

ATTACHMENT A

In areas where there are large amounts of fabric or fiber insulation, use this product only as a crack and crevice application. Do not use this product near or on heating or air conditioning ducts. Overapplication may result in odor problems.