

# SBP-1382® OIL BASE INSECTICIDE 0.20% FORMULA III

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing mist. Cover or remove exposed foods. Avoid contamination of cooking utensils and food preparation surfaces. Remove pets and cover fish aquariums before spraying.

### STATEMENT OF PRACTICAL TREATMENT

**In eyes-** In case of contact, immediately flush eyes with plenty of water. Get medical attention if irritation persists.

**On skin-** Wash with soap and water immediately. Get medical attention if irritation persists.

**If swallowed:** Contact a physician or Poison Control Center. Do not induce vomiting unless directed by a physician since aspiration of this product is a potential hazard.

### ENVIRONMENTAL HAZARDS

Do not spray on turf or plants. This product is toxic to fish. Do not apply directly to water.

### PHYSICAL AND CHEMICAL HAZARDS

Extinguish open flame before space spraying. This formulation is combustible.

**DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME.**

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

### PESTICIDE DISPOSAL

Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or Local procedures.

### CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.

A SYNTHETIC PYRETHROID FORMULA FOR CONTROLLING THE FOLLOWING SMALL FLYING AND CRAWLING INSECTS: Houseflies, Mosquitoes, Gnats, Fruit Flies, Flying Moths (Millers), Wasps, Hornets, Yellow Jackets, Cockroaches, Waterbugs, Ants, Crickets, Silverfish, Earwigs, Spiders, Grain Mites, Sowbugs, Centipedes, and Millipedes.

Authorized for use in edible product areas of official establishments operating under the Meat, Poultry, Shell Egg Grading and Egg Products Inspection Programs.

### ACTIVE INGREDIENTS:

\*† Resmethrin[5-(phenylmethyl)-3-furanyl]methyl-2,2-dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarboxylate ..... 0.20%w/w  
Petroleum Distillate ..... 98.75%

INERT INGREDIENTS: ..... 1.05%  
100.00%w/w

\*Cis/trans isomers ratio: max. 30% (±) cis and min. 70% (±) trans.  
†U.S. Patent Nos. 3,465,007 and 3,542,928.

•Penick's SBP-1382® brand of resmethrin insecticide.  
Penick Corporation, 1050 Wall Street West, Lyndhurst, N.J. 07071

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See Side Panel for Additional  
Precautionary Statements.

EPA Est. 432-NJ-1    EPA Reg. No. 432-638    E-30047-P

**PENICK** Penick Corporation  
1050 Wall Street West, Lyndhurst, NJ 07071 USA

For use outdoors in yards, patios, picnic areas, and around swimming pools, poultry houses.

FOR USE INDOORS AND OUTSIDE AREAS: MOTELS, HOMES, FOOD HANDLING ESTABLISHMENTS, COMMERCIAL AND PROCESSING PLANTS, STORAGE BUILDINGS, MILK HANDLING AREAS, MILK STORAGE ROOMS, EGG PROCESSING SUPERMARKETS, RESTAURANTS, BOTTLING PLANTS, FLOUR AND FEED MILLS, BAKERY CABINS AND HOSPITALS. IN HOSPITALS: REMOVE PATIENTS FROM ROOMS BEFORE TREATMENT. VENTILATE ROOMS BEFORE RETURNING PATIENTS. ALSO FOR AUTOMOBILES, TRUCKS, BOXCARS AND SHEEDS. ALSO FOR USE IN DOG KENNELS AND HORSE STABLES. APPLICATION IF HORSES WILL BE USED FOR RACING SHOULD BE MADE BEFORE SPRAYING STABLES.

Foods should be removed or covered during treatment. Processing surfaces should be covered during treatment and cleaned before using. When using the product in a facility, it should be cleaned before use.

### INDOORS

**Thermal Application:** For use undiluted in electrically powered thermo-foggers and such portable equipment that can deliver spray particle sizes within the range.

**To kill houseflies, mosquitoes, gnats, fruit flies, fly larvae, and other flying insects:** Remove or cover exposed food and food handling areas, animals, fish and plants. Shut off ventilating system, conditioning equipment and close off room or area. Do not apply while food processing plant is operating. Extinguish all flames and pilot lights. APPLY AS A SPACE SPRAY AT A RATE OF 1-1/3 fluid ounces per 1,000 cubic feet (30 ml per 142m<sup>3</sup>). Direct nozzle of thermal applicator toward the space, room and along the ceiling. Close room for one hour. Do not remain in treated area. Ventilate the room before re-entry.

**Space Spray:** To kill houseflies, mosquitoes, gnats, fruit flies, fly larvae, and other flying insects: Close off room or area to be treated. Turn off air conditioner and ventilator system. Seal all open vents, doors, windows, and plant life. Cover or remove fish aquariums. Apply fine mist space spray through manually operated electric or other powered applicators. Avoid spraying nozzle at least 5 ft. (1.5m) from objects. Spray toward the upper corners of the room or area. Apply mist space spray at the rate of 5 fluid ounces (142 ml) per 142m<sup>3</sup>. Leave room closed for one hour. Sweep up and destroy insects thoroughly before re-entry.

**Contact Spray:** To kill cockroaches, waterbugs, silverfish, earwigs, spiders, grain mites, sowbugs, millipedes: Adjust spray to produce large wetting film. Spray to contact these insects in cracks and baseboards, around pipes, behind cabinets and under floorboards. Spray these infested areas until thoroughly wet. R

# ASE INSECTICIDE 0.20% FORMULA III

A SYNTHETIC PYRETHROID FORMULA FOR CONTROLLING THE FOLLOWING SMALL FLYING AND CRAWLING INSECTS: Houseflies, Mosquitoes, Gnats, Fruit Flies, Flying Moths (Millers), Wasps, Hornets, Yellow Jackets, Cockroaches, Waterbugs, Ants, Crickets, Silverfish, Earwigs, Spiders, Grain Mites, Sowbugs, Centipedes, and Millipedes.

Authorized for use in edible product areas of official establishments operating under the Meat, Poultry, Shell Egg Grading and Egg Products Inspection Programs.

## ACTIVE INGREDIENTS:

\*† Resmethrin[5-(phenylmethyl)-3-furanyl]methyl-2,2-dimethyl-3-(2-methyl-1-propenyl)cyclopropanecarboxylate ..... 0.20%w/w  
 Petroleum Distillate ..... 98.75%  
 INERT INGREDIENTS: ..... 1.05%  
 100.00%w/w

\*Cis/trans isomers ratio: max. 30% (±) cis and min. 70% (±) trans.  
 †U.S. Patent Nos. 3,465,007 and 3,542,928.  
 •Penick's SBP-1382® brand of resmethrin insecticide.  
 Penick Corporation, 1050 Wall Street West, Lyndhurst, N.J. 07071

**KEEP OUT OF REACH OF CHILDREN  
 CAUTION**

See Side Panel for Additional  
 Precautionary Statements.

EPA Est. 432-NJ-1 EPA Reg. No. 432-638 E-30047-P

**PENICK** Penick Corporation  
 1050 Wall Street West, Lyndhurst, NJ 07071 USA

## DIRECTIONS FOR USE (cont. ed)

For use outdoors in yards, patios, picnic areas, camp sites, driveways around swimming pools, poultry houses.

FOR USE INDOORS AND OUTSIDE PREMISES OF HOTELS, MOTELS, HOMES, FOOD HANDLING ESTABLISHMENTS, PACKAGING AND PROCESSING PLANTS, LICE HOUSES, COMMERCIAL, INDUSTRIAL, OFFICE, INSTITUTIONAL AND STORAGE BUILDINGS, MILK HANDLING AREAS OF MILK PLANTS, MILK STORAGE ROOMS, EGG PROCESSING PLANTS, SUPERMARKETS, RESTAURANTS, BOTTLING PLANTS, CANNERIES, FLOUR AND FEED MILLS, BAKERIES, BOATS, SHIP CABINS AND HOSPITALS. IN HOSPITALS: REMOVE PATIENTS PRIOR TO TREATMENT. VENTILATE ROOMS FOR TWO HOURS BEFORE RETURNING PATIENTS. ALSO FOR USE IN BUSES, AUTOMOBILES, TRUCKS, BOXCARS AND SHIP CARGO HOLDS ALSO FOR USE IN DOG KENNELS AND HORSE STABLES. NOT FOR APPLICATION IF HORSES WILL BE USED FOR FOOD. REMOVE HORSES BEFORE SPRAYING STABLES.

Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when facility is not in operation.

### INDOORS

**Thermal Application:** For use undiluted in electric, propane, or gas powered thermo-loggers and such portable thermal applicator equipment that can deliver spray particle sizes within the aerosol-size range.

**To kill houseflies, mosquitoes, gnats, fruit flies, flying moths (millers):** Remove or cover exposed food and food handling surfaces. Remove animals, fish and plants. Shut off ventilating systems, air ducts, air-conditioning equipment and close off room or area to be treated. Do not apply while food processing plant is occupied or in operation. Extinguish all flames and pilot lights. APPLY AS A DRY FOG AT THE RATE OF 1-1.3 fluid ounces per 1,000 cubic feet (39 ml. per 28.3m<sup>3</sup>) of space. Direct nozzle of thermal applicator toward the upper corners of the room and along the ceiling. Close off room for at least one-half hour. Do not remain in treated areas. Ventilate the area after treatment.

**Space Spray:** To kill houseflies, mosquitoes, gnats, fruit flies, flying moths (millers): Close off room or area to be treated. Shut off air conditioner and ventilator system. Seal all open vents. Remove animals from plant life. Cover or remove fish aquariums. Apply undiluted as a fine mist space spray through manually operated equipment or electric or other powered applicators. Avoid staining by holding spray nozzle at least 5 ft. (1.5m) from objects. Direct the fine spray toward the upper corners of the room or area. Fill the area with a mist space spray at the rate of 5 fluid ounces per 5,000 cubic feet (ml. per 142m<sup>3</sup>). Leave room closed for one-half hour. Ventilate thoroughly before re-entry. Sweep up and destroy insects.

**Contact Spray:** To kill cockroaches, waterbugs, ants, crickets, silverfish, earwigs, spiders, grain mites, sowbugs, centipedes and millipedes. Adjust spray to produce large wetting-type particles. Direct spray to contact these insects in cracks and crevices in floors, baseboards, around pipes, behind cabinets and other harborages. Spray these infested areas until thoroughly wet. Repeat as necessary.

**To kill ants:** Spray around doors and window frames, ant trails and holes. In addition, direct spray to contact insects.

**To kill spiders:** Spray directly on these pests and use repeated applications to the webbing and all cracks and crevices which harbor spiders.

### OUTDOORS

**Thermal Application:** This formulation is to be used undiluted in only such portable thermal applicator equipment that can deliver spray particle sizes within the aerosol-size range.

For reduction in annoyance from houseflies, mosquitoes and gnats in yards, patios, around swimming pools, picnic areas, camp sites, driveways and horse stables and other small area applications, as cited above hold thermal applicator at least five feet from any object, especially plants and shrubbery. Avoid wetting any plant foliage. Apply undiluted at the rate of 3-3/4 gallons per acre (35 L/ha). Fog only when there is no breeze, or the wind velocity is less than 3 miles per hour (5 kph). The ideal time is generally at dusk when the wind dies down and the air temperature and ground temperature are approximately the same. Under these conditions the fog will linger in the treated area for a longer time. Apply fog while moving away from treated area. Avoid inhalation of the fog. Do not enter the treated area until the fog has dissipated. Repeat application as necessary.

**Contact Spray:** To kill nuisance pests around buildings, patios and picnic areas: Spray directly on insects. Avoid spraying turf or plants.

**Ants:** Same as directed for indoor application.

**Wasps, Hornets, Yellow Jackets:** Same as directed for indoor use. Aim spray at nest openings in bushes, under eaves, chimneys, cracks and crevices to saturate on in and around nest openings. Contact as many insects as possible.

**Earwigs, sowbugs, spiders, centipedes and millipedes:** Apply as a contact spray, as for indoor use.

To control houseflies, mosquitoes and gnats and crawling insects around premises, spray thoroughly around doors, window frames and similar areas of entry. Also, thoroughly spray garbage and refuse areas, especially around poultry houses, barns and similar areas of heavy infestation. Do not spray on turf or plants.

### WARRANTY STATEMENT

Our recommendations for the use of this product are based upon tests believed to be reliable. The use of this product beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage resulting from its misuse as such, or in combination with other materials.