

1, #43: 12.5
111, 11
P 1013
SEP 10 1985

PHS C
Penick Corporation
1050 Wall Street West
Lyndhurst, NJ 07071

Attention: Stuart Locke

Gentlemen:

Subject: SBP-1382 Oil Base Insecticide 0.20%
Formula III
EPA Registration No. 432-638
Your Letter of May 20, 1985

The amendment referred to above, submitted in connection with registration under FIFRA sec. 3(c)(7)(A) is acceptable provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

PHS
6
Timothy A. Gardner
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

RD/IRB:JOB-94030:Gardner:RD-46:Kendrick&Co:898-1270:8/22/85:Del.9/3/85:Kim

CONCURRENCES							
VOL							
NAME							
DATE							

Reg # 432-638
Page 1 of 2
p. 2 of 3

SBP-1382® OIL BASE INSECTICIDE 0.20% FORMULA III

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing mist. Cover or remove exposed foods. Avoid contamination of cooking utensils and food preparation surfaces. Remove pets and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

In eyes- In case of contact, immediately flush eyes with plenty of water. Get medical attention if irritation persists.

On skin- Wash with soap and water immediately. Get medical attention if irritation persists.

If swallowed: Contact a physician or Poison Control Center. Do not induce vomiting unless directed by a physician since aspiration of this product is a potential hazard.

ENVIRONMENTAL HAZARDS

Do not spray on turf or plants. This product is toxic to fish. Do not apply directly to water.

PHYSICAL AND CHEMICAL HAZARDS

Extinguish open flame before space spraying. This formulation is combustible.

DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME.

A SYNTHETIC PYRETHROID FORMULA FOR CONTROLLING THE FOLLOWING SMALL FLYING AND CRAWLING INSECTS: Houseflies, Mosquitoes, Gnats, Fruit Flies, Flying Moths (Millers), Wasps, Hornets, Yellow Jackets, Cockroaches, Waterbugs, Ants, Crickets, Silverfish, Earwigs, Spiders, Grain Mites, Sowbugs, Centipedes, and Millipedes.

Authorized for use in edible product areas of official establishments operating under the Meat, Poultry, Shell Egg Grading and Egg Products Inspection Programs.

ACTIVE INGREDIENTS:

*Resmethrin[5-(phenylmethyl)-3-(4-methyl-2,2-dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarboxylate 0.20%w/w

INERT INGREDIENTS: 99.80%
100.00%w/w

*Cis/trans isomers ratio: max. 30%(±)cis and min. 70%(±)trans.

†U.S. Patent Nos. 3,465,007 and 3,542,928.

*Penick's SBP-1382® brand of resmethrin insecticide.

Penick Corporation, 1050 Wall Street West, Lyndhurst, N.J. 07071

**CONTAINS PETROLEUM DISTILLATE

KEEP OUT OF REACH OF CHILDREN
CAUTION

See Side Panel for Additional
Precautionary Statements.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE:

For Containers One Gallon and Under: Store product in original container in a locked storage area.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: For Containers 1 Gallon and Under: Do not reuse empty container. Wrap container and put in trash.

For Containers Over 1 Gallon: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and Local authorities.

EPA Est. 432-NJ-1 EPA Reg. No. 432-638

PENICK Penick Corporation

1050 Wall Street West, Lyndhurst, NJ 07071 USA

ACCEPTED

FOR COMMITMENTS

to EPA Labeling

SEP 10 1985

This product is a pesticide.
It is subject to the FIFRA Act
and is registered under the
FIFRA Act.

432-638

DIRECTIONS FOR USE (continued)

For use outdoors in yards, patios, picnic areas, camp-sites, drive-ins, around swimming pools, poultry houses.

FOR USE INDOORS AND OUTSIDE PREMISES OF HOTELS, MOTELS, HOMES, FOOD HANDLING ESTABLISHMENTS, PACKAGING AND PROCESSING PLANTS, SEED HOUSES, COMMERCIAL, INDUSTRIAL, OFFICE, INSTITUTIONAL AND STORAGE BUILDINGS, MILK HANDLING AREAS OF MILK PLANTS, MILK STORAGE ROOMS, EGG PROCESSING PLANTS, SUPERMARKETS, RESTAURANTS, BOTTLING PLANTS, CANNERIES, FLOUR AND FEED MILLS, BAKERIES, BOATS, SHIP CABINS AND HOSPITALS. IN HOSPITALS: REMOVE PATIENTS PRIOR TO TREATMENT. VENTILATE ROOMS FOR TWO HOURS BEFORE RETURNING PATIENTS. ALSO FOR USE IN BUSES, AUTOMOBILES, TRUCKS, BOXCARS AND SHIP CARGO HOLDS. ALSO FOR USE IN DOG KENNELS AND HORSE STABLES. NOT FOR APPLICATION IF HORSES WILL BE USED FOR FOOD. REMOVE HORSES BEFORE SPRAYING STABLES.

Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. After space spraying in food processing plants, wash all equipment, benches, shelving, etc. where exposed food will be handled thoroughly with an effective cleaning compound and rinse with potable water. When using this product in these areas, apply only when facility is not in operation.

INDOORS

Thermal Application: For use undiluted in electric, propane, or gas-powered thermo-foggers and such portable thermal applicator equipment that can deliver spray particle sizes within the aerosol-size range.

To kill houseflies, mosquitoes, gnats, fruit flies, flying moths (millers): Remove or cover exposed food and food handling surfaces. Remove animals, fish and plants. Shut off ventilating systems, air ducts, air-conditioning equipment and close off room or area to be treated. Do not apply while food processing plant is occupied or in operation. Extinguish all flames and pilot lights. APPLY AS A DRY FOG AT THE RATE OF 1-1/3 fluid ounces per 1,000 cubic feet (30 ml. per 28.3m³) of space. Direct nozzle of thermal applicator toward the upper corners of the room and along the ceiling. Close off room for at least one-half hour. Do not remain in treated areas. Ventilate the area after treatment.

Space Spray: To kill houseflies, mosquitoes, gnats, fruit flies, flying moths (millers): Close off room or area to be treated. Shut off air conditioner and ventilator system. Seal all open vents. Remove animals and plant life. Cover or remove fish aquariums. Apply undiluted as a very fine mist space spray through manually operated equipment or with electric or other powered applicators. Avoid staining by holding the spray nozzle at least 5 ft. (1.5m) from objects. Direct the fine spray mist toward the upper corners of the room or area. Fill the area with a fine mist space spray at the rate of 5 fluid ounces per 5,000 cubic feet (244 ml. per 142m³). Leave room closed for one-half hour. Ventilate thoroughly before re-entry. Sweep up and destroy insects.

Contact Spray: To kill cockroaches, waterbugs, ants, crickets, silverfish, scorpions, spiders, grain mites, earwigs, centipedes and millipedes: Adjust spray to produce large wetting-type particles. Direct spray to contact these insects in cracks and crevices in floors, baseboards, around pipes, behind cabinets and other harborage. Spray these infested areas until thoroughly wet. Repeat as necessary.

TO KILL BEDBUGS AND LICE: Apply as a spot treatment to cracks and crevices around baseboards, floorboards, bedboards and walls. First, thoroughly clean and air mattresses and springs. Then spot treat only areas that may harbor pests, concentrating on tufts, folds, and seams. Repeat as necessary. For persistent infestations, consult professional applicator.

To kill spiders: Spray directly on these pests and use repeated applications to the webbing and all cracks and crevices which harbor spiders.

To kill ants: Spray around doors and window frames, and trails and hills. In addition, direct spray to contact insects.

OUTDOORS

Thermal Applications: This formulation is to be used undiluted in only such portable thermal applicator equipment that can deliver spray particle sizes within the aerosol-size range.

For reduction in annoyance from houseflies, mosquitoes and gnats in yards, patios, around swimming pools, picnic areas, camp-sites, drive-ins and horse stables and other small area applications, as listed above. Hold thermal applicator at least five feet from any object, especially plants and shrubbery. Avoid wetting any plant foliage. Apply undiluted at the rate of 3-3/4 gallons per acre (36 L/ha). Fog only when there is no breeze, or the wind velocity is less than 3 miles per hour (5 kph). The ideal time is generally at dusk when the wind dies down and the air temperature and ground temperature are approximately the same. Under these conditions the fog will linger in the treated area for a longer time. Apply fog while moving away from treated area. Avoid inhalation of the fog. Do not enter the treated area until the fog has dissipated. Repeat application as necessary.

Contact Spray: To kill nuisance pests around buildings, patios and paved areas: Spray directly on insects. Avoid spraying turf or plants.

Ants: Same as directed for indoor application.

Wasps, Hornets, Yellow Jackets: Same as directed for indoor use. Aim spray at nest openings in bushes, under eaves, chimneys, cracks and crevices to saturation in and around nest openings. Contact as many insects as possible.

Earwigs, sowbugs, spiders, centipedes and millipedes: Apply as a contact spray, as for indoor use.

To control houseflies, mosquitoes and gnats and crawling insects around premises, spray thoroughly around doors, window frames and similar areas of entry. Also, thoroughly spray garbage and refuse areas, especially around poultry houses, barns and similar areas of heavy infestation. Do not spray on turf or plants.

WARRANTY STATEMENT

Our recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established sale practice. The buyer must assume all responsibility, including injury or damage resulting from its misuse as such, or in combination with other materials.