

P m

10

432-638

Page 1 of 3

NOTIFICATION

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 11-30-93

(A) 	United States Environmental Protection Agency Office of Pesticide Programs (H7505C) Washington, DC 20460	☐ Registration ☐ Amendment ☒ Other	OPP Identifier Number 157799
	Application for Pesticide:		

Section I

1. Company/Product Number 432-638	2. EPA Product Manager J. Tavano	3. Proposed Classification ☐ None ☐ Restricted
4. Company/Product (Name) SBP-1382 Oil Base Insecticide 0.20% Formula III	PM# 10	
5. Name and Address of Applicant (Include ZIP Code) Roussel Uclaf Corporation 95 Chestnut Ridge Road Montvale, NJ 07645 ☐ Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section II

☐ Amendment - Explain below	☐ Final printed labels in response to Agency letter dated _____
☐ Resubmission in response to Agency letter dated _____	☐ "Me Too" Application.
☒ Notification - Explain below.	☐ Other - explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Revised Environmental Hazards Statement as per PR Notice 93-3.

NOTIFICATION
LABEL NOT REVIEWED
PER PR NOTICE 93-3

DATE


7/1/93

BEST AVAILABLE COPY

Section III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging ☐ Yes* ☐ No	Unit Packaging ☐ Yes ☐ No	Water Soluble Packaging ☐ Yes ☐ No		☐ Metal	☐ Plastic
				☐ Glass	☐ Paper
* Certification must be submitted.		If "Yes," Unit Package wgt. No. per container		If "Yes," Package wgt. No. per container	
3. Location of Net Contents Information ☐ Label ☐ Container		4. Size(s) of Retail Container		5. Location of Label Directions ☐ On Label ☐ On Labeling accompanying product	
6. Manner in Which Label Is Affixed To Product ☐ Lithograph ☐ Paper glued ☐ Stenciled		☐ Other (_____)			

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)					
Name Sharon M. Johnston		Title Registration Specialist		Telephone No. (Include Area Code) (201) 307-9700	
Certification I certify that the statement I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.					
2. Signature 		3. Title Registration Specialist		6. Date Application Received (Stamped)	
4. Typed Name Sharon M. Johnston		5. Date 5-19-93			

SBP-1382® OIL BASE INSECTICIDE 0.20% FORMULA III

A SYNTHETIC PYRETHROID FORMULA FOR CONTROLLING THE FOLLOWING SMALL, FLYING AND CRAWLING INSECTS:
House Flies, Mosquitoes, Gnats, Fruit Flies, Flying Moths (Millers), Wasps, Hornets, Yellow Jackets, Cockroaches,
Ants, Crickets, Silverfish, Earwigs, Spiders, Grain Mites, Sowbugs, Bedbugs, Lice, Centipedes and Millipedes.

Authorized by USDA for use in edible product areas of official establishments operating under the Federal Meat Inspection Act, Poultry Inspection Act, Shell Egg Grading and Egg Products Inspection Programs.

ACTIVE INGREDIENTS:

*Resmethrin[5-(phenylmethyl)-3-furanyl]methyl 2,2-dimethyl-3-(2-methyl-1-propenyl)cyclopropanecarboxylate 0.20%w/w

INERT INGREDIENTS** 99.80%

100.00%w/w

*Cis/trans isomers ratio max. 30% (±)cis and min. 70% (±)trans.

●Roussel Uclaf's SBP-1382® brand of resmethrin insecticide.

Roussel Uclaf Corp., 95 Chestnut Ridge Road, Montvale, N.J. 07645

**Contains Petroleum Distillate

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

**SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS**

EPA Est.: See Lot No. For Correlation

EPA Reg. No. 432-638

A 42545-MO-1

P-12/08/89

F 10370-TX-1

P 655-GA-1

NET CONTENTS
POUNDS

LOT NO.

ROUSSEL UCLAF

Roussel Uclaf Corporation
95 Chestnut Ridge Road
Montvale, New Jersey 07645

NOTIFICATION
LABEL NOT REVIEWED
PER PR NOTICE 88-4

DATE 7/1/93

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing mist. Cover or remove exposed food, feed, and food preparation surfaces. Remove pet from area during spraying.

In eyes: In case of contact, immediately flush eyes with plenty of water. If irritation persists, consult a physician. If swallowed: Contact a physician or Poison Control Center. If inhaled: Contact a physician. In case of aspiration of this product, contact a physician.

On skin: Wash with soap and water immediately. Get medical attention if irritation persists. If swallowed: Contact a physician or Poison Control Center. If inhaled: Contact a physician. In case of aspiration of this product, contact a physician.

This pesticide is highly toxic to fish. For terrestrial uses, do not apply where surface water is present or to intertidal areas below low tide. Runoff from treated sites may be hazardous to fish in adjacent water bodies. When disposing of equipment washwaters, do not discharge into surface water.

Extinguish open flame before space spraying. This formula is flammable. DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME.

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not contaminate water, food or feed by storage or disposal. STORAGE: For Containers One Gallon and Under: Store in locked storage area.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal by spray mixture or rinse is a violation of Federal Law. If the user has no other use, contact your State or Federal Health Agency, or the Hazardous Waste representative at the nearest waste management facility for guidance.

CONTAINER DISPOSAL: For Containers 1 Gallon and Under: Wrap container and put in trash. For Containers Over 1 Gallon: Triple rinse (or equivalent) before reuse, or puncture and dispose of in a sanitary landfill, or incineration, or as directed by State and Local authorities.

DIRECTIONS FOR USE (Continued)

For use in yards, patios, picnic areas, camp-sites, drive-ins, around swimming pools, poultry houses.

FOR USE INDOORS AND OUTSIDE PREMISES OF HOTELS, MOTELS, HOMES, FOOD HANDLING ESTABLISHMENTS, PACKAGING AND PROCESSING PLANTS, SEED HOUSES, COMMERCIAL, INDUSTRIAL, OFFICE, INSTITUTIONAL AND STORAGE BUILDINGS, MILK HANDLING AREAS OF MILK PLANTS, MILK STORAGE ROOMS, EGG PROCESSING PLANTS, SUPERMARKETS, RESTAURANTS, BOTTLING PLANTS, CANNERIES, FLOUR AND FEED MILLS, BAKERIES, BOATS, SHIP CABINS AND HOSPITALS. IN HOSPITALS: REMOVE PATIENTS PRIOR TO TREATMENT. VENTILATE ROOMS FOR TWO HOURS BEFORE RETURNING PATIENTS. ALSO FOR USE IN BUSES, AUTOMOBILES, TRUCKS, BOXCARS AND SHIP CARGO HOLDS. ALSO FOR USE IN DOG KENNELS AND HORSE STABLES. NOT FOR APPLICATION IF HORSES WILL BE USED FOR FOOD. REMOVE HORSES BEFORE SPRAYING STABLES.

Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. After space spraying in processing plants, wash all equipment, benches, shelving, etc. where exposed food will be handled thoroughly with an effective cleaning compound and rinse with potable water. When using this product in these areas, apply only when facility is not in operation.

INDOORS:

THERMAL APPLICATION: For use undiluted in electric, propane, or gas powered thermofoggers and such portable thermal applicator equipment that can deliver spray particle sizes within the aerosol-size range.

TO KILL HOUSE FLIES, MOSQUITOES, GNATS, FRUIT FLIES, FLYING MOTHS (Millers): Remove or cover exposed food and food handling surfaces. Remove animals, fish and plants. Shut off ventilating systems, air ducts, air-conditioning equipment and close off room or area to be treated. Do not apply while food processing plant is occupied or in operation. Extinguish all flames and pilot lights. **APPLY AS A DRY FOG AT THE RATE OF 1-1/3 fluid ounces per 1,000 cubic feet (39 ml. per 28.3m³) of space.** Direct nozzle of thermal applicator toward the upper corners of the room and along the ceiling. Close off room for at least one-half hour. Do not remain in treated areas. Ventilate the area after treatment.

SPACE SPRAY: TO KILL HOUSE FLIES, MOSQUITOES, GNATS, FRUIT FLIES, FLYING MOTHS (Millers): Close off room or area to be treated. Shut off air conditioner and ventilator system. Seal all openings. Remove animals and plant life. Cover or remove fish aquariums. Apply undiluted as a very fine mist space spray through manually operated equipment or with electric or other powered applicators. Avoid staining by holding the spray nozzle at least 5 ft. (1.5m) from objects. Direct the fine spray mist toward the upper corners of the room or area. Fill the area with a fine mist space spray at the rate of 5 fluid ounces per 5,000 cubic feet (248 ml per 142m³). Leave room closed for one-half hour. Ventilate thoroughly before re-entry. Sweep up and destroy insects.

CONTACT SPRAY: TO KILL COCKROACHES, WATERBUGS, ANTS, CRICKETS, SILVERFISH, EARWIGS, SPIDERS, GRAIN MITES, SOWBUGS, CENTIPEDES AND MILLIPEDES: Adjust spray to produce large wetting-type particles. Direct spray to contact these insects in cracks and crevices in floors, baseboards, around pipes, behind cabinets and other harborages. Spray these infested areas until thoroughly wet. Repeat as necessary.

TO KILL BEDBUGS AND LICE: Apply as a spot treatment to cracks and crevices around baseboards, floorboards, bedboards and walls. First, thoroughly clean and air mattresses and springs. Then spot treat only areas that may harbor pests, concentrating on tufts, folds, and seams. Repeat as necessary. For persistent infestations, consult professional applicator.

TO KILL SPIDERS: Spray directly on these pests and use repeated applications to the webbing and all cracks and crevices which harbor spiders.

TO KILL ANTS: Spray around doors and window frames, ant trails and hills. In addition, direct spray to contact insects.

OUTDOORS:

THERMAL APPLICATION: This formulation is to be used undiluted in only such portable thermal applicator equipment that can deliver spray particle sizes within the aerosol-size range.

For reduction in annoyance from house flies, mosquitoes and gnats in yards, patios, around swimming pools, picnic areas, camp-sites, drive-ins and horse stables and other small area applications, as cited above. Hold thermal applicator at least five feet from any object, especially plants and shrubbery. Avoid wetting any plant foliage. Apply undiluted at the rate of 3-3/4 gallons per acre (35 L/ha). Fog only when there is no breeze, or the wind velocity is less than 3 miles per hour (5 kph). The ideal time is generally at dusk when the wind dies down and the air temperature and ground temperature are approximately the same. Under these conditions the fog will linger in the treated area for a longer time. Apply fog while moving away from treated area. Avoid inhalation of the fog. Do not enter the treated area until the fog has dissipated. Repeat application as necessary.

CONTACT SPRAY: To kill nuisance pests around buildings, patios and paved areas: Spray directly on insects. Avoid spraying turf or plants.

ANTS: Same as directed for indoor application.

WASPS, HORNETS, YELLOW JACKETS: Same as directed for indoor use. Aim spray at nest openings in bushes, under eaves, chimneys, cracks and crevices to saturation in and around nest openings. Contact as many insects as possible.

EARWIGS, SOWBUGS, SPIDERS, CENTIPEDES AND MILLIPEDES: Apply as a contact spray, as for indoor use.

To control house flies, mosquitoes and gnats and crawling insects around premises, spray thoroughly around doors, window frames and similar areas of entry. Also, thoroughly spray garbage and refuse areas, especially around poultry houses, barns and similar areas of heavy infestation. Do not spray on turf or plants.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

BEST AVAILABLE COPY