

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

25 SEP 1995

Jennifer C. Stern
AgrEvo Environmental Health
95 Chestnut Ridge Road
Montvale, NJ 07645

Dear Ms. Stern:

Subject: Amendment to Add Restricted Use Classification
SBP-1382 Liquid Insecticide Spray 0.25%
EPA Registration Number 432-639
Submission Dated September 7, 1995

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below:

- 1. Delete the "w/w" designations in the Ingredients Statement.
2. The active ingredient must be listed as the common name Resmethrin. Delete the specific chemical name from the ingredients statement.
3. Revise the Statement of Practical Treatment to read as follows:

IF SWALLOWED: Call a doctor or get medical attention. Do not induce vomiting. Do not give anything by mouth to an unconscious person. Avoid alcohol.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

- 4. Revise the Precautionary Statement to read as follows:

Harmful if swallowed or absorbed through skin. Causes eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

CONCURRENCES

Table with 8 columns and 3 rows for SYMBOL, SURNAME, and DATE.

Cover or remove exposed foods. Avoid contamination of cooking utensils and food preparation surfaces. Remove pets and cover fish aquariums before spraying.

- 5. Revise the Environmental Hazards statement to read as follows:

This pesticide is highly toxic to fish. Drift and runoff from treated sites may be hazardous to fish in adjacent waters. Consult your State's Fish and Wildlife agency before treating such waters. Do not contaminate water when disposing of equipment washwaters.

- 6. Modify the Pesticide Disposal statement to read as follows:

Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, state, or local procedures.

A stamped copy of the label is enclosed for your records. Submit three copies of final printed labeling prior to releasing product for shipment.

If you have any questions or comments, please contact me at (703) 305-6788.

Sincerely,

RPK

Richard P. Keigwin, Jr.
Product Manager 10
Insecticide-Rodenticide Branch
Registration Division (7505C)

395

RESTRICTED USE CLASSIFICATION
Due to Acute Fish Toxicity

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certification.

SBP-1382[®] LIQUID INSECTICIDE SPRAY 0.25% FORMULA III

- * **CONTAINS 0.015 POUNDS OF SBP-1382 PER GALLON OR 1.8 GRAMS OF SBP-1382 PER LITER.**
- * **A SYNTHETIC PYRETHROID FOR CONTROLLING THE FOLLOWING FLYING AND CRAWLING INSECTS: HOUSE FLIES, MOSQUITOES, GNATS, FLYING MOTHS (MILLERS), FRUIT FLIES, VINEGAR FLIES, WASPS, HORNETS, YELLOW JACKETS, COCKROACHES, WATERBUGS, BEDBUGS, LICE, FLEAS, ANTS, CRICKETS, SILVERFISH, EARWIGS, SPIDERS, GRAIN INSECTS (ADULTS OF CONFUSED FLOUR BEETLES, SAW-TOOTHED GRAIN BEETLES, SHINY SPIDER BEETLES, CIGARETTE BEETLES, GRAIN WEEVILS, ANGOUMOIS GRAIN MOTHS, MEDITERRANEAN FLOUR MOTHS, INDIAN MEAL MOTHS, GRAIN MITES), CARPET BEETLES, SOYBUGS, CENTIPEDES, AND MILLIPEDES.**
- * **AUTHORIZED BY USDA FOR USE IN EDIBLE PRODUCT AREAS OF OFFICIAL ESTABLISHMENTS OPERATING UNDER THE MEAT, POULTRY, SHELL EGG GRADING AND EGG PRODUCTS INSPECTION PROGRAMS.**

ACTIVE INGREDIENTS:

*Resmethrin [5-(phenylmethyl)-3-furanyl] methyl 2,2-dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarboxylate 0.250%w/w

**INERT INGREDIENTS: 99.750%w/w
100.000%w/w

**Contains Petroleum Distillate

†Cis/trans isomers ratio: max. 30%(±)cis and min. 70%(±)trans.

‡Roussel Uclaf Corporation's SBP-1382[®] brand of resmethrin insecticide.

§Roussel Uclaf Corporation Registered Trademark

EPA REG. NO. 432-639

EPA EST. NO.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Contact a physician or Poison Control Center. Do not induce vomiting unless directed by a physician since aspiration of this product is a potential hazard.

IN EYES: In case of contact, immediately flush eyes with plenty of water. Get medical attention if irritation persists.

ON SKIN: Wash with soap and water immediately. Get medical attention if irritation persists. Contains Petroleum distillate.

See Side Panel For Additional
Precautionary Statements

NET CONTENTS:

BEST COPY AVAILABLE

639s 122693tk

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing mist. Cover or remove exposed foods. Avoid contamination of cooking utensils and food preparation surfaces. Remove pets and cover fish aquariums before spraying.

Environmental Hazards

This pesticide is highly toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated sites may be hazardous to fish in adjacent waters. Do not contaminate water when disposing of equipment washwaters.

Physical And Chemical Hazards

Extinguish open flame before space spraying. This formulation is combustible. DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME. FLASH POINT MINIMUM 150°F (65.5°C).

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner that is inconsistent with its labeling.

In restaurants and food handling establishments while those facilities are in operation, for surface spray and crack and crevice treatment only. This method is not authorized by USDA for use as noted above.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **Storage:** Store product in original container in a locked storage area.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and Local authorities.

FOR USE INDOORS AND OUTSIDE PREMISES OF HOTELS, HOMES, MOTELS, FOOD HANDLING ESTABLISHMENTS, PACKAGING AND PROCESSING PLANTS, SEED HOUSES, COMMERCIAL, INDUSTRIAL, OFFICE, INSTITUTIONAL AND STORAGE BUILDINGS, MILK HANDLING AREAS OF MILK PLANTS, MILK STORAGE ROOMS, EGG PROCESSING PLANTS, SUPERMARKETS, RESTAURANTS, BOTTLING PLANTS, CANNERIES, FLOUR AND FEED MILLS, BAKERIES, BOATS, SHIP CABINS, AND HOSPITALS. IN HOSPITALS, REMOVE PATIENTS PRIOR TO TREATMENT. VENTILATE ROOMS FOR TWO HOURS BEFORE RETURNING PATIENTS. ALSO FOR USE IN BUSES, AUTOMOBILES, TRUCKS, BOXCARS, AND SHIP CARGO HOLDS. ALSO FOR USE IN DOG KENNELS AND HORSE STABLES. IN HORSE STABLES, NOT FOR APPLICATION IF HORSES WILL BE USED FOR FOOD.

Only contact applications may be made when the food processing plant is in operation. When using this product as a space

spray in these areas, apply only when the facility is not in operation. When space spraying, foods should be removed or covered during treatment. After space spraying in food processing plants, thoroughly wash all equipment, benches, shelving, etc. where exposed food will be handled with an effective cleaning compound and rinse with potable water.

INDOORS

SPACE SPRAY: To kill *House Flies, Mosquitoes, Gnats, Flying moths (millers), Fruit Flies, Vinegar Flies*-Close rooin or area to be treated. Shut off air conditioner and ventilator system. Seal all open vents. Remove fish and pets. Apply undiluted as a very fine mist space spray through manually operated equipment or with electrical, other powered applicators or mechanical misting equipment such as the Microsol or Challenger machines. Avoid staining by holding the spray nozzle at least five feet from objects. Direct the fine spray mist toward the upper corners of the room. Fill the room with a fine mist spray at the rate of 5 fl oz per 5,000 cu ft (148 ml per 142m³). Leave room closed for one hour. Ventilate thoroughly before reentry. Sweep up and destroy insects.

CONTACT SPRAY: For treatment of all the following pests, applications may be made in restaurants and all food handling establishments while the facility is in operation taking extreme care not to contaminate surfaces.

To kill *Cockroaches, Silverfish, Earwigs, Ants, Waterbugs, Spiders, Fleas, Crickets, Centipedes, Sowbugs, Millipedes, Carpet Beetles:* Apply as a coarse wet spray on walls, floors and other surfaces of bins and storage handling areas, unloading and processing areas being careful to treat cracks and crevices in these places, as well as beneath sinks, inside conveying, processing and handling equipment, and around the bases of heavy machinery equipment.

TO KILL SPIDERS: Spray directly on these pests and use repeated applications to the webbing and all cracks and crevices which harbor spiders.

TO KILL ANTS: Spray doors, around window frames, ant trails and hills.

TO KILL BEDBUGS AND LICE: Apply as a spot treatment to cracks and crevices around baseboards, floorboards, bedboards, and walls. First, thoroughly clean and air mattresses and springs. Then spot treat only areas that may harbor pests, concentrating on tufts, folds and seams. Repeat as necessary. For persistent infestations, consult professional applicator.

TO KILL FLEAS: Spray directly on insects as well as floors, floor coverings, baseboards, cracks and crevices, infested furniture and animal resting areas. Hold spray nozzle about 18 inches (46 cm) from areas to be treated. Apply spray until area is moist. Treat pet bedding the same way. Also spray entire inside surface of dog houses. Repeat as necessary. Do not allow pets to contact treated areas until spray has dried. Remove or cover animal feed before spraying. Also, treat dogs, cats and horses with a registered flea control product before they re-enter the treated area (such as SBP-13820 Insecticide Aqueous Pressurized Spray 0.25% for direct application to dogs and cats - EPA Reg. No. 432-452).

TO KILL GRAIN INSECTS: *Adults Of Confused Flour Beetles, Saw-toothed Grain Beetles, Sbiny Spider Beetles, Grain Weevils, Cigarette Beetles, Angoumois Grain Moths, Mediterranean Flour Moths, Indian Meal Moths, Grain Mites -*

Remove infested grain, cereal or flour and destroy. Avoid contamination of other food and foodstuffs in the areas by removing before spraying. Spray directly on exposed stages and into cracks and crevices where grain insects may be hiding. In homes, dispose of all infested products. The shelves and drawers should be cleaned and thoroughly sprayed so as to contact all pests, and covered with shelf paper after allowing shelves to dry. Any utensils that are contacted with spray should be washed before using. Repeat as necessary.

TO KILL WASPS, HORNETS, YELLOW JACKETS: Application should be made in late evening when insects are at rest. Spray liberally into hiding and nesting places contacting as many insects as possible. Repeat as necessary.

OUTDOORS

To control nuisance pests around buildings, patios, and paved areas: Apply as a contact spray. Spray directly on insects. Avoid spraying turf or-plants.

TO KILL FLEAS: Spray directly on insects as well as floors, floor coverings, baseboards, cracks and crevices, infested furniture and animal resting areas. Hold spray nozzle about 18 inches (46 cm) from areas to be treated. Apply spray until area is moist. Treat pet bedding the same way. Also spray entire inside surface of dog houses. Repeat as necessary. Do not allow pets to contact treated areas until spray has dried. Remove or cover animal feed before spraying. Also, treat dogs, cats and horses with a registered flea control product before they re-enter the treated area (such as SBP-13320 Insecticide Aqueous Pressurized Spray 0.25% for direct application to dogs and cats - EPA Reg. No. 432-452).

TO KILL ANTS: Apply as a contact spray, as for indoor use.

TO KILL WASPS, HORNETS, YELLOW JACKETS: Application should be made in late evening when insects are at rest. Spray liberally into hiding and nesting places contacting as many insects as possible. Aim spray at nest openings in bushes, under eaves, chimneys, cracks and crevices to saturation in and around nest openings. Contact as many insects as possible. Repeat as necessary.

TO KILL EARWIGS, SOWBUGS, SPIDERS, CENTIPEDES, AND MILLIPEDES: Apply as a contact spray, as for indoor use. To control named flying and crawling insects around premises, spray thoroughly doors, window frames and similar areas of entry. Also, thoroughly spray garbage and refuse areas, especially around poultry houses, barns, and similar areas of heavy infestation. Do not spray on turf or plants.

THERMAL APPLICATIONS: This formulation is to be used undiluted in only such portable thermal applicator equipment that can deliver spray particle sizes within the aerosol size range.

THERMAL APPLICATIONS INDOORS: For the control of *House Flies, Mosquitoes, and Gnats* in warehouses, restaurants and industrial institutions. Remove or cover exposed food and food handling surfaces. Remove animals and plant life. Shut off ventilating systems, air ducts, air-conditioning equipment and close off room or area to be treated. Do not spray while food processing plant is occupied or in operation. Extinguish all flames and pilot lights. Apply as a dry fog at the rate of 1 fl oz per 1,000 cu ft (29.6 ml per 28.3 m³) of space. Direct nozzle of thermal applicator toward upper corners of the room and along the ceiling. Close off room for at least one hour. Do not remain in the treated areas. Ventilate thoroughly before reentry.

THERMAL APPLICATIONS OUTDOORS: For reduction in annoyance from house flies, mosquitoes and gnats in yards, patios, around swimming pools, picnic areas, camp sites, drive-ins, and horse stables, and other small area applications. Hold thermal applicator at least 5 ft (1.5 m) from any object, especially plants and shrubbery. Avoid wetting any plant foliage. Apply undiluted at the rate of 3-3/4 gal per acre (35 liters per hectare). Fog only when there is no breeze, or the wind velocity is less than 3 mph (5 kph). The ideal time is generally at dusk when wind dies down and the air temperature and ground temperature are approximately the same. Under these conditions the fog will linger in the treated area for a longer time. Apply fog while moving away from the treated area. Avoid inhalation of the fog. Do not enter the treated area until the fog has dissipated. Repeat application as necessary.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

AgrEvo Environmental Health
95 Chestnut Ridge Road
Montvale NJ 07845

**ACCEPTED
with COMMENTS
In EPA Letter Dated**

25 SEP 1995

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

432-639