

PELLET AND TABLET EXPOSURE GUIDE

Do not expose pellets or tablets to temperatures below the minimum temperature indicated on the label.

The release of phosgene gas is dependent on the ambient temperature and humidity of the fumigation atmosphere.

Commercially prepared pellets and tablets should be exposed to the minimum temperature and humidity indicated on the label.

RAW AGRICULTURAL PRODUCTS: For use on raw agricultural products, the pellets or tablets should be exposed to the minimum temperature and humidity indicated on the label. The pellets or tablets should be exposed to the minimum temperature and humidity indicated on the label.

PREPARED PRODUCTS: For use on prepared products, the pellets or tablets should be exposed to the minimum temperature and humidity indicated on the label.

EXPOSURE OF SPECIFIED PRODUCTS: For use on specified products, the pellets or tablets should be exposed to the minimum temperature and humidity indicated on the label. The pellets or tablets should be exposed to the minimum temperature and humidity indicated on the label.

EXPOSURE OF SPECIFIED PRODUCTS: For use on specified products, the pellets or tablets should be exposed to the minimum temperature and humidity indicated on the label. The pellets or tablets should be exposed to the minimum temperature and humidity indicated on the label.

SUGGESTED STORAGE: The pellets or tablets should be stored in a cool, dry place. The pellets or tablets should be stored in a cool, dry place.

EXPOSURE OF SPECIFIED PRODUCTS: For use on specified products, the pellets or tablets should be exposed to the minimum temperature and humidity indicated on the label.

EXPOSURE OF SPECIFIED PRODUCTS: For use on specified products, the pellets or tablets should be exposed to the minimum temperature and humidity indicated on the label.

EXPOSURE OF SPECIFIED PRODUCTS: For use on specified products, the pellets or tablets should be exposed to the minimum temperature and humidity indicated on the label.


EXPOSURE OF SPECIFIED PRODUCTS: For use on specified products, the pellets or tablets should be exposed to the minimum temperature and humidity indicated on the label.

NON-FOOD PRODUCTS

Do not expose pellets or tablets to temperatures below the minimum temperature indicated on the label.

The release of phosgene gas is dependent on the ambient temperature and humidity of the fumigation atmosphere.

Commercially prepared pellets and tablets should be exposed to the minimum temperature and humidity indicated on the label.



TOBACCO: For use on tobacco, the pellets or tablets should be exposed to the minimum temperature and humidity indicated on the label.

Tobacco Temperature ABOVE 60 F: For use on tobacco at temperatures above 60 F, the pellets or tablets should be exposed to the minimum temperature and humidity indicated on the label.

Tobacco Temperature 40 - 59 F: For use on tobacco at temperatures between 40 and 59 F, the pellets or tablets should be exposed to the minimum temperature and humidity indicated on the label.

For RM of Cigarette Beetle Larvae: For use on cigarette beetle larvae, the pellets or tablets should be exposed to the minimum temperature and humidity indicated on the label.

For RM of Cigarette Beetle Larvae: For use on cigarette beetle larvae, the pellets or tablets should be exposed to the minimum temperature and humidity indicated on the label.

For RM of Cigarette Beetle Larvae: For use on cigarette beetle larvae, the pellets or tablets should be exposed to the minimum temperature and humidity indicated on the label.

For RM of Cigarette Beetle Larvae: For use on cigarette beetle larvae, the pellets or tablets should be exposed to the minimum temperature and humidity indicated on the label.

For RM of Cigarette Beetle Larvae: For use on cigarette beetle larvae, the pellets or tablets should be exposed to the minimum temperature and humidity indicated on the label.

For RM of Cigarette Beetle Larvae: For use on cigarette beetle larvae, the pellets or tablets should be exposed to the minimum temperature and humidity indicated on the label.

For RM of Cigarette Beetle Larvae: For use on cigarette beetle larvae, the pellets or tablets should be exposed to the minimum temperature and humidity indicated on the label.

For RM of Cigarette Beetle Larvae: For use on cigarette beetle larvae, the pellets or tablets should be exposed to the minimum temperature and humidity indicated on the label.

For RM of Cigarette Beetle Larvae: For use on cigarette beetle larvae, the pellets or tablets should be exposed to the minimum temperature and humidity indicated on the label.

For RM of Cigarette Beetle Larvae: For use on cigarette beetle larvae, the pellets or tablets should be exposed to the minimum temperature and humidity indicated on the label.

For RM of Cigarette Beetle Larvae: For use on cigarette beetle larvae, the pellets or tablets should be exposed to the minimum temperature and humidity indicated on the label.

For RM of Cigarette Beetle Larvae: For use on cigarette beetle larvae, the pellets or tablets should be exposed to the minimum temperature and humidity indicated on the label.

For RM of Cigarette Beetle Larvae: For use on cigarette beetle larvae, the pellets or tablets should be exposed to the minimum temperature and humidity indicated on the label.

PROCEDURES

Prefumigation Procedures

1. The gas should be released into the cargo hold of the vessel. The gas should be released into the cargo hold of the vessel. The gas should be released into the cargo hold of the vessel.

2. The gas should be released into the cargo hold of the vessel. The gas should be released into the cargo hold of the vessel. The gas should be released into the cargo hold of the vessel.

3. During the fumigation process, the gas should be released into the cargo hold of the vessel. The gas should be released into the cargo hold of the vessel. The gas should be released into the cargo hold of the vessel.

4. If the fumigation is not completed and the vessel is not ready for departure, the gas should be released into the cargo hold of the vessel. The gas should be released into the cargo hold of the vessel. The gas should be released into the cargo hold of the vessel.

Precautions and Procedures During Voyage

1. An appropriate gas detection equipment should be used to monitor the gas concentration in the cargo hold of the vessel. The gas concentration in the cargo hold of the vessel should be monitored.

2. The gas concentration in the cargo hold of the vessel should be monitored. The gas concentration in the cargo hold of the vessel should be monitored.

Precautions and Procedures During Discharge

1. It is necessary to wear protective clothing when handling the fumigant. The fumigant should be handled with care.

2. The fumigant should be handled with care. The fumigant should be handled with care. The fumigant should be handled with care.

IMPORTANT

Do not expose pellets or tablets to temperatures below the minimum temperature indicated on the label.

The release of phosgene gas is dependent on the ambient temperature and humidity of the fumigation atmosphere.

**CAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. If swallowed, do not induce vomiting. Call a physician immediately.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying in meat packing plants, bakeries and other food processing plants, wash all equipment, benches, shelving, etc., where exposed food will be handled, with potable water. All food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Remove pets, birds and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

If in eyes, flush with plenty of water. Get medical attention if irritation persists.

PHYSICAL AND CHEMICAL HAZARDS

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F (54.5°C) may cause bursting. Never throw container into fire or incinerator.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For use in and around hotels, motels, homes, greenhouses and lathouses, food handling establishments, packaging and processing plants, seed houses, commercial, industrial, office, institutional and storage buildings, milk handling areas of milk, cheese and ice cream plants, milk storage rooms, egg processing plants, supermarkets, restaurants, bottling plants, canneries, flour and feed mills, bakeries, boats, ship cabins and hospitals. In hospitals, patients should be removed prior to treatment. Also for use in buses, automobiles, trucks, boxcars and ship cargo holds. Also for use in dog kennels and horse stables. In horse stables, not for application in horses; will be used for food. In food handling areas, food should be removed or covered previous to treatment. All food processing surfaces should be covered or thoroughly cleaned before using. Apply only when facility is not in operation.

**DISPOSAL
DO NOT REUSE EMPTY CONTAINER
WRAP CONTAI NER AND PUT IN TRASH
COLLECTION**

**SBP-1362[®] PRESSURIZED SPRAY INSECTICIDE 0.15%
FORMULA III
For Wasps and Hornets**

**A SYNTHETIC PYRETHROID WITH LONG SPRAY PATTERN
UP TO 10 FEET KILLS WASPS, HORNETS, YELLOW
JACKETS, SPIDERS AND TENT CATERPILLARS.**

Authorized for use in edible product areas of official establishments operating under the Meat, Poultry, Shell Egg Grading and Egg Products Inspection Programs.

Dielectric Strength-Non-conducting up to 26,500 volts

ACTIVE INGREDIENTS:

*Resmethrin[5-(phenylmethyl)-3-furanyl]methyl 2,2-dimethyl-3-(2-methyl-1-propenyl)cyclopropanecarboxylate 0.150 w/w
Petroleum distillate 11.631

INERT INGREDIENTS:

86.219
100.000 w/w

*Cis trans isomers ratio: max 30% () cis and min 70% () trans.

*U.S. Patent Nos. 3,465,057 and 3,542,926.

*Penick's SBP-1362[®] brand of resmethrin insecticide.

Penick Corp., 1050 Wain Street West, Lyndhurst, N.J. 07071

DIRECTIONS FOR USE (Continued)

Remove protective cap. Aim spray opening away from person. Push button to spray.

INDOORS: To kill wasps, hornets, yellow jackets: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, particularly under rafters, contacting as many insects as possible. Saturate areas in and around nest openings. Repeat as necessary.

To kill spiders: Spray directly on these pests and use repeated applications to the webbing and all cracks and crevices which harbor spiders.

OUTDOORS: To kill wasps, hornets, yellow jackets: Application should be made in late evening when insects are at rest. Aim spray at nest openings in trees, bushes, under eaves, chimneys, cracks and crevices to saturate in and around nest openings. Contact as many insects as possible. Repeat as necessary.

To kill spiders: Same as directed for indoor application.

To kill Tent Caterpillars: Application should be made when caterpillars are young and tents are first noticed. For best results apply in the late afternoon or evening when caterpillars have returned to their tents. Aim spray directly at tents and totally saturate on all sides. Repeat as necessary.

WARRANTY STATEMENT

Our recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such or in combination with other materials.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS AND
STATEMENT OF PRACTICAL TREATMENT

EPA Reg. No. 432-645

EPA Est. 432-NJ-1

NET CONTENTS:

PENICK Penick Corporation
NEW YORK, N.Y. 10017 U.S.A.

E-30083-P