PROPOXUR TRANSPARENT EMULSION** SPRAY 0.5%

An Insecticide Offering Good Flushing Activity and Residual Kill of Cockroaches for 2 to 3 weeks.

FOR RESIDUAL CONTROL OF ANTS, COCKROACHES (Waterbugs), CLOVER MITES, CRICKETS, EARWIGS, FLEAS (Outdoors), MOSQUITOES (Outdoors), HOUSE FLIES, HORNETS, MILLIPEDES, SAW-TOOTHED GRAIN BEETLES (Expc ages), SCORPIONS, SILVERFISH(Firebrats), SOWBUGS (Pillbugs), SPIDERS, BROWN DOG TICKS, AND WA

ACTIVE INGREDIENTS:

O-isopropoxyphenyl methylcarbamate **INERT INGREDIENTS:**

ACCEPTED

0.5%w/w

·##···**}·7**··**1989**·····

Under the Federal Insecticide, Fungicide, and Rojenticide Act. as amended, for the pesticide EPA Reg. No. 432 -641

100.0%w/w

"*U.S. Palent No. 3.683,078

PREGAUCION AL CONSUMIDOR: SI usted no lee Ingles, no use este producto hasta que le haya sido explicada ampliamente.

ITO THE USER: If you cannot read English, do not use this product until the label has been 10ty explained to you.)

KEEP OUT OF REACH OF CHILDREN CAUTION **(**

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND STATEMENT OF PRACTICAL TREATMENT

Can be used in non-food areas of food handling establishments and in food areas at a crack and crevice treatment only.

EPA Est.: See Lut No. For Correlation

EPA Reg. No. 432-542

G 42545-MO-1

P-5/3/88

H 5905-AR-1

P 655-GA-1

NET CONTENTS:



PO Box 1077 400 Sylvan Avenue Englewood Cliffs New Jersey 07632

PREBAUTIONARY STATEMENTS HAZARDSTOHUMANS & DOMESTIC ANIMALS

Harmful II inhalest Arold breaking reports or spray mist. Avoid contact with skin, eyes or clothing. In case of expected prolonged exposure, wear natural rubber gloves, protective clothing and solgles Do not use as a space spray. Provide adequate ventilation of area being treated Do not apply to animals of humans. Do not use on tood crops. Do not use in animal barris of poultry houses for fly control. In lood handling areas, application is limited to crack and creving treatment. Do not apply directly to food or feedstuffs. In commercial food handling tabilities, days or remove any lood or food processing equipment during application. Do not apply while food processing a underway. In the home, all food processing surfaces and utanals should be covered during treatment or thoroughly washed before use. Do not allow child so or lets to contact treated surfaces until spray has dried. Remove pets and cover fish nowth tanks, heldre spraying.

STATEMENT OF PRACTICAL TREATMENT

ATATEMENT OF PRACTICAL TREATMENT

It swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce comiting by touching sack of throat with finger. Do not induce comiting or give anything by mouth it an unconscious person.

If in eyes: First bith pletty is water. Get medical attention if irritation persists.

If on akin: Wash with soap and water. Get medic: attention if irritation persists.

HOTE TO PRESIDIAL: Atropine suitate it antidotal only if symptoms of cholinesterase inhibition are present.

This product is toxic to tish, birds and other wildlife. Do not apply directly to water, Do not contaminate water by itearing of equipment or disposal of wastes. Apply this product only as application on this label.

DIRECTIONS FOR USE

Was a rigistion of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, lood or feed by storage or disposal.

STORAGE: Do not store this water-based formulation at temperatures below 32°F (0°C). PESTICIDE DISPOSAL: Posticide spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or Local

CONTAINER DISPOSAL: For Containers One Gallon and Under: Do not use empty container. Wrap container and place in trash collection.

For Containers Over One Gallon: Triple rince (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landlill, or by other approved State and local procedures.

DIRECTIONS FOR USE (Continued on Reverse Side)



DIRECTIONS FOR USE (Continued)

RESTRICTIONS: Since this is a water suspension material, do not apply to rugs, carpets, draperies, wallpaper, or similar materials that may be stained or watermarked.

INDOORS: Pest control in and around homes, apartment buildings, stores and warehouses: For residual control of ants, cockroackes, millipedes, silverfish, spiders, waterbugs and to aid in control of saw-toothed grain beetles (exposed stage). Apply as a residual spray, bitting as many insects as possible, to baseboards, window frames, the undersides of shelves and drawers, under sinks and stoves and to other places where insects may hide. Also spray cracks, crevices and surfaces where insects may crawl when they come out of hiding. For ants, spray trails and places where ants enter premises. Repeat as necessary.

Do not spray foodstuffs or house plants. Do not use as a space spray. Provide adequate ventilation of area being treated. Do not allow children to contact treated surfaces until surfaces are completely dry.

Pest control in meat packing and food processing plants, food storage areas, restaurants, and other food handling establishments (places other than private residences in which exposed food is held, processed, prepared or served). For residual control of ants, cockroaches, millipedes, silverfish, spiders, waterbugs, and to aid in control of saw-toothed grain beetles (exposed stage).

NON-FOOD AREAS: Includes garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

FOOD AREAS: Limited to crack and crevice treatment only-- Apply a small amount of material as a pin-thin stream directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall voids, or hollow equipment legs where the insects noted above hide. Do not use this product in conduits, motor housings and electrical switch boxes.

Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT, ARE NOT PERMITTED.

Spraying unloading docks and evicide areas where insects congregate will aid in preventing reinfestations. Good sanitation and proper disposal of wastes is essential in any effective insect control program.

Pest control in animal research facilities: The use of this product in and around research animal quarters for pest control will not induce changes in liver microsomal enzyme activity in these animals.

EPA Reg. No. 432-642

FESTS OUT-OF-DOORS: DO NOT-TREAT OR ALLOW THE SPRAY TO CONTACT PLANTS (LAWNS, PLOWERING PLANTS, SHRUBS, TREES, EVERGREENS, ETC.) BECAUSE OF POSSIBLE INJURY."

MUTDOORS: For residual control of insects around industrial buildings, homes, garbage areas, durips.

RESIDUAL SPRAY for ants, cockroaches, earwigs, nouse flies, hornets, millipedes, mosquitoes, spiders, crickets, clover mites, fleas, scorpions, sowbugs, brown dog ticks, wasps, and waterbugs. Apply as a residual spray hitting as many insects as possible or with a paint brush to surfaces of buildings, porches, screens, window frames, patios, and garages where these insects congregate. For control of wasps and hornets, apply after dark when all of the insects have returned to the nest. Repeat as necessary. Do not treat plants (tewns, flowering plants, shrubs, trees, etc.) with this product.

WARRANTY STATEMENT

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being inequal the control of the manufacturar, no guarantee, expressed or implied, is made as to the offects of such or the results to be obtained if not used in accordance with the directions or established safe practice. The buyer must assume all responsibility including injury or damage, resulting from its misuse as size it or in combination with other materials.



