US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (15-767) WASHINGTON, OC 20460	EPA REGISTRATION NO. 432-655 TERM OF ISSUANCE	SED 1 3 1985	
NOTICE OF PESTICIDE: PREGISTRATION Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	allethrin Tra	ouct icide with SBP-1382/Bio naparent Emulsion centrate 4%-3%	
AME AND ADDRESS OF REGISTRANT (Include ZIP co	ode)		
Pennek Corporation 1050 W.11 Streen West Lynchurst, NJ 07071	۲-		
L	L		
NOTE: Changes in labeling formula differing in sub submitted to and accepted by the Registration Divi productalways refer to the above U.S. EPA registri	is ion prior to use of the label in comm	ion with this registration must be erce. In any correspondence on thi	
On the basis of information furnished by the registing the Wederal Insecticide, Fungicide, and Rodenticide		reby Registered/Reregistered unde	
A copy of the labeling accepted in connection with	h this Registration/Reregistration is r	eturned herewith.	
icide in accordance with the Act. The acceptance Act is not to be construed as giving the registrant by others, This product is conditional 3(c)(7)(A) provided that you:	a right to exclusive use of the name	or to its use if it has been covered	
<ol> <li>Submit and/or cite all c of your product under FIFEA sec registrates of similar products</li> </ol>	+ 3(c)(5) when the Agency		
2. and the phrase "EPA lengt you repease the product for ship		your latel before	
3. Submit five (5) copies of release the product for shipment description of final printed lab	t. Refer to the A-79 Enc.	-	
If these conditions are not subject to cancellation in accor shipment of the product constitu	rdance with FIFRA sec. 6(	). Your release for	
A stamped copy of the label	is enclosed for your reco		
	Timothy A. Gardner Product Manager (17) Insecticide-Rodentic:	ide Branch 1	
melosure	Registration Division	n (TS-767)	
ATTACHMENT IS APPLICABLE	a		
		DATE	

v

٩

.

;

• • • •

日本自己

i i

:

1

the state of the second state of the state of the same of the second state of the seco

# PENICK CORPORATION

Page 1 of 5

Reg # 432-

UltraTEC DInsecticide

MAY 31 1985

P.4. 7

with

SBP-1382<sup>(R)</sup>/Bioallethrin Transparent Emulsion\*\* Dilutable Concentrate 47-37

A Synthetic Pyrethroid

Contains 0.572-0.589 pounds of active ingredient per gallon (68.5-70.6 g/L)

\*\*\*Contains Methanol

\*Cis/trans isomers ratio: max. 30% (±) civ and min. 70% (±) trans.
+U.S. Patent Nos. 3,465,007 and 3,542,928.
\*Penick's SBP-1382(R) brand of resmethrin insecticide.
Penick Corp., 1050 Wall Street West, Lyndhurst, N.J. 07071
\*\*U.S. Patent No. 3,683,078.

CONFIDENTIAL UNTIL ACCEPTED BY EPA

EPA Reg. No. 432- /

DANGER

DANGER: Methanol may cause blindness. Harmful or fatal if swallowed. Vapor harmful. Avoid breathing mist or vapors. Avoid contact with skin. In case of eye contact: Flush with plenty of water and get medical attention. See side panel for additional precautionary statements.

Can Be Used in Non-Food Areas of Food-Handling Establishments.

NET CONTENTS:

EPA Est. 432-NJ-1

ACCEPTED WITH COMMENTS In EPA Latter Pated Penick Corporation 1050 Wall Street West Lyndhurst, New Jersey 07071, U.S.A.

SEP 3 1985

- Under the Distance Tree Conta - Distriction, and Reconfiction for - The interaction, which the antimother - The interaction of the Action Distriction - The Interaction of the Action Distribution

### (LEFT PANEL)

Page 2.

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

. MAY 31 1985

<u>e 21. -</u>

DANCER

Causes irreversible eye damage. Harmful or fatal if swallowed. Avoid breathing vapors. Do not get in eyes, on skin or on clothing. Wear goggles or safety glasses. Wash thoroughly with sosp and water after handling. Remove contaminated clothing and wash before reuse.

### STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

If in eyes or on skin: Flush with plenty of water for at least 15 minutes. For eyes, get medical attention.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

### PHYSICAL AND CHEMICAL HAZARDS

FLAMMABLE: Keep away from heat or open flame. Flash point minimum of 60°F (15.5°C)

# DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

# CONFIDENTIAL UNTIL ACCEPTED BY EPA

. . <u>.</u> . .

. . . . .

L

(1, 1, 1)

. .

Do not contaminate water, food or feed by storage or disposal. Open dumping is rohibited.

STORAGE: Do not expose to temperatures below  $40^{\circ}F$  (4.5°C). If exposed to temperatures below  $40^{\circ}F$  (4.5°C), allow to stand until product reaches room temperature and thoroughly mix before using.

STORAGE AND DISPOSAL

DO NOT USE OPEN FLAME.

And the second sec

--- P

**PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess used pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: For containers One Gallon and Under: Do not reuse empty container. Wrap container and put in trash. For Containers Over One Gallon:

recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and Local authorities.

# DIRECTIONS FOR USE (Continued)

Elinued) MAY 3 1 1985 Page 3.

FOR USE IN NON-FOOD AREAS INLOORS AND OUTSIDE PREMISES OF HOTELS, MOTELS, HOMES, PRESCHOOLS, APARTMENT BUILDINGS, COMMERCIAL, OFFICE, INSTITUTIONAL AND STORAGE BUILDINGS, RECREATIONAL BUILDINGS, BOATS, SHIP CABINS, AND HOSPITALS. IN HOSPITALS, REMOVE PATIENTS PRIOR TO TREATMENT. VENTILATE ROOMS FOR TWO HOURS BEFORE RETURNING PATIENTS.

THIS PRODUCT CAN BE USED IN NON-FOOD AREAS ONLY, SUCH AS CORRIDORS, OFFICES, FOYERS, LAVATORIES, CARACES, UTILITY ROOMS AND BASEMENTS, OF PACKAGING AND PROCESSING PLANTS, HILK HANDLING AREAS OF MILK PLANTS, MILK STORAGE ROOMS, ECG PROCESSING PLANTS, SUPERMARKETS, RESTAURANTS, BOTTLING PLANTS, CANNERIES, FLOUR AND FEED MILLS, AND BAKERIES.

ALSO, FOR USE IN AND AROUND CAMPERS, MOBILE HOMES, BUSES AND AUTOMOBILES. THIS PRODUCT CAN BE USED IN CARGO PLANES, TRUCKS, BOXCARS AND SHIP CARGO HOLDS ONLY IF THE VEHICLES ARE NOT USED FOR TRANSPORT OF FOOD OR FOOD PRODUCTS AT ANY TIME.

ALSO, FOR USE IN DOG KENNELS AND HORSE STABLES. DO NOT SPRAY ON HORSES. DO NUL SPRAY DOG AND HORSE FOOD OR FEED ITEMS

DO NOT USE ON ELECTRICAL EQUIPMENT OR ON SURFACES THAT CAN BE HARMED OR STAINED BY WATER.

Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. In the home, cover or remove exposed foods. Avoid contamination of cooking utensils and food preparation surfaces.

<u>GENERAL INFORMATION</u>: Use this product to control the pests indicated in the areas listed below by application as a 0.1432 + 0.107 mulsion spray. To prepare the spray, dilute this product with water as shown in the following SPRAY DILUTION CHART. Mix Well Before Using. Repeat the treatment as needed. **CONFIDENTIAL UNTIL** 

CODAM DITIMITON OUL ON OF

ACCEPTED BY EPA

SPRAY DILUTION	CHART
Amount of Spray Mixture Desired	Amount of SBP-1382 TEDC 4%-3%
8 fl oz* (237 ml) 16 fl oz (473 ml) 32 fl oz (946 ml) 1/2 gal (1.89 L) 1 gal (3.79 L)	0.3 fl oz (9 ml) 0.6 fl oz (17 ml) 1.2 fl oz (35 ml) 2.3 fl oz (68 ml) 4.6 fl oz (136 ml)

\*NOTE: 1 fluid ounce (29.6 ml) = 2 tablespoonfuls = 6 teaspoonfuls

### INDOORS

# MAY 3 1 1985

<u>CONTACT SPRAY</u>: FLYING INSECTS - To kill houseflies, deer flies, stable flies, gnats, fruit flies, flying moths (millers): Apply as a space spray. Mix well before using. Fill spray tank with spray dilution. Adjust pressure and nozzle to deliver a fine mist spray. Close all doors and windows. Point nozzle upward, direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Keep the spray nozzle at all times at least four feet from fabrics to avoid wetting or staining. Fill the room with mist at the dosage of one fluid ounce per 1000 cubic feet of space. Then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed and before reentry.

CRAWLING INSECTS: To kill fleas, cockroaches, waterbugs, crickets, silverfish, earwigs, spiders, sowbugs, centipedes, millipedes, grain mites and grain insects\* (adults and accessible stages of confused flour beetles, red flour beetles, sawtoothed grain beetles, cigarette beetles, shiny spider beetles, carpet beetles, grain weevils, Angoumois grain moths, Indial meal moths). Apply as a contact spray. Mix well before using. Fill spray tank with spray dilution. Keep spray nozzle about 8 to 12 inchestrom surface to be treated. Adjust pressure and nozzle to deliver a coarse spray with particle size larger than that of the average aerosol. Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, storage areas and other insect harborage areas. Spray directly on insects where possible. Repeat as necessary.

\*Grain insects - For control of the insect pests listed above, remove infested grain, cereal or flour and destroy. Avoid contamination of other food and foodstuffs in the area by removing before spraying. Spray directly on exposed stages and into cracks and crevices where grain insects may be hiding. In homes, dispose of all infested products. The shelves and drawers should be cleaned and thoroughly sprayed so as to contact all pests and covered with shelf paper after allouing shelves ito dry. Any utensils that are contacted with spray should be **CLEANED** DETORED BY EPA Repeat as necessary.

TO KILL SPIDERS: Spray directly on these pests and use repeated applications to the webbing and all cracks and crevices which harbor spiders.

TO KILL ANTS: Spray doors, around window frames, ant trails and hills.

(20 to 30 cm)

Ć

કુ

76

×

TO KILL BEDBUGS: Apply as a spot treatment to cracks and crevices around baseboards, floorboards, bedboards and walls. First, thoroughly clean and air mattresses and springs. Then spot treat only areas that may harbor bedbugs, concentrating on tufts, folds and seams. Repeat as necessary. For persistent infestations, consult professional applicator.

TO KILL FLEAS AND TICKS ON DOGS, CATS & PREMISES: Apply directly to animals along back, under forelegs, and on other areas except scrotum and anus. Part hair to contact skin and insure good coverage. Hold nozzle about one foot away while spraying: Apply until hair is thoroughly moist. Do not spray directly in eyes or mouth of animal. Repeat within 24 hours of first treatment, if necessary. To reduce reinfestation, thoroughly spray the animal's bedding and other resting areas until the surface is <u>slightly moist</u>. Treat these areas at the rate of two seconds per linear foot &t; a distance of 12 to 18 inches. Also spray the entire inside surface of dog houses. Repeat as necessary, thoroughly spraying floors, cracks, crevices and bedding. Hit as many insects directly as possible.

• = 5 4 •

a start gare

432-655 PMA17 Page S.

INDOORS (Continued)

MAY 3 1 1985

TO KILL WASPS, HORNETS, YELLOW JACKETS, BEES - Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, especially under attic rafters, contacting as many insects as possible. Repeat as necessary.

## OUTDOORS

DO NOT TREAT OR ALLOW THE SPRAY TO CONTACT PLANTS (LAWNS, FLOWERING PLANTS, SHRUBS, TREES, EVERGREENS, ETC.) BECAUSE OF POSSIBLE INJURY.

To control nuisance pests around buildings, patios and paved areas. Apply as a contact spray. Spray directly on insects.

TO KILL HOUSEFLIES, MOSQUITOES, GNATS (Midges), DEER FLIES, STABLE FLIES, FLYING MOTHS (Millers), FRUIT FLIES: Spray resting areas to reduce annoyance from these (46 to 6/cm pests. Follow precautions listed above. Hold container 18 to 24 inches\_from shrubs, bushes, and grassy areas. Spray these areas with a slow sweeping wotion at the rate of from 1 to 3 seconds per cubic yard of space, while moving away from the treated areas. Treat open porches and patios in a similar manner. Spray only when air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary.

WASPS, HORNETS, YELLOW JACKETS, BEES - Same as directed above for indoor use. Application should be made late in the evening when insects are at rest. Aim spray at nest openings in ground, bushes, and in crCacks and crevices which may harbor nests, saturating nest openings and contacting as many insects as possible. Repeat as necessary.

ANTS AND FLEAS - Same as directed above for indoor use.

Gat

÷.,

CRICKETS, SILVERFISH, EARWIGS, SPIDERS, SOWBUGS, CENTIPEDES AND MILLIPEDES. Same as directed above for indoor use.

# CONFIDENTIAL UNTIL ACCEPTED BY EPA

### WARRANTY STATEMENT

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.