

CONFIDENTIAL UNTIL  
ACCEPTED BY EPA

Proposed Amended LABEL 6/4/85

# SBP-1382® INSECTICIDE TRANSPARENT EMULSION\*\* PRESSURIZED SPRAY 0.35%

BEST AVAILABLE COPY

### ACTIVE INGREDIENT:

\*+Resmethrin[5-(phenylmethyl)-3-turanyl]methyl 2,2-dimethyl-3-(2-methyl-1-propenyl)cyclopropanecarboxylate 0.35%w/w

### INERT INGREDIENTS:

99.65%

100.00%w/w

\*Cis-trans isomers ratio, min. 30%(cis) and min. 70%(trans)  
\*U.S. Patent Nos. 3,463,007 and 3,542,929.  
\*Penick's SBP-1382® brand of resmethrin insecticide.  
\*Penick Corp., 1050 Wall Street West, Lyndhurst, N.J. 07071  
\*\*U.S. Patent No. 3,683,078.

**PRECAUTIONAL CONSUMER:** Si usted no lee ingles, no use este producto. La etiqueta le explica lo que hay que hacer y como usarlo.  
TRANSLATION: (TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**  
SEE SIDE PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS AND  
STATEMENT OF PRACTICAL TREATMENT.

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS  
CAUTION**  
Harmful if swallowed or absorbed through skin. Causes eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.  
Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. In the home, cover all food handling surfaces and cover or remove all food and cooking utensils.  
**STATEMENT OF PRACTICAL TREATMENT**  
In case of contact, immediately flush eyes and skin with plenty of water. For eyes, get medical attention if irritation persists.  
**PHYSICAL AND CHEMICAL HAZARDS**  
Contents under pressure. Do not puncture or incinerate container. Do not use near heat or open flame. Exposure to temperatures above 130°F (54.5°C) may cause bursting. Do not apply this product in conduits, metal housings, junctions, and switch boxes or other electrical equipment because of possible shock hazard. Do not use on surfaces that can be stained or harmed by water.

**DIRECTIONS FOR USE**  
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**STORAGE:** Keep in locked storage area.  
**CONTAINER DISPOSAL:** Replace cap and discard container in trash.

**WARRANTY STATEMENT**  
Our recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such, or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

SECRET LABEL

ACCEPTED

JUL 22 1985  
The Federal Insecticide, Fungicide, and Rodenticide Act is amended, for the purpose required under EPA Reg. No. 432-666

Can Be Used In Non Food Areas of Food Handling Establishments  
EPA Reg No 432-666  
EPA Est 432-NJ-2  
NET WEIGHT  
**PENICK** Penick Corporation

1050 Wall Street West, Lyndhurst, N.J. 07071 USA

CONFIDENTIAL UNTIL  
ACCEPTED BY EPA

PROPOSED AMENDED LABEL 6/4/85

## SBP-1382® INSECTICIDE TRANSPARENT EMULSION\*\* PRESSURIZED SPRAY 0.35%

EPA Reg. No. 432-666

### DIRECTIONS FOR USE

BEST AVAILABLE COPY

Shake well before each use. Remove protective cap. Hold can upright and aim spray opening away from person. Push button to spray.

FOR USE IN NON-FOOD AREAS INDOORS AND OUTSIDE PREMISES OF HOTELS, MOTELS, HOMES, PRESCHOOLS, APARTMENT BUILDINGS, COMMERCIAL, OFFICE, INSTITUTIONAL AND STORAGE BUILDINGS, RECREATIONAL BUILDINGS, BOATS, SHIP CABINS, AND HOSPITALS. IN HOSPITALS, REMOVE PATIENTS PRIOR TO TREATMENT. VENTILATE ROOMS FOR TWO HOURS BEFORE RETURNING PATIENTS.

THIS PRODUCT CAN BE USED IN NON-FOOD AREAS ONLY, SUCH AS CORRIDORS, OFFICES, FOYERS, LABORATORIES, GARAGES, UTILITY ROOMS, STORAGE ROOMS AND BASEMENTS, OF PACKAGING AND PROCESSING PLANTS, MILK HANDLING AREAS OF MILK PLANTS, MILK STORAGE ROOMS, EGG PROCESSING PLANTS, SUPERMARKETS, RESTAURANTS, BOTTLING PLANTS, CANNERIES, FLOUR AND FEED MILLS, AND BAKERIES.

ALSO, FOR USE IN AND AROUND CAMPERS, MOBILE HOMES, BUSES AND AUTOMOBILES, THIS PRODUCT CAN BE USED IN CARGO PLANES, TRUCKS, BOXCARS AND SHIP CARGO HOLDS ONLY IF THE VEHICLES ARE NOT USED FOR TRANSPORT OF FOOD OR FOOD PRODUCTS AT ANY TIME

ALSO, FOR USE IN DOG KENNELS AND HORSE STABLES. DO NOT SPRAY ON HORSES. DO NOT SPRAY DOG AND HORSE FOOD OR FEED ITEMS. IN HORSE STABLES, NOT FOR APPLICATION IF HORSES WILL BE USED FOR FOOD.

#### INDOORS:

**CRAWLING INSECTS:** To kill fleas, cockroaches (waterbugs), crickets, silverfish (firebrats), scorpions, earwigs, spiders, sowbugs (pillbugs), centipedes, millipedes, grain mites and grain insects (adult and accessible stages of confused flour beetles, red flour beetles, saw-toothed grain beetles, cigarette beetles, flour spider beetles, cat flea beetles, grain weevils, Angoumois grain moth, Indian meal moths)

Keep spray nozzle at or 18 to 12 inches (20 to 30 cm) from surface to be treated. Spray thoroughly into hiding places such as cracks, crevices, mold, areas around pipes and sinks, under refrigerators, baseboards, drainage areas and other insect

harborage areas. Spray directly on insects where possible. Repeat as necessary.

**TO KILL SPIDERS:** Spray directly on these pests and use repeated applications to the webbing and all cracks and crevices which harbor spiders.

**TO KILL ANTS** (Including Fire Ants): Spray doors, around window frames, ant trails and hills, contacting as many ants directly as possible.

**TO KILL BEDBUGS** <sup>AND TICKS?</sup> Apply as a spot treatment to cracks and crevices around baseboards, floorboards, bedboards and walls. First, thoroughly clean and air mattresses and springs. Then spot treat only areas that may harbor pests concentrating on tufts, folds and seams. Repeat as necessary. For persistent infestations, consult professional applicator.

**TO KILL FLEAS AND TICKS ON DOGS, CATS AND PREMISES:** Apply directly to animals along back, under forelegs, and on other areas except genitals and anus. Part hair to contact skin and insure good coverage. Hold nozzle about one foot (0.3m) away while spraying. Apply until hair is thoroughly moist. Do not spray directly in eyes or mouth of animal. Repeat within 24 hours of first treatment, if necessary.

To reduce reinfestations, thoroughly spray the animal's bedding and other resting areas until the surface is slightly moist. Also spray the entire inside surface of doghouses. Repeat as necessary, thoroughly spraying floors, cracks, crevices and bedding. Kill as many insects directly as possible.

**TO KILL WASPS, HORNETS, YELLOW JACKETS, BEES:** Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, especially under eave rafters, contacting as many insects as possible. Repeat as necessary.

**RESIDUAL SPRAY:** Aids in the control of cockroaches, crickets, silverfish, ants, centipedes, earwigs, grain mites, sowbugs, spiders. Kills up to 4 weeks. Spray baseboards, cracks and crevices, around door and window frames, and other hiding places such as closets, in back of and under appliances, sinks and cupboards in kitchens and bathrooms. In basements, spray hiding places in cracks and crevices, lower walls and dark places. Apply spray until area is thoroughly wet but not to the point of run-off. Repeat as necessary.

#### OUTDOORS:

DO NOT TREAT OR ALLOW THE SPRAY TO CONTACT PLANTS (LAWNS, FLOWERING PLANTS, SHRUBS, TREES, EVERGREENS, ETC.) BECAUSE OF POSSIBLE INJURY.

To control nuisance pests around buildings, patios and paved areas. Apply as a contact spray. Spray directly on insects.

**TO KILL HOUSE FLIES, MOSQUITOES, GNATS (Midges), BEER FLIES, STABLE FLIES, FLYING MOTHS (Millers), FRUIT FLIES:** Spray resting areas to reduce annoyance from these pests. Follow precautions listed above. Hold container 18 to 24 inches (46 to 60 cm) from surfaces to be treated. Spray these areas with a slow sweeping motion. Treat open porches and patios in a similar manner. Spray only when air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary.

**WASPS, HORNETS, YELLOW JACKETS, BEES:** Same as directed above for indoor use. Application should be made late in the evening when insects are at rest. Aim spray at nest openings inground, and in cracks and crevices which may harbor nests, saturating nest openings and contacting as many insects as possible. Repeat as necessary.

**ANTS AND FLEAS:** Same as directed above for indoor use.

**CRICKETS, SILVERFISH, EARWIGS, SPIDERS, SOWBUGS, CENTIPEDES AND MILLIPEDES:** Same as directed above for indoor use.

**SCORPIONS:** Direct short bursts of spray on scorpions and repeat as necessary.

**FIREFLY ANTS:** Kills and reduces annoyance of these insects. To reduce annoyance from these ants and keep them from entering homes, spray patios, barbecue areas, driveways, entryways, door sills, window sills, other entrance areas, foundations of buildings, ant trails, around pools and other areas where the ants are notified. Spray until the area is wet contacting as many insects as possible. This treatment will not kill the colonies but will reduce the immediate population. Repeat as necessary. Avoid contacting plants, shrubbery and large areas of lawns.