

100 #432-611 2/11/82

CHLORPYRIFOS/PYRETHRINS/PIPERONYL BUTOXIDE  
TRANSPARENT EMULSION\*\* SPRAY 0.5%+0.05%+0.25%

NOV 30 1984

Offering Quick Knockdown, Flushing and Residual Kill of Cockroaches  
For Up To 4 Weeks

FOR RESIDUAL AND CONTACT CONTROL OF COCKROACHES, CRICKETS, CARPET BEETLES,  
CLOTHES MOTHS, SILVERFISH, CLOVER MITES, CENTIPEDES, MILLIPEDES, FIREBRATS,  
FLEAS, EARWIGS, SOWBUGS, WATERBUGS, SPIDERS, BROWN DOG TICKS, LONE STAR  
TICKS, ANTS, BOXELDER BUGS, PILLBUGS, SCORPIONS, SPIDER BEETLES, HOUSE-  
FLIES, MOSQUITOES, GNATS, FLYING MOTHS.

Contains Dursban\* Insecticide

ACTIVE INGREDIENTS:

*Chlorpyrifos [0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate]	0.50% w/w
Pyrethrins	0.05%
* Piperonyl Butoxide, Technical	0.25%

INERT INGREDIENTS:	99.20%
	100.00% w/w

\*Equivalent to 0.20% (butylcarbityl)(6-propyl piperonyl)ether and 0.05% related compounds.

\*\*U.S. Patent No. 3,683,078.

\*Trademark of The Dow Chemical Company, U.S. Patent No. 3,244,586.

PRECAUCION AL CONSUMIDOR: SI USTED NO LEE INGLES, NO USE ESTE PRODUCTO HASTA QUE LA ETIQUETA LE HAYA SIDO EXPLICADA AMPLIAMENTE.

(To the User: If you cannot read English, do not use this product until the label has been fully explained to you.)

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND STATEMENT OF PRACTICAL TREATMENT

In food handling establishments, can be used in non-food areas as a contact or residual spray. In food areas, application is limited to spot and/or crack and crevice treatment.


EPA Reg. No. 432-ATA

EPA Est. 432-NJ-1

NET CONTENTS:

Penick Corporation  
1050 Wall Street West  
Lyndhurst, New Jersey 07071 U.S.A.

CONFIDENTIAL UNTIL  
ACCEPTED BY EPA



PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

NOV 30 1984

Harmful if swallowed. Avoid contact with eyes, skin or clothing. Wash hands after using. Do not contaminate food or feedstuffs with this spray. Do not allow spray to contact food, feedstuffs or water supplies. Thoroughly wash food contact surfaces with soap and water if they become contaminated by application of this product. Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish bowls (tanks) before spraying. Use limited to spot and/or crack and crevice treatment in edible product areas of food processing plants, restaurants or other areas where food is commercially processed or prepared. Do not use in serving areas while food is exposed.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Get medical attention.

If in eyes: Flush with plenty of water. Get medical attention if irritation persists.

If on skin: Wash thoroughly with soap and warm water.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is an antidote.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS

Do not expose this waterbase formulation to temperatures below 32°F (0°C). Do not apply this product in conduits, motor housings, junctions, and switch boxes or other electrical equipment because of possible shock hazard. Do not use on surfaces that can be stained or harmed by water.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

CONFIDENTIAL UNTIL  
ACCEPTED BY EPA

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Do not store this water-base formulation at temperatures below 32°F (0°C). For containers one gallon and under: Store product in original container in a locked storage area

**PESTICIDE DISPOSAL:** For Containers Over One Gallon: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:**

**For Containers One Gallon And Under:** Do not re-use empty container. Wrap container and put in trash.

**For Containers Over One Gallon:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

**INSTRUCTIONS FOR CONTACT AND RESIDUAL SPRAYS**

-FOR USE IN NON-FOOD AREAS INDOORS AND OUTSIDE PREMISES OF HOTELS, MOTELS, HOMES, PRESCHOOLS, APARTMENT BUILDINGS, COMMERCIAL, OFFICE, INSTITUTIONAL AND STORAGE BUILDINGS, RECREATIONAL BUILDINGS, BOATS, SHIP CABINS, AND HOSPITALS. IN HOSPITALS, REMOVE PATIENTS PRIOR TO TREATMENT. VENTILATE ROOMS FOR TWO HOURS BEFORE RETURNING PATIENTS.

THIS PRODUCT CAN BE USED IN NON-FOOD AREAS, SUCH AS CORRIDORS, OFFICES, FOYERS, LAVATORIES, GARAGES, UTILITY ROOMS, STORAGE ROOMS AND BASEMENTS, PACKAGING AND PROCESSING PLANTS, MILK HANDLING AREAS OF MILK PLANTS, MILK STORAGE ROOMS, EGG PROCESSING PLANTS, SUPERMARKETS, RESTAURANTS, BOTTLING PLANTS, CANNERIES, FLOUR AND FEED MILLS, AND BAKERIES.

IN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, APPLICATION IS LIMITED TO SPOT AND/OR CRACK AND CREVICE TREATMENT.

ALSO, FOR USE IN AND AROUND CAMPERS, MOBILE HOMES, BUSES AND AUTOMOBILES. THIS PRODUCT CAN BE USED IN CARGO PLANES, TRUCKS, BOXCARS AND SHIP CARGO HOLDINGS ONLY IF THE VEHICLES ARE NOT USED FOR TRANSPORT OF FOOD OR FOOD PRODUCTS AT ANY TIME.

ALSO, FOR USE IN DOG KENNELS AND HORSE STABLES. DO NOT SPRAY ON HORSES AND DOGS. DO NOT SPRAY DOG AND HORSE FOOD OR FEED ITEMS.

NOTE TO PEST CONTROL OPERATORS: One gallon of spray is sufficient to treat 1500 linear feet (457 meters) with a 6 inch (15.2 cm) spray bar.

CONTACT SPRAY-KILLS AND REDUCES INFESTATIONS: COCKROACHES (WATERBUGS), BOXELDER EGGS, SOYBUGS (PILLBUGS), SCORPIONS, SPIDER BEETLES, CRICKETS, SILVERFISH, CLOVER BITES, CENTIPEDES, MILLIPEDES, FIREBRATS, EARWIGS, ANTS, SPIDERS, PLEAS: Use as a spot treatment. When possible, spray directly on pests to reduce infestations. Apply as a coarse spray or with a paint brush into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators and other appliances, baseboards and storage areas. Apply spray until area is wet, but not to the point of run-off. Repeat as necessary.

**CONFIDENTIAL UNTIL  
ACCEPTED BY EPA**

ANTS: To kill ants, spray trails, nests and points of entry within buildings and homes. Spray directly on ants where possible. Repeat as necessary. NOV 30 1984

FLEAS, BROWN DOG AND LONE STAR TICKS: Thoroughly apply as a spot treatment in infested areas such as pets' beds and resting quarters; nearby cracks and crevices; along and behind baseboards, window and door frames and localized areas of floor and floor covering where these pests may be present. Old bedding of pets should be removed and replaced with clean fresh bedding after treatment. DO NOT TREAT PETS WITH THIS PRODUCT. Treat pets with a product registered for animal application such as SBP-1382®/Bioallethrin Aqueous Pressurized Spray, EPA Reg. No. 432-482, to control the source of flea and tick infestation.

CARPET BEETLES AND CLOTHES MOTHS: Do not spray clothes with this product. Do not allow clothing to contact areas, where this product has been used. Spray edges of carpeting and under carpeting, rugs, and closets. Make localized application to the floor and baseboards. Spray directly into cracks, crevices, closets, and infested areas of shelving and/or wherever these insects are seen or suspected. Repeat as necessary.

RESIDUAL SPRAY: Aids in the control of COCKROACHES (WATERBUGS), CRICKETS, BOXELDER BUGS, SOWBUGS (PILLBUGS), SCORPIONS, SPIDER BEETLES, SILVERFISH, CENTIPEDES, MILLIPEDES, EARWIGS. Kills up to 4 weeks. Apply on baseboards, cracks and crevices, around door and window frames, and other hiding places such as closets, in back of and under appliances, sinks and cupboards in kitchens and bathrooms. In basements, apply in hiding places, in cracks and crevices, lower walls and dark places. Apply as a coarse wet spray in a 6 inch (15.2 cm) band until area is thoroughly wet but not to the point of run-off. Treat on a monthly basis or as necessary.

#### PESTS OUT-OF-DOORS

DO NOT TREAT OR ALLOW THE SPRAY TO CONTACT PLANTS (LAWNS, FLOWERING PLANTS, SHRUBS, TREES, EVERGREENS, ETC.) BECAUSE OF POSSIBLE INJURY.

PESTS ON OUTSIDE SURFACES OF BUILDINGS: Use this product to control ants, spider mites, crickets, earwigs, millipedes, and sowbugs on the outside surfaces of buildings. Apply as a residual spray to outside surfaces of buildings, including porches, screens, window frames, eaves, patios, garages, refuse dumps and other areas where these pests congregate or have been seen. Repeat treatment as needed to maintain effectiveness.

HOUSEFLIES, MOSQUITOES, GNATS, FLYING MOTHS, OUTDOORS: For outdoor use only as an aid in reducing annoyance from these insects. Spray outside surfaces of screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures on porches, in garages, and other places where these insects alight or congregate. Repeat as necessary.

ANTS, BROWN DOG TICKS, CRICKETS, FLEAS, AND EARWIGS OUTDOORS: For treatment of localized infestations of these insects in outdoor areas where there are weeds or bushy non-crop areas, spray infested areas thoroughly. For ants, thoroughly wet hills and runways. Repeat application as infestations warrant and as required.

**CONFIDENTIAL UNTIL  
ACCEPTED BY EPA**

NOV 30 1984

11 12

**TO CONTROL FIRE ANTS:** Dilute 1.5 pints (0.71 L) of this product in 1 gallon (3.79 L) of water. Apply 1 gallon (3.79 L) of solution as a gentle rain to each fire ant mound using a sprinkler can. Thoroughly wet the mound and surrounding area to a 4 foot diameter (1.22m). For best results, apply in cool weather, 65 - 80 F (18.5 - 27 C), or in early morning or late evening hours. Treat new mounds as they appear. Do not disturb the mound prior to treatment. If possible, treat all mounds in the vicinity, and treat all colonies which may not as yet have constructed a mound. Larger quantities of solution can be prepared for multiple mound treatments. Equipment to deliver the diluted product as a gentle rain at the rate of 1 gallon (3.79 L) per mound is still required.

**NOTE:** To help prevent infestation of buildings by ants, crickets, earwigs and sowbugs (pillbugs), treat a band of soil 6 to 10 feet (1.8 to 3 meters) wide around and adjacent to the buildings, also the building foundation to a height of 2 to 3 feet (0.5 to 1 meter), where pests are active and may find entrance.

**WARRANTY STATEMENT**

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

**CONFIDENTIAL UNTIL  
ACCEPTED BY EPA**

