

NOXFIRE® INSECTICIDE with ROTENONE EC 5%

FORMULA II

Contains 0.39 lb/gal (47 g/L) of Active Ingredient
KILLS COLORADO POTATO BEETLES, FIRE ANTS

ACTIVE INGREDIENTS:

Rotenone

5.0% w/w

Other Cube Extractives

10.0%

INERT INGREDIENTS:

85.0%

100.0% w/w

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

TRANSLATION: TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.

KEEP OUT OF REACH OF CHILDREN WARNING-AVISO

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS AND
STATEMENT OF PRACTICAL TREATMENT

EPA Est.: See Lot No. For Correlation

EPA Reg. No. 432-677

G 42545-MO-1

P-5/9/88

H 5905-AR-1

P 655-GA-1

NET CONTENTS:

GALLONS (

Liters)

LOT NO.:

ROUSSEL BIO
CORPORATION



PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS & DOMESTIC ANIMALS WARNING

May be fatal if swallowed. May cause eye injury. Causes skin irritation. Do not get in eyes, on skin, or on clothing. Wear protective goggles, faceshield, or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Do not induce vomiting. Call a physician or Poison Control Center. Drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available drink large quantities of water. Avoid alcohol. Get medical attention.

If on skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

If in eyes: Flush with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL HAZARDS

Flammable. Do not use or store near heat or open flame. Flashpoint minimum 45°F (7°C).

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: If container is damaged. Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids: Wear protective equipment as required to prevent contact with the probe of wastes as below. Do not store, use, pour or spill near heat or open flame.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixtures, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

DIRECTIONS FOR USE (Continued on Reverse Side)

NOXFIRE™ INSECTICIDE with ROTENONE
EC 5% Formula II
EPA Reg. No. 432-677

DIRECTIONS FOR USE (continued)

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Do not enter treated areas without protective clothing until sprays have dried.

Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in treated area or an area about to be treated with this product. If oral warnings are given, they must inform the workers of areas or fields that may not be entered without specific clothing, period of time field must be vacated, and appropriate action to take in case of accidental exposure. See Statement of Practical Treatment.

FIRE ANT DRENCH:

For use in lawns, gardens, grounds around buildings, fields, agricultural land, wasteland, golf courses, recreational areas, campgrounds.

For control of an individual fire ant mound measuring 2-9 inches (5-25 cm) high and 5-21 inches (12-60 cm) in diameter, mix 1 tablespoon (14.6 ml) of Rotenone 5% EC in 2 gallons of water (7.57 L) and thoroughly agitate until completely mixed.

Apply this mixture to the undisturbed mound by first using some on the dome to soften the crust. Then use some to completely soak the perimeter. The remainder should be poured from a height of about 3 ft (1m) so as to break into the dome and allow the mixture to flow into the underground ant tunnels. Repeat in 7-10 days or as necessary. For larger mounds, apply greater volumes of diluted material.

TANK MIX DIRECTIONS
AGRICULTURAL USE

For use on agricultural potatoes, eggplants, and tomatoes to combat the Colorado Potato Beetle.

Tank mix 82 fl. oz. (2.42 L) (0.25 lb. a.i., rotenone) of Noxflre and 8 fl. oz. (237 ml) (0.50 lb. a.i., piperonyl butoxide) of Piperonyl Butoxide Emulsifiable Concentrate 92% (EPA Reg. No. 432-673) with the volume of water to cover one acre.

Application should be made as late in the day as possible.

Treatment may continue up to and including the day before harvest. Do not apply the day of harvest. Do not apply this product through any type of irrigation system.

WARRANTY STATEMENT

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.