

# PENICK CORPORATION

SBP-1382/ALLETHRIN/PIPERONYL BUTOXIDE INSECTICIDE AEROSOL 0.2%+0.6%+1.2%  
FORMULA II  
AUTOMATIC ROOM FOGGER

Authorized by USDA for use in edible product areas of official establishments operating under the Meat, Poultry, Shell Egg Grading and Egg Products Inspection Program.

## ACTIVE INGREDIENTS:

*Resmethrin [5-(phenylmethyl)-3-furanyl]methyl-2,2-dimethyl-3-(2-methyl-1-propenyl)cyclopropanecarboxylate	0.2% w/w
Allethrin (Allyl Homolog of Cinerin I)	0.6%
*Piperonyl Butoxide, Technical	1.2%
Petroleum Distillate	8.6%
INERT INGREDIENTS:	89.4%
	100.0% w/w

\*Cis/trans isomers ratio: max. 30% (+)cis and min. 70% (±)trans.  
\*U.S. Patent Nos. 3,465,007 and 3,542,923.  
\*Penick's SBP-1382® brand of resmethrin insecticide.  
\*Penick Corp., 1050 Wall Street West, Lyndhurst, N.J.  
\*Equivalent to 0.96% (Butylcarbityl)(6-propylpiperonyl) ether and 0.24% related compounds.

**PRECAUCION AL CONSUMIDOR:** Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.  
**TRANSLATION:** (To the user: If you cannot read English, do not use this product until the label has been fully explained to you.)

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND STATEMENT OF PRACTICAL TREATMENT

Reg. No. 432-

EPA Est. No. 432-NJ-1

Net Weight: 6 oz (170.1 g)

One can treats an area up to 6,000 cubic feet (For example: 20' X 30' X 10'). Use additional units where free flow of mist to infested areas is obstructed.

ACCEPTED  
with COMMENTS  
in EPA Federal Register

1 1982

Penick Corporation  
1050 Wall Street West  
Lyndhurst, New Jersey 07071 U.S.A.

432-680

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Do not apply directly to food or feedstuffs. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After spraying in bakeries and other food processing plants, wash all equipment, benches, shelving, etc. where exposed food will be handled, with potable water. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Remove pets, and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or Poison Control Center. Do not induce vomiting. This product contains petroleum solvent. Aspiration may be a hazard.

If in eyes or on skin: Flush with plenty of water. Get medical attention if irritation persists.

PHYSICAL AND CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F (54°C) may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

CONTAINER DISPOSAL

Do not reuse empty container. Wrap container and place in trash collection.

FOR USE IN HOTELS, MOTELS, HOMES, PRESCHOOLS, NURSERIES, DAY CAMPS, GREENHOUSES, LATHHOUSES, SEEDHOUSES, FOOD HANDLING ESTABLISHMENTS, PACKAGING AND PROCESSING PLANTS, COMMERCIAL, INDUSTRIAL, OFFICE, INSTITUTIONAL AND STORAGE BUILDINGS, MILK STORAGE ROOMS, MILK HANDLING AREAS OF MILK PLANTS, EGG PROCESSING PLANTS, SUPERMARKETS, RESTAURANTS, BOTTLING PLANTS, CANNERIES, FLOUR AND FEED MILLS, BAKERIES, BOATS, SHIP CABINS AND HOSPITALS. IN HOSPITALS: PATIENTS SHOULD BE REMOVED PRIOR TO TREATMENT. ALSO FOR USE IN CAMPERS, MOBILE HOMES, BUSES, AUTOMOBILES, TRUCKS, AND BOXCARS. ALSO FOR USE IN DOG KENNELS AND HORSE STABLES. IN HORSE STABLES, NOT FOR APPLICATION IF HORSES WILL BE USED FOR FOOD.

Prior to spraying, cover asphalt tile, waxed wood floors, waxed furniture, and fabrics which may come in contact with the fog (news-papers can be used). Close outside doors and windows, and shut off fans and air conditioners.

For best results, open cabinet doors and drawers so that fog may contact all areas where insects can hide and breed. If flea or tick infestation is suspected, destroy pets' bedding and treat pets with a product registered for animal application such as SBP-13920/Permethrin Aqueous Pressurized Spray, EPA Reg. No. 432-482.

SHAKE WELL BEFORE USING

With can at arm's length, direct spray away from face, and depress tab until it clicks into locked position. Moving quickly, direct spray into areas which harbor insects such as under sinks, under and behind stoves and refrigerators, and other similar dark areas. Place can on level raised surface such as a stand or table with protective covering underneath to protect the surface. Exit immediately. Leave area closed for 30 min. to kill houseflies, fruit flies, mosquitoes, stable flies (dog flies), gnats (midges), small flying moths (millers), vinegar flies, wasps, hornets, bees, yellow jackets. Leave area closed for 2 hours to kill flying insects listed above and ants, booklice, carpet beetles, centipedes, crickets, earwigs, silverfish (firebrats), fleas (adults and larvae), grasshoppers, ticks (Lone Star and Brown Dog), millipedes, sowbugs (pillbugs), spiders and scorpions. To kill cockroaches as well as all of the listed insects, leave the area closed for 4 hours. Ventilate the treated area for 30 min. Repeat treatment in two weeks or as necessary.

WARRANTY STATEMENT

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with the directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.