

SBP-1382[®] / ALLETHRIN / PIPERONYL BUTOXIDE INSECTICIDE AEROSOL 0.2% + 0.6% + 1.2%

FORMULA II AUTOMATIC ROOM FOGGER

DIRECTIONS FOR USE (Continued)

FOR USE IN HOTELS, MOTELS, HOMES, PRESCHOOLS, NURSERIES, DAY CAMPS, GREENHOUSES, BATHHOUSES, SEEDHOUSES, FOOD HANDLING ESTABLISHMENTS, PACKAGING AND PROCESSING PLANTS, COMMERCIAL INDUSTRIAL, OFFICE, INSTITUTIONAL AND STORAGE BUILDINGS, MILK STORAGE ROOMS, MILK HANDLING AREAS OF MILK PLANTS, EGG PROCESSING PLANTS, SUPER MARKETS, RESTAURANTS, BOTTLING PLANTS, CANNERIES, FLOUR AND FEED MILLS, BAKERIES, BOATS, SHIP CABINS AND HOSPITALS. **IN HOSPITALS: PATIENTS SHOULD BE REMOVED PRIOR TO TREATMENT. ALSO FOR USE IN CAMPERS, MOBILE HOMES, BUSES, AUTOMOBILES, TRUCKS, AND BOXCARS. ALSO FOR USE IN DOG KENNELS AND HORSE STABLES. NOT FOR APPLICATION IF HORSES WILL BE USED FOR FOOD.**

Prior to spraying, cover asphalt tile, waxed wood floors, waxed furniture, and fabrics which may come in contact with the fog (newspapers can be used). Close outside doors and windows and shut off fans and air conditioners.

For best results, open cabinet doors and drawers so that fog may contact all areas where insects can hide and breed. If flea or tick infestation is suspected, destroy pets, bedding and treat pets with a product registered for animal application such as SBP-1382[®] Bioallethrin Aqueous Pressurized Spray, EPA Reg. No. 432-482.

SHAKE WELL BEFORE USING

With can at arm's length, direct spray away from face and depress tab until it clicks into locked position. Moving quickly, direct spray into areas which harbor insects such as under sinks, under and behind stoves and refrigerators, and other similar dark areas. Place can on level raised surface such as a stand or table with protective covering underneath to protect the surface. Exit immediately. Leave area closed for 30 min. to kill house flies, fruit flies, mosquitoes, stable flies (dog flies), gnats (midges), small flying moths (millers), vinegar flies, wasps, hornets, bees, yellow jackets. Leave area closed for 2 hours to kill flying insects listed above and ants, booklice, carpet beetles, centipedes, crickets, earwigs, silverfish (firebrats), fleas (adults and larvae), grasshoppers, ticks (Lone Star and Brown Dog), millipedes, sowbugs (pillbugs), spiders and scorpions. To kill cockroaches as well as all of the listed insects, leave the area closed for 4 hours. Ventilate the treated area for 1 hour. Repeat treatment in two weeks or as necessary.

Authorized by USDA for use in edible product areas of official establishments operating under the Meat, Poultry, Shell Egg Grading and Egg Products Inspection Program.

ACTIVE INGREDIENTS

Resmethrin [5-(phenylmethyl)-3-turanyl]methyl-2,2-dimethyl-3-(2-methyl-1-propenyl)cyclopropanecarboxylate	0.20%
Allethrin (Allyl Homolog of Cinerin I)	0.60%
Piperonyl Butoxide, Technical	1.20%
Petroleum Distillate	8.63%
INERT INGREDIENTS	100.00%

*Cis trans isomers ratio max. 30% (g) and min. 70% (g)
U.S. Patent Nos. 2,461,007 and 2,542,988
Penick's SBP-1382[®] brand of resmethrin insecticide
Penick Corp., 1050 Wall Street West, Lynchhurst, N.J. 07071
Equivalent to 96% (g) butylcarbamyl (6-phenylpiperonyl) ether and 0.24 related compounds.

PRECAUCION AL CONSUMIDOR: Si usted no lee Ingles, no use este producto hasta que la etiqueta le haya sido explicada completamente (TO THE USER: If you do not read English, do not use this product until the label has been fully explained to you.)

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS AND
STATEMENT OF PRACTICAL TREATMENT

One can treats an area up to 6,000 cubic feet (For Example: 20 x 30 x 10). Use additional units where free flow of mist to infested areas is obstructed.

EPA Reg. No. 432-686 EPA Est. 432-N

NET WEIGHT 6 oz (170 g)

PENICK Penick Corporation

1050 Wall Street West, Lynchhurst, N.J. 07071

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Do not apply directly to food or feedstuffs. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After spraying in bakeries and other food processing plants, wash all equipment, benches, shelving, etc. where exposed food will be handled with potable water. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Remove pets, and cover fish aquariums before spraying.

Harmful if swallowed or absorbed through skin. May cause eye or skin irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT

If swallowed, Call a physician or Poison Control Center. Do not induce vomiting. This product contains petroleum solvent. Aspiration may be a hazard.

If in eyes or on skin, Flush with plenty of water. Get medical attention if irritation persists.

PHYSICAL AND CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 F (54 C) may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

CONTAINER DISPOSAL

Do not reuse empty container. Wrap container and place in trash collection.

WARRANTY STATEMENT

Our recommendations for the use of this product are based upon tests determined to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with the directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its use, as well as its combination with other materials.