

PENICK CORPORATION
(CENTER PANEL)

Proposed Label
11/15/82

UltraTEC™ Insecticide

With Propoxur

Transparent Emulsion** Dilutable Concentrate 5%

Contains 0.41 lbs/gal (49 g/l) of Baygon

722 676

Offering Good Flushing Activity, Quick Knockdown
and Residual Kill of Cockroaches

FOR RESIDUAL CONTROL OF ANTS, COCKROACHES WATERBUGS CLOVER MITES,
CRICKETS, EARWIGS, FLEAS, MOSQUITOES (Outdoors), HOUSE FLIES (Outdoors),
HORNETS, MILLIPEDES, CENTIPEDES, SAWTOOTHED GRAIN BEETLES (exposed stage),
SCORPIONS, SILVERFISH FIREBRATS SOWBUGS PILLBUGS SPIDERS, BROWN DOG
TICKS, AND WASPS.

TO BE APPLIED ONLY BY OR UNDER THE SUPERVISION OF PEST CONTROL OPERATORS
OR OTHER TRAINED PERSONNEL RESPONSIBLE FOR INSECT CONTROL PROGRAMS.

ACTIVE INGREDIENT:

Propoxur (0-isopropoxyphenyl methylcarbamate).....5.0% w/w

INERT INGREDIENTS:.....95.0%

*Contains Methanol 100.0% w/w

**U.S. Patent No. 3,683,078.
TM Penick Corporation Trademark.

**CONFIDENTIAL UNTIL
ACCEPTED BY EPA**

PRECAUCION AL CONSUMIDOR: SI USTED NO LEE INGLES, NO USE ESTE
PRODUCTO HASTA QUE LA ETIQUETA LE HAYA SIDO EXPLICADA AMPLIAMENTE.
(TO THE USER: IF YOU CANNOT READ ENGLISH, DO NOT USE THIS PRODUCT
UNTIL THE LABEL HAS BEEN FULLY EXPLAINED TO YOU.)



SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY
STATEMENTS AND STATEMENT OF PRACTICAL TREATMENT

DANGER: Methanol may cause blindness. Harmful or fatal if swallowed.
Vapor harmful. Avoid breathing mist or vapors. Avoid contact with skin.
In case of eye contact: Flush with plenty of water and get medical attention.
See side panel for additional precautionary statements.

In food handling establishments, can be used in non-food areas as a contact
or residual spray. In food areas, application is limited to spot and/or
crack and crevice treatment.

EPA Reg. No. 432-

EPA Est. 432-
Net weight:

Penick Corporation
1050 Wall Street West
Lyndhurst, New Jersey U.S.A.

(LEFT PANEL)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Causes irreversible eye damage. Harmful or fatal if swallowed. Avoid breathing vapors. Do not get in eyes, on skin or on clothing. In case of expected prolonged exposure, wear natural rubber gloves, protective clothing and goggles. Do not use as a space spray. Provide adequate ventilation of area being treated. Do not apply to animals or humans. Do not use on food crops. Do not use in animal barns or poultry houses for fly control. In food handling areas, application is limited to crack and crevice and/or spot treatment. Do not apply directly to food or feedstuffs. In commercial food handling facilities, cover or remove any food or food processing equipment during application. Do not apply while food processing is underway. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish bowls (tanks) before spraying.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

If in eyes: Flush with plenty of water. Get medical attention if irritation persists.

If on skin: Wash with soap and water. Get medical attention if irritation persists.

Note to Physician: Atropine Sulfate is antidotal only if symptoms of cholinesterase inhibition are present.

ENVIRONMENTAL HAZARDS

**CONFIDENTIAL UNTIL
ACCEPTED BY EPA**

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL AND CHEMICAL HAZARDS

Flammable. Do not use or store near heat or open flame. Do not use in the vicinity of pilot lights. Flashpoint minimum 60°F (15.5°C). Do not apply this product in conduits, motor housings, junction and switch boxes or other electrical equipment because of possible shock hazards. Do not use on surface that can be harmed or stained by water.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Proposed Label
11/15/82

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: This material may stratify upon standing even at room temperature. Thoroughly mix before each use. Do not expose to temperatures below 40°F (4.5°C). If exposed to temperatures below 40°F (4.5°C), allow to stand until product reaches room temperature and thoroughly mix before using. **DO NOT USE OPEN FLAME.**

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved State procedures under the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL: For Containers One Gallon and Under: Do not reuse empty container. Wrap container and place in trash collection.

For Containers Over One Gallon: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and Local procedures.

INSTRUCTIONS FOR CONTACT AND RESIDUAL SPRAYS: FOR USE IN NON-FOOD AREAS INDOORS AND OUTSIDE PREMISES OF HOTELS, MOTELS, HOMES, APARTMENT BUILDINGS, STORES AND WAREHOUSES.

THIS PRODUCT CAN BE USED IN NON-FOOD AREAS ONLY, SUCH AS GARBAGE ROOMS, LAVATORIES, FLOOR DRAINS (TO SEWERS), ENTRIES AND VESTIBULES, OFFICES, LOCKER ROOMS, MACHINE ROOMS, BOILER ROOMS, GARAGES, MOP CLOSETS AND STORAGE (AFTER CANNING AND BOTTLING), IN MEAT PACKAGING AND FOOD PROCESSING PLANTS, FOOD STORAGE AREAS, RESTAURANTS AND OTHER FOOD HANDLING ESTABLISHMENTS (PLACES OTHER THAN PRIVATE RESIDENCES IN WHICH EXPOSED FOOD IS HELD, PROCESSED, PREPARED, OR SERVED).

**CONFIDENTIAL UNTIL
ACCEPTED BY EPA**

Care should be taken to avoid depositing the product onto exposed food processing surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

NOTE TO PEST CONTROL OPERATORS: One gallon (3.79 liters) of spray is sufficient to treat 1500 linear feet (457 meters) with a 6 inch (15.2 cm) spray band.

GENERAL INFORMATION: Use this product to control the pests indicated in the areas listed below by application as a 0.5% or 1% spray. Use the 0.5% spray to control light infestations and the 1% spray to quickly reduce heavy infestations or as directed. To prepare the spray, dilute with water as shown in the following SPRAY DILUTION CHART*. Repeat the treatment as needed.

Proposed Label
11/15/82

SPRAY DILUTION CHART

Amount of Spray Mixture Desired		Amount of Concentrate			
		0.38	1		
Gallons	Liters	Fluid Ounces**	Liters	Fluid Ounces	Liters
1	3.79	12.8	0.38	25.6	0.76
3	11.37	38.4	1.14	76.8	2.28
5	18.93	64	1.90	128	3.79
10	37.90	128	3.79	256	7.58

CONFIDENTIAL UNTIL
APPROVED BY EPA

*NOTE: Do not store the concentrate at temperatures below 40°F (4.5°C). If the concentrate is exposed to temperatures below 40°F (4.5°C), allow to stand until product reaches room temperature and thoroughly mix before diluting with water. Do not expose the spray mixture to temperatures below 32°F (0°C).

**NOTE: 1 fluid ounce = 2 tablespoonfuls = 6 teaspoonfuls = 29.574 milliliters.

INDOORS: Pest control in and around homes, apartment buildings, stores and warehouses: For residual control of ants, cockroaches (waterbugs), millipedes, centipedes, silverfish (firebrats), spiders, fleas, brown dog ticks and to aid in control of saw-toothed grain beetle (exposed stage). Apply spray until area is wet but not to the point of run-off. Use as residual spray, hitting as many insects as possible, to baseboards, window frames, the undersides of shelves and drawers, under sinks and stoves and to other places where insects may hide. Also spray cracks, crevices and surfaces where insects may crawl when they come out of hiding. For ants, spray trails and places where ants enter premises. Repeat as necessary.

Do not spray foodstuffs or house plants. Do not use as a space spray. Provide adequate ventilation of area being treated. Do not allow children to contact treated surfaces until surfaces are completely dry.

Pest control in animal research facilities: The use of this product in and around research animal quarters for pest control will not induce changes in liver microsomal enzyme activity in these animals.

PESTS OUT-OF-DOORS: DO NOT TREAT OR ALLOW THE SPRAY TO CONTACT PLANTS (LAWNS, FLOWERING PLANTS, SHRUBS, TREES, EVERGREENS, ETC.) BECAUSE OF POSSIBLE INJURY.

Proposed Label
11/15/82

For residual control of insects around industrial buildings, homes, garbage areas, dumps.

RESIDUAL SPRAY for Ants, Cockroaches (Waterbugs), Earwigs, Horse flies, Hornets, Millipedes, Centipedes, Mosquitoes, Spiders, Crickets, Clover Mites, Fleas, Scorpions, Sowbugs (Pillbugs), Brown Dog Ticks, and Wasps. Apply spray until area is wet but not to the point of run-off. Use as a residual spray, hitting as many insects as possible, to surface of buildings, porches, screens, window frames, patios and garages where these insects congregate. For control of wasps and hornets, apply after dark when all of the insects have returned to the nest. Repeat as necessary.

WARRANTY STATEMENT

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with the directions or established safe practice. The buyer must assume all responsibility including injury or damage resulting from its misuse as such, in combination with other materials.

**CONFIDENTIAL UNTIL
ACCEPTED BY EPA**

423-046

-2-

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Jay S. Ellenberger
Product Manager (12)
Insecticide-Rodenticide Branch
Registration Division (RS-767)

Enclosure