

UltraTEC® INSECTICIDE

with PROPOXUR TRANSPARENT EMULSION** DILUTABLE CONCENTRATE 5% CONTAINS 0.41 lb/gal (49 g/L) OF BAYGON

OFFERING GOOD FLUSHING ACTIVITY, QUICK KNOCKDOWN AND RESIDUAL KILL OF COCKROACHES
FOR RESIDUAL CONTROL OF ANTS, COCKROACHES (WATERBUGS), CLOVER MITES, CRICKETS, EARWIGS, FLEAS, MOSQUITOES (Outdoors),
HOUSE FLIES (Outdoors), HORNETS, MILLIPEDES, CENTIPEDES, SAW-TOOTHED GRAIN BEETLES (Exposed Stage), SCORPIONS,
SILVERFISH (FIREBRATS), SOWBUGS (PILLBUGS), SPIDERS, BROWN DOG TICKS AND WASPS.

TO BE APPLIED ONLY BY OR UNDER THE SUPERVISION OF PEST CONTROL OPERATORS
OR OTHER TRAINED PERSONNEL RESPONSIBLE FOR INSECT CONTROL PROGRAMS.

ACTIVE INGREDIENT:

Propoxur (0-isopropoxyphenyl methylcarbamate)


5.0% w/w

INERT INGREDIENTS*:

95.0%

100.0% w/w

*Contains Methanol.
**U.S. Patent No. 3,683,078.



PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que la
etiqueta le haya sido explicada ampliamente.
(TO THE USER: If you cannot read English, do not use this product until the label has been fully
explained to you.)



SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND
STATEMENT OF PRACTICAL TREATMENT

DANGER: Methanol may cause blindness. Harmful or fatal if swallowed. Vapor harmful. Avoid
breathing mist or vapors. Avoid contact with skin. In case of eye contact: Flush with plenty of
water and get medical attention. See side panel for additional precautionary statements.

In food handling establishments, can be used in non-food areas as a contact or residual spray.
In food areas, application is limited to crack and crevice treatment.

EPA Est., see List No. For Correlation

EPA Reg. No. 432-696

G 42545-MO-1

P-6/28/88

H 5905-AR-1

P 855-GA-1

NET WEIGHT:

ROUSSEL BIO
CORPORATION
PO Box 1077 400 Sylvan Avenue
Englewood Cliffs New Jersey 07632

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS DANGER

Causes irreversible eye damage. Harmful or fatal if swallowed. Avoid breathing vapors. Do not
get in eyes, on skin or on clothing. In case of gloves, protective clothing and goggles. Do not
use as a space spray. Provide some wear natural adequate ventilation of area being treated. Do
not apply to animals or humans. Do not use on food crops. Do not use in animal barns or
poultry houses for fly control. In food handling areas, application is limited to crack and crevice
treatment. Do not apply directly to food or feedstuffs. In commercial food handling facilities,
cover or remove any food or food processing equipment during application. Do not apply while
food processing is underway. In the home, all food processing surfaces and utensils should be
covered during treatment or thoroughly washed before use. Do not allow children or pets to
contact treated surfaces until spray has dried. Remove pets and cover fish bowls (tanks) before
spraying.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses
of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or
give anything by mouth to an unconscious or convulsing person.
IF IN EYES: Flush with plenty of water. Get medical attention.
IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.
NOTE TO PHYSICIAN: Atropine Sulfate is antidotal only if symptoms of cholinesterase
inhibition are present.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not
contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as
specified on the label.

PHYSICAL AND CHEMICAL HAZARDS

Flammable. Do not use or store near heat or open flame. Do not use in the vicinity of pilot lights.
Flash point minimum 60°F (15.5°C). Do not apply this product in conduits, motor housings,
junction and switch boxes or other electrical equipment because of possible shock hazards.
Do not use on surfaces that can be harmed or stained by water.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
STORAGE: This material may stratify upon standing even at room temperature. Thoroughly
mix before each use. Do not expose to temperatures below 40°F (4.5°C). If exposed to
temperatures below 40°F (4.5°C), allow to stand until product reaches room temperature and
thoroughly mix before using. **DO NOT USE OPEN FLAME.**
PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide,
spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by
use according to label instructions, contact your State Pesticide or Environmental Control
Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for
guidance.
CONTAINER DISPOSAL: For Containers One Gallon and Under: Do not reuse empty
container. Wrap container and put in trash.
For Containers Over One Gallon: Triple rinse (or equivalent). Then offer for recycling or
reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures
approved by State and Local authorities.

DIRECTIONS FOR USE (Continued on reverse side)

DIRECTION FOR USE (Continued)

EPA Reg. No. 432-696

GENERAL INFORMATION: Use this product to control the pests indicated in the areas listed below by application as a 0.5% or 1% spray. Use the 0.5% spray to control light infestations and the 1% spray to quickly reduce heavy infestations or as directed. To prepare the spray, dilute with water as shown in the following **SPRAY DILUTION CHART**. Repeat the treatment as needed.

SPRAY DILUTION CHART

AMOUNT OF SPRAY MIXTURE DESIRED		AMOUNT OF PROPOXUR TERC 5% 0.5%		AMOUNT OF PROPOXUR TERC 5% 1%	
Gallons	Liters	Fl. Oz.**	Liters	Fl. Oz.	Liters
1	3.79	12.8	0.38	25.6	0.76
3	11.37	38.4	1.14	76.8	2.28
5	18.93	64.0	1.90	128	3.79
10	37.90	128	3.79	256	7.58

*NOTE: Do not store the concentrate at temperatures below 40°F (4.5°C). If the concentrate is exposed to temperatures below 40°F (4.5°C), allow to stand until product reaches room temperature and thoroughly mix before diluting with water. Do not expose the spray mixture to temperatures below 32°F (0°C).

**NOTE: 1 fluid ounce = 2 tablespoons = 6 teaspoonfuls = 29.574 ml.

INSTRUCTIONS FOR CONTACT AND RESIDUAL SPRAYS: FOR USE IN NON-FOOD AREAS INDOORS ~~AND OUTDOORS~~ OF HOTELS, MOTELS, HOMES, APARTMENT BUILDINGS, STORES AND WAREHOUSES.

NOTE TO PEST CONTROL OPERATORS: One gallon (3.79 L) of spray is sufficient to treat 1500 linear feet (457 m) with a 6 inch (15.2 cm) spray band.

INDOORS: Pest control in and around homes, apartment buildings, stores and warehouses. For residual control of ants, cockroaches (waterbugs), millipedes, centipedes, silverfish (firebrats), spiders, fleas, brown dog ticks and to aid in control of saw-toothed grain beetles (exposed stage). Apply spray until area is wet but not to the point of run-off.

Use as a residual spray, hitting as many insects as possible, to baseboards, window frames, the undersides of shelves and drawers, under sinks and stoves and to other places where insects may hide. Also spray cracks and crevices and surfaces where insects may crawl when they come out of hiding. For ants, spray trails and places where ants enter premises. Repeat as necessary.

Do not spray foodstuffs or house plants. Do not use as a space spray. Provide adequate ventilation of area being treated. Do not allow children to contact surfaces until surfaces are completely dry.

Pest Control in Meat Packing and Food Processing Plants, Food Storage Areas, Restaurants, and Other Food Handling Establishments (places other than private residences in which exposed food is held, processed, prepared or served). For residual control of ants, cockroaches (waterbugs), millipedes, centipedes, silverfish (firebrats), spiders, and to aid in control of saw-toothed grain beetles (exposed stage).

NON-FOOD AREAS: Includes garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

FOOD AREAS: LIMITED TO CRACK AND CREVICE TREATMENT ONLY - Apply a small amount of material as a pin-thin stream directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall voids, or hollow equipment legs, where the insects noted above hide. Do not use this product in conduits, motor housings and electrical switch boxes. Care should be taken to avoid depositing the product onto exposed surfaces, or introducing the material into the air. Avoid contamination of food or food processing surfaces.

Pest control in animal research facilities: The use of this product in and around research animal quarters for pest control will not

induce changes in liver microsomal enzyme activity in these animals.

PESTS OUT-OF-DOORS: DO NOT TREAT OR ALLOW THE SPRAY TO CONTACT PLANTS (LAWNS, FLOWERING PLANTS, SHRUBS, TREES, EVERGREENS, ETC.) BECAUSE OF POSSIBLE INJURY.

For residual control of insects around industrial buildings, homes, garbage areas, dumps.

RESIDUAL SPRAY for ants, cockroaches (waterbugs), earwigs, house flies, hornets, millipedes, centipedes, mosquitoes, spiders, crickets, clover mites, fleas, scorpions, sowbugs (pillbugs), brown dog ticks, and wasps. Apply spray until area is wet but not to the point of run-off. Use as a residual spray, hitting as many insects as possible, to surface of buildings, porches, screens, window frames, patios and garages where these insects congregate. For control of wasps and hornets, apply after dark when all of the insects have returned to the nest. Repeat as necessary.

*Delete
Bl*

WARRANTY STATEMENT

Our recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

2