·		
U.S. ENVIRONMENTAL PROTECTION AGENCY	EPA REGISTRATION NO.	DATE OF ISSUANCE
OFFICE OF PESTICIDES PROGRAMS	432-697	
REGISTRATION DIVISION (WH-567) WASHINGTON, D.C. 2044	TERM OF ISSUANCE	
NOTICE OF PESTICIDE: REGISTRATION	NAME OF PESTICIDE PRODUC	CT
(Under the Federal Insecticide, Fundicide,	Ultra TEC Insecti	cide With Rotenone/
(Under the rederal insecticide, rungicide, and Rodenticide Act, as amended)	Pyrethrins Transp	parent Emulsion
	Dilutable Concent	rate 2.2%+1.6%
ME AND ADDRESS OF REGISTRANT (Include ZIP code)		<u> </u>
' \ /		
Penick Corporation	1200	156, 553
1050 Wall Street West	15	1, —
Lyndhurst, NJ 07071	10	<i>l.</i> /
•	,	y
L	_l	
	-	
OTE: Changes in labeling formula differing in aubstance bmitted to and accepted by the Registration Division product always refer to the above U.S. EPA registration n	rior to use of the label in commerc	
the basis of information furnished by the registrant, the Federal Insecticide, Fungicide, and Rodenticide Act.	e above named pesticide is hereb	y Registered/Reregistered und
, - .		
opy of the label $-\xi$ accepted in connection with this F	Registration/Reregistration is retu	rned here vith.
egistration is in no way to be construed as an indorseme talth and the environment, the Administrator, on his mot ide in accordance with the Act. The acceptance of any ct is not to be construed as giving the registrant a right others.	ion, may at any time suspend or c name in connection with the regis	ancel the registration of a pest tration of a product under this
This product is conditionally rec	conterel in accordance	with FIFRA
 c. 3(c)7(A) provided that you: 1. Add the precautionary labeling 	d statement. "KEEP OUT	TOP PEACH OF
LDREN."	,	-
2. Add the phrase, "EPA Registra	stion No. 432-697, " to	your label before
n release the product for shipment.		
3. Submit five (5) copies of you	ir final printed labeli	na before vou
lease the product for shipment.		
If these conditions are not compl	ied wid: the registra	ition will be
bject to cancellation in accordance w		
ipment of the product constitutes acc	eptance of the conditi	ons of registration.
A stamped copy of the label has	been enclosed for your	records.
	Mimmihy A. Gardner	
	Product Manager (17)	
1	insecticide-Rodenticide	Pranch
F	Registr <mark>ation Division (</mark>	TS-767)
closure		
	BEST AVAILABLE	FORV
	PLOI ATAILABLE	buri
ATTACHMENT IS APPLICABLE		
·	Chille a	
NAT THE OF APPROVING OFFICIAL		DATE

EPA Yerm \$570-6 (Rev. 5-76)

ζ

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED

5-12-85

ULTRATEC^{IM} INC. INC. with Rotenthe/Post Park I

TRANSPARENT EMULSION** DINUTABLE CONCENTRATE 2.2%+1.6%

Contains 0.18 lb/gal of Rotenone

0.36 lb/gal of Other Cube Extractives

0.13 lb/gal of Pyrethrins

For Control of Vegetable, Ornamental and Flowering Plant Pests, Pests of Fruits and Berries, and Lice, Fleas and Ticks on Dogs, Cats and Premises.

TO BY APPLIED ONLY BY OR UNDER THE SUPERVISION OF PEST CONTROL OPERATORS, SERVICE PERSONS SUCH AS COMMERCIAL NURSERYMEN, LICENSED VETERINARIANS AND AGRICULTURAL SPECIALISTS, OR OTHER TRAINED PERSONNEL RESPONSIBLE FOR INSECT CONTROL PROGRAMS.

ACTIVE INGREDIENTS:

Rotenone	
Punethvine	1 6 4
troleum Distillate	6.4%
*INERT INGREDIENTS:	85.4%

*Contains Methanol. ##U.S. Patent No. 3,683,078. Penick Corporation Trademark.

PRECAUTION AL CONSUMIDOR: SI USTED NO LEE INGLES, NO USE ESTE PRODUCTO HASTA QUE LA ETIQUETA LE HAYA SIDO EXPLICADA AMPLIAMENTE.

(To The User: If you cannot read English, do not use this production of the User: If you cannot read English, do not use this production of the User: If you cannot read English, do not use this production of the User: If you cannot read English, do not use this production of the User: If you cannot read English, do not use this production of the User: If you cannot read English, do not use this production of the User: If you cannot read English, do not use this production of the User: If you cannot read English, do not use this production of the User: If you cannot read English, do not use this production of the User: If you cannot read English is the User: If you cannot read E until the label has been fully explained to you.) In Fil'A Louier Dated:

KEEP OUT OF REACH OF CHILDREN

POISON W in Red

AUG1 2 1985

100.0% W/W

Timber the Frederic Inscribite, Francistic, and Barbanistic Act his amended, for the preticide PRODUCETON MINDER EPA HOE IN

DANGER: Methanol may cause blindness. Harmful or fatal if swallowed. Yapor harmful. Avoid breathing mist or vapors. Avoid contact with skin. In case of eye contact: Flush with plenty of water and get medical attenti n. See side panel for additional precautionary statements.

NET CONTENTS:

EPA Reg. No. 432-

EPA Est. 432-NJ-1

Penick Corporation 1050 Wall Street West Lyndhurst, New Jersey 07071 U.S.A.



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Causes irreversible eye damage. Harmful or fatal if swallowed. Avoid breathing vapors. Do not get in eyes, on skin or on clothing. Wear goggles or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a Physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

If in eyes: Flush with plenty of water. Get medical attention.

If on skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL AND CHEMICAL HAZARDS

Flammable. Do not use or store near heat, or open flame. Do not use in the vicinity of pilot lights. Flash point minimum of 60°F (15.5°C) Pensky-Martens C.C.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: This material may stratify upon standing, even at room temperature. Thoroughly mix before each use. Do not expose to temperatures below 40°F (4.5°C). Allow to stand until product reaches room temperature and thoroughly mix before using. DO NOT USE OPEN FLAME.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to Federal, State or Local procedures under the Resource Conservation and Recovery: Act.

CONTAINER DISPOSAL: For Containers one Gallon and Under: Do not reuse empty container. Wrap container and place in trash collection.

For Containers Over One Gallon: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and Local procedures.

PLANT PESTS

For use on ornamental and flowering plants such as Poplar, Linden, Dogwood, Willow, Birch, Boxelder, Maple, Oak, Elm, Pine, Spruce, Cedar, Yew, Spirea, Lilac, Zinnia, Aster, Petunia, Geranium, Dahlia, Gladiolus, Phlox, Sweet Pea, Marigold, Carnation, Chrysanthemum, and Rose, mix this product with water as described in the following chart. Use hand or automatic sprayer as a coarse spray. Use sufficient spray mix to give complete coverage of the plant. Do not apply this product within one day of collection. Repeat every 5-10 days or as needed.

Pests

Volume of product/gallon of water (3.79 L)

Aphids, leafhoppers, exposed thrips

1/2 teaspoon (2.5 ml)

Oblique-banded leaf rollers,
Sawfly larvae, Boxelder bugs,
Japanese beetles, Elm leaf
etle larvae, Mites, Lygus bugs,
Lace bugs, Greenhouse Whiteflies,
Stink bugs, Garden fleahopper,
Greenhouse leaftier

1 teaspoon (5 ml)

Cucumber beetles, Rose chafer, ants, Aster beetles, Flea beetles

2 teaspoons (10 ml)

For use on vegetable plants such as peas, bean, beet, cucumber, squash, muskmelon, potato, tomato, cabbage, spinach, lettuce, celery, asparagus, pepper, eggplant, onion, carrot, and corn, mix with water as described in the following chart. Use hand or automatic sprayer as a coarse spray. Use sufficient spray mix to give complete coverage of the plants. Do not apply this product within one day of harvest. Repeat every 5-10 days or as needed.

Pests

Volume of product/gallon of water (3.79 L)

Aphids, Leafhoppers, exposed thrips

1/2 teaspoon (2.5 ml)

Cabbage Worms, Bean Beetles, Beet Webworm, Sod Webworm, Asparagus Beetles, Japanese Beetle, Lygus Bugs, White Fly, Garden Fleahopper, Harlequin Bug, Obliquebanded Leaf Roller, Stink Bugs, Celery Leaftier, Melon Worm, Tortoise Beetle, Garden Webworm, Alfalfa Webworm and Mites

l teaspoon (5 ml)

Cucumber Beetles, Flea Beetles, Vegetable Weevil, Squash Bug (nymphs), Squash Vine Borer, European Corn Borer - 3 to 4 applications or more as eggs start to hatch and repeated at 5 to 7 day intervals

2 teaspoons (10 ml)



DIRECTIONS FOR USE (continual)

For use on Fruits and Berries such as apple, pear, peach, plum, cherry grape, currant, gooseberry, raspberry, blackberry, strawberry and blueberry, consult the following chart. Use sufficient spray mix to give complete coverage of the plants. Do not apply this product within one day of harvest. Repeat every 5-10 days or as needed.

Pests

Volume of product/gallon of water (3.79 L)

Aphids, Leafhoppers, exposed thrips 1/2 teaspoon (2.5 ml)

Imported currant worm, gooseberry 1 teaspoon (5 ml) fruit worm, raspberry fruit worm, blueberry maggot, cherry fruit fly, strawberry root worm (adult), rednecked borer, Japanese beetle, and mites

Strawberry leafroller and rose 2 teaspoons (10 ml) ે fer

ANIMAL PESTS

TO KILL LICE, FLEAS AND TICKS ON DOGS, CATS, AND PREMISES: For lice and fleas, dilute at the rate of 13 teaspoons (7.5 ml) per gallon (3.79 L) of water. For ticks, dilute at the rate of 2 tablespoons (30 ml) per gallon (3.79 L) of water. Apply directly to animals as a spray or wash. Avoid contact with eyes, nose, or mouth. use on nursing pupples or nursing kitters.

To prevent reinfestation, thoroughly spray the animal's bedding and resting areas until the surface is slightly moist. Treat the floor areas, cracks and crevices in the floor and along baseboards at the rate of two seconds per linear foot. Spray at a distance of 12 to 18 inches (30-45 cm). Also savay the entire inside surface of dog houses. When used in the home, remove pets, and cover fish aquariums before spraying.

WARRANTY STATEMENT

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with the directions or established safe practice. The buyer must assume all. responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

