

AUG 18 1995

335
17
5-481055

Agrevo Environmental Health
95 Chestnut Ridge Road
Montvale, NJ 07645

Attention: Ms. Christina Lawes

Subject: UltraTEC Insecticide with Rotenone/Pyrethrins
Transparent Emulsion Dilutable Concentrate
2.2%-1.6%
EPA Registration No. 432-697
Your amended application of January 19, 1995

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable provided that you:

1. On the Front Panel, change "Harmful or fatal" to "Fatal".
2. The current name of the registrant, Agrevo Environmental Health, must appear on the label.
3. Place the "Storage and Disposal" statements after the use directions.
4. Replace the statement, "To be applied ... insect control programs." with the following text, placed at the top of the Front Panel:

RESTRICTED USE PESTICIDE
Due to Chronic Eye Effects

For retail sale to, and use only by, Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,



Robert A. Forrest
Product Manager (14)
Insecticide-Rodenticide Branch
Registration Division (H7504C)

- Enclosures: 1. Stamped label
2. A-79 Enclosure

Peacock WP#6:A:ROTENONE:\432.697:305-5407,-6600:8/17/95

AUG 18 1995

3 of 4

UltraTEC® INSECTICIDE with ROTENONE/PYRETHRINS TRANSPARENT EMULSION** DILUTABLE CONCENTRATE 2.2% + 1.6%

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

432-697

PRECAUTIONARY STATEMENTS

Hazards To Humans & Domestic Animals

DANGER

Causes irreversible eye damage. Harmful or fatal if swallowed. Avoid breathing vapors. Do not get in eyes, on skin or on clothing. Wear goggles or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Remove pets and cover fish aquariums before spraying.

Environmental Hazards

This pesticide is extremely toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff and drift from treated areas may be hazardous to aquatic organisms in adjacent sites. Do not contaminate water when disposing of equipment washwaters.

Physical And Chemical Hazards

FLAMMABLE. Do not use or store near heat or open flame. Do not use in the vicinity of pilot lights. Flash point minimum of 60°F (15.5°C).

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **Storage:** This material may stratify upon standing, even at room temperature. Thoroughly mix before each use. Do not expose to temperatures below 40°F (4.5°C). Allow to stand until product reaches room temperature and thoroughly mix before using. **DO NOT USE OPEN FLAME.**

Pesticide Disposal: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by State and Local authorities.

ANIMAL PESTS

TO KILL FLEAS, TICKS AND LICE ON DOGS, CATS AND PREMISES: (Keep diluted spray away from light).

DO NOT USE ON PUPPIES OR KITTENS LESS THAN 4 WEEKS OLD.

DO NOT USE ON NURSING PUPPIES OR NURSING KITTENS.

ON DOGS. DO NOT USE MORE THAN 1/2 FLUID OUNCE (1 Tbsp.) (15 ml) PER GALLON (3.79 L) ON PUPPIES

FOR FLEAS AND LICE, dilute UltraTEC® Insecticide at the rate of 1/2 fluid ounce (1 Tbsp.) (15 ml) per 1 gallon (3.79 L) of water. For young animals, use 1/4 fluid ounce (1/2 Tbsp.) (7.5 ml) per 1 gallon (3.79 L) of water. Apply directly to animal as a spray, sponge-on or a wash. Dip until animal's skin is wet. Do not rinse.

* CONTAINS 0.18 lb/gal OF ROTENONE, 0.36 lb/gal OF OTHER CUBE EXTRACTIVES, AND 0.13 lb/gal OF PYRETHRINS.

* FOR CONTROL OF
LICE, FLEAS AND TICKS ON DOGS, CATS

* TO BE APPLIED ONLY BY OR UNDER THE SUPERVISION OF PEST CONTROL OPERATORS, SERVICE PERSONS SUCH AS LICENSED VETERINARIANS OR OTHER TRAINED PERSONNEL RESPONSIBLE FOR INSECT CONTROL PROGRAMS.

ACTIVE INGREDIENTS:

Rotenone 2.2% w/w
Other Associated Resins 4.4%
Pyrethrins 1.6%

†INERT INGREDIENTS: 91.8%
100.0%w/w

*Contains Petroleum Distillate.

†Contains Methanol.

**U.S. Patent No. 3,683,078.

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

EPA REG. NO. 432-697

EPA EST. NO.

KEEP OUT OF REACH OF CHILDREN

DANGER



POISON



DANGER: Methanol may cause blindness. Harmful or fatal if swallowed. Vapor harmful. Avoid breathing mist or vapors. Avoid contact with skin. In case of eye contact: Flush with plenty of water and get medical attention.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a Physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

IF IN EYES: Flush with plenty of water. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

Contains 6.4% Petroleum Distillate.

See Side Panel For Additional

Precautionary Statements

NET CONTENTS:

ROUSSEL UCLAF



Rousseau Uclaf Corporation
95 Chestnut Ridge Road
Montvale, New Jersey 07645

4 of 4

FOR TICKS, dilute UltraTEC® Insecticide at the rate of 1 fluid ounce (2 Tbsp)(30 ml) per 1 gallon (3.79 L) of water. For young animals use 1/2 fluid ounce (1 Tbsp)(15 ml) per 1 gallon (3.79 L) of water. Apply directly to animal as a spray, sponge-on or a wash. Dip until animal's skin is wet. Do not rinse.

Avoid contact with eyes, nose or mouth of animal.

ON CATS: DO NOT USE ON YOUNG KITTENS. ON ADULT ANIMALS, DO NOT USE MORE THAN 1/2 FLUID OUNCE (1 Tbsp)(15 ml) PER GALLON (3.79 L).

FOR FLEAS, TICKS, AND LICE, dilute UltraTEC® Insecticide at the rate of 1/2 fluid ounce (1 Tbsp)(15 ml) per gallon (3.79 L) of water. Apply directly to animal as a spray, sponge-on or a wash. Dip until animal's skin is wet. Do not rinse.

Avoid contact with eyes, nose or mouth of animal.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.