

PYRETHRINS/PIPERONYL BUTOXIDE TRANSPARENT EMULSION** PRESSURIZED SPRAY 0.15% + 1.5%

AN INSECTICIDE FOR CONTROL OF HOUSE FLIES, MOSQUITOES, GNATS (MIDGES), WASPS, SMALL FLYING MOTHS (MILLERS), COCKROACHES (WATERBUGS), ANTS, SILVERFISH, CRICKETS, FLEAS, EARWIGS, CENTIPEDES, SOWBUGS (PILLBUGS), BOXELDER BUGS.
Authorized by USDA for use in Edible Product Areas of Official Establishments Operating Under The Meat, Poultry, Shell Egg Grading and Egg Products Inspection Programs.

ACTIVE INGREDIENTS:

Pyrethrins	0.15% w/w
*Piperonyl Butoxide, Technical	1.50%
INERT INGREDIENTS:	98.35%
	100.00%w/w

*Equivalent to 1.2% (butylcarbityl)(6-propyl piperonyl ether) and 0.3% related compounds.
**U.S. Patent No. 3,683,078.

PRECAUCION AL CONSUMIDOR: SI USTED NO LEE INGLES, NO USE ESTE PRODUCTO HASTA QUE LA ETIQUETA LE HAYA SIDO EXPLICADA AMPLIAMENTE.
TRANSLATION: (TO THE USER: IF YOU CANNOT READ ENGLISH, DO NOT USE THIS PRODUCT UNTIL THE LABEL HAS BEEN FULLY EXPLAINED TO YOU.)

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS AND
STATEMENT OF PRACTICAL TREATMENT

EPA Est.: See Lot No. For Correlation
EPA Reg. No. 432-701 A 42545-MO-1 P-1/23/91
F 10370-TX-1 P 655-GA-1

NET CONTENTS:

ACCEPTED

JUN 30 1993

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 432-701

ROUSSEL UCLAF
Roussel Uclaf Corporation
95 Chestnut Ridge Road
Montvale, New Jersey 07645

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling. Do not apply directly to food or feedstuffs. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply when food processing is underway. After space spraying in bakeries and other food processing plants, thoroughly wash all equipment, benches, shelving, etc., where exposed food will be handled with an effective cleaning compound, and rinse with potable water. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Remove pets, and cover fish aquariums before space spraying. In case, cold-blooded animals should be protected from the spray of this product.

STATEMENT OF PRACTICAL TREATMENT
In eyes: Flush with plenty of water. Get medical attention. If on skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS
This product is toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL AND CHEMICAL HAZARDS
Contents under pressure. Do not puncture or incinerate container. Do not use near heat or open flame. Exposure to temperatures above 130°F (54.5°C) may cause bursting. Do not apply this product in conduits, motor housings, junctions, and switch boxes or other electrical equipment because of possible shock hazard. Do not use on surfaces that can be stained or harmed by water.

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE: Do not store near heat or open flame. Keep in a locked storage area.
CONTAINER DISPOSAL: Replace cap and discard container in trash. Do not incinerate or puncture. Can may be disposed of with other recyclables where local law permits.

DIRECTIONS FOR USE (Continued on reverse side)

2 9 2

DIRECTIONS FOR USE (Continued)

EPA Reg. No. 432-701

Shake well before each use. Remove protective cap. Hold can upright and aim spray opening away from person. Push button to spray.

INDOORS: For use in hotels, motels, homes, preschools, apartment buildings, commercial, office, institutional and storage buildings, recreational buildings, packaging and processing plants, milk handling areas of milk plants, milk storage rooms, egg processing plants, supermarkets, restaurants, bottling plants, canneries, flour and feed mills, bakeries, boats, ship cabins, and hospitals. In hospitals, patients should be removed prior to treatment. Also for use in campers, mobile homes, buses, automobiles, trucks, boxcars, and ship cargo holds. Also for use in barns, stables, kennels, poultry houses, and other animal quarters. When spraying in animal quarters, **DO NOT SPRAY FOOD OR FEED ITEMS. DO NOT APPLY OR ALLOW TO CONTACT PLANTS BECAUSE OF POSSIBLE INJURY.**

SPACE SPRAY: To control house flies, mosquitoes, gnats (midges), wasps, and small flying moths (millers): Close all doors, windows and ventilators. Direct the spray upward and outward in all directions, filling the room with mist. Keep the area closed for 15 minutes, then thoroughly ventilate before entering the treated area.

TO CONTROL BED BUGS AND MITES IN POULTRY HOUSES: Apply as a crack and crevice/spot treatment to areas where the bed bugs and mites hide, such as cracks in walls and floor, crevices, roost poles and nests.

CONTACT SPRAY: To kill cockroaches (waterbugs), fleas, earwigs, centipedes, sowbugs (pillbugs), boxelder bugs, ants, silverfish (firebrats) and crickets: Direct spray to contact insects in cracks and crevices in floors, baseboards, and around pipes, behind cabinets and other harborages. Hit as many insects directly as possible. Apply the spray to the point of run-off. Repeat as necessary.

CUTDOORS: DO NOT TREAT OR ALLOW THE SPRAY TO CONTACT PLANTS (LAWNS, FLOWERING PLANTS, SHRUBS, TREES, EVERGREENS, ETC.) BECAUSE OF POSSIBLE INJURY.

HOUSE FLIES, MOSQUITOES, GNATS, FLYING MOTHS (MILLERS), AND WASPS OUTDOORS: For outdoor use as an aid in reducing annoyance from these insects in municipalities, zoos, parks, playgrounds, stadiums, open-air theaters, recreational areas, dump areas, manure and compost piles. **IN ZOOS, cold-blooded animals should be protected from the spray of this product.**

Spray garbage cans, outhouses, barbecue pits, compost and manure piles, and other breeding areas until surfaces are thoroughly wet. Spray outside surfaces of tents, lean-tos, and shelters in camping areas, the outside of barns, dairies, kennels, creameries, food processing plants, and institutions until surfaces are thoroughly wet, paying particular attention to screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around outdoor light fixtures on porches, in garages, and other places where these insects alight or congregate. Deactivate switch before spraying. Repeat as necessary.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.