

04 2 452 710  
1 2 15

# UltraTEC® INSECTICIDE

## with PROPOXUR/PYRETHRINS/PIPERONYL BUTOXIDE

### TRANSPARENT EMULSION\*\* DILUTABLE CONCENTRATE 5% +0.5%+5%

CONTAINS: 0.42 lb/gal of Propoxur (50 g/L) - 0.04 lb/gal of Pyrethrins (5 g/L) - 0.42 lb/gal of Piperonyl Butoxide (50 g/L)

Offering Good Flushing Activity Quick Knockdown and Residual Kill of Cockroaches

FOR RESIDUAL CONTROL OF ANTS, COCKROACHES (WATERBUGS), CLOVER MITES, CRICKETS, EARWIGS, FLEAS, HORNETS, MILLIPEDES, CENTIPEDES, SAW-TOOTHED GRAIN BEETLES(exposed stage), SCORPIONS, SILVERFISH (FIREBRATS), SOWBUGS (PILLBUGS), SPIDERS, BROWN DOG TICKS, AND WASPS.

TO BE APPLIED ONLY BY OR UNDER THE SUPERVISION OF PEST CONTROL OPERATORS OR OTHER TRAINED PERSONNEL RESPONSIBLE FOR INSECT CONTROL PROGRAMS.

ACTIVE INGREDIENT:

(0-isopropoxyphenyl methylcarbamate) .....	5.0% w/w
Pyrethrins .....	0.5%
Piperonyl Butoxide, Technical .....	5.0%
Petroleum Distillate .....	2.0%
INERT INGREDIENTS*: .....	87.5%

\*Contains Methanol & Petroleum Distillates 100.0% w/w

\*\*U.S. Patent No. 3,683,078.

°Equivalent to 4.0% (butylcarbityl) (6-propyl piperonyl) ether and 1.0% related compounds.

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

**DANGER**

**POISON**

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND STATEMENT OF PRACTICAL TREATMENT

**DANGER:** Methanol may cause blindness. Harmful or fatal if swallowed. Vapor harmful. Avoid breathing mist or vapors. Avoid contact with skin. In case of eye contact: Flush with plenty of water and get medical attention. See side panel for additional precautionary statements.

In food handling establishments, can be used in non-food areas as a contact or residual spray. In food areas, application is limited to crack and crevice treatment.

EPA Est.: See Lot No. For Correlation

P-9/14/89

EPA Reg. No. 432-706

G 42545-MO-1

P 655-GA-1

NET WEIGHT:

**ROUSSEL BIO**  
CORPORATION

P.O. Box 1077 400 Sylvan Avenue  
Englewood Cliffs New Jersey 07632

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS & DOMESTIC ANIMALS**  
**DANGER**

Causes irreversible eye damage. Harmful or fatal if swallowed. Avoid breathing vapors. Do not get in eyes, on skin or on clothing. In case of expected prolonged exposure, wear natural rubber gloves, protective clothing and goggles. Do not use as a space spray. Provide adequate ventilation of area being treated. Do not apply to animals or humans. Do not use on food crops. Do not use in animal barns or poultry houses for fly control. In food handling areas, application is limited to crack and crevice treatment. Do not apply directly to food or feedstuffs. In commercial food handling facilities, cover or remove any food or food processing equipment during application. Do not apply while food processing is underway. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Do not allow children or pets to contact treated surfaces until spray has dried. Remove pets and cover fish bowls (tanks) before spraying.

**STATEMENT OF PRACTICAL TREATMENT**

If swallowed: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

If in eyes: Flush with plenty of water. Get immediate medical attention.

If on skin: Wash with soap and water. Get medical attention if irritation persists.

Note to Physician: Atropine Sulfate is antidotal only if symptoms of cholinesterase inhibition are present.

**PHYSICAL AND CHEMICAL HAZARDS**

Flammable. Do not use or store near heat or open flame. Do not use in the vicinity of pilot lights. Flashpoint minimum 60°F (15.5°C). Do not apply this product in conduits, motor housings, junction and switch boxes or other electrical equipment because of possible shock hazards. Do not use on surfaces that can be harmed or stained by water.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** This material may stratify upon standing even at room temperature. Thoroughly mix before each use. Do not expose to temperatures below 40°F (4.5°C). If exposed to temperatures below 40°F (4.5°C), allow to stand until product reaches room temperature and thoroughly mix before using. **DO NOT USE OPEN FLAME.**

**PESTICIDE DISPOSAL:** Pesticide waste are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.


**CONTAINER DISPOSAL:** For Containers One Gallon and Under: Do not reuse empty container. Wrap container and put in trash.

For Containers Over One Gallon: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and Local authorities.

Directions for Use Continued

## Directions for use (continued)

EPA Reg. No. 432-706



**GENERAL INFORMATION:** Use this product to control the pests indicated in the areas listed below by application as a 0.5% or 1% spray. Use the 0.5% spray to control light infestations and the 1% spray to quickly reduce heavy infestations or as directed. To prepare the spray, dilute with water as shown in the following **SPRAY DILUTION CHART\***. Repeat the treatment as needed.

**SPRAY DILUTION CHART**

Amount of Spray Mixture Based		Amount of This Product			
		0.5%+0.05%+0.5%		1%+0.1%+1%	
Gallons	Liters	Fluid Ounces**	Liters	Fluid Ounces	Liters
1	3.79	12.8	0.38	25.6	0.76
3	11.37	38.4	1.14	76.8	2.28
5	18.93	64.0	1.91	128	3.79
10	37.90	128	3.79	256	7.58

\*NOTE: Do not store the concentrate at temperatures below 40°F (4.5°C). If the concentrate is exposed to temperatures below 40°F (4.5°C), allow to stand until product reaches room temperature and thoroughly mix before diluting with water. Do not expose the spray mixture to temperatures below 32°F (0°C).

\*\*NOTE: 1 fluid ounce = 2 tablespoons = 6 teaspoons = 29.574 ml

**INSTRUCTIONS FOR CONTACT AND RESIDUAL SPRAYS: FOR USE IN NON-FOOD AREAS INDOORS AND OUTSIDE PREMISES OF HOTELS, MOTELS, HOMES, APARTMENT BUILDINGS, STORE AND WAREHOUSES.**

**NOTE TO PEST CONTROL OPERATORS:** One gallon (3.79 L) of spray is sufficient to treat 1500 linear feet (457 m) with a 6 inch (15.2 cm) spray band.

**INDOORS:** Pest control in homes, apartment buildings, stores and warehouses. For residual control of ants, cockroaches (waterbugs), millipedes, centipedes, silverfish (fleabats), spiders, fleas, brown dog ticks and to aid in control of saw-toothed grain beetles (exposed stage). Apply spray until area is wet but not to the point of run-off.


Use as a residual spray, hitting as many insects as possible, to baseboards, window frames, the under sides of shelves and drawers, under sinks and stoves and to other places where insects may hide. Also spray cracks, crevices and surfaces where insects may crawl when they come out of hiding. For ants, spray trails and places where ants enter premises. Repeat as necessary.

Do not spray foodstuffs or house plants. Do not use as a space spray. Provide adequate ventilation of area being treated. Do not allow children to contact treated surfaces until surfaces are completely dry.

**Pest Control in Meat Packing and Food Processing Plants, Food Storage Areas, Restaurants, and Other Food Handling Establishments (places other than private residences in which exposed food is held, processed, prepared or served).** For residual control of ants, cockroaches (waterbugs), millipedes, centipedes, silverfish (fleabats), spiders, and to aid in control of saw-toothed grain beetles (exposed stage).

**Non-Food Areas:** Includes garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Apply to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

**FOOD AREAS: LIMITED TO CRACK AND CREVICE TREATMENT ONLY-**Apply a small amount of material as a pin-thin stream directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall voids, or hollow equipment legs, where the insects noted above hide. Do not use this product in conduits, motor housings and electrical switch boxes. Care should be taken to avoid depositing the product onto exposed surfaces, or introducing the material into the air. Avoid contamination of food or food processing surfaces.



**Pest control in animal research facilities:** The use of this product in and around research animal quarters for pest control will not induce changes in liver microsomal enzyme activity in these animals.

### WARRANTY STATEMENT

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with the directions or established safe practice. The buyer must assume all responsibility including injury or damage resulting from its misuse as such, or in combination with other materials.