

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DJC. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

NOTIFICATION

Robyn Kneen
Registration Manager
Bayer Environmental Science
2 T. W. Alexander Drive
Research Triangle Park, NC 27709

JUL 2 0 2007

SUBJECT:

Application for Pesticide Notification - Typo Correction to the Active Ingredient

Statement

Scourge® Insecticide with SPB-1382/Piperonyl Butoxide 4% + 12% MF FII

EPA Reg. No. 432-716

Application Dated February 9, 2007

Dear Ms. Kneen:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the product above. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please me directly at 703-305-6249 or Terri Stowe of my staff at 703-305-6117.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader

Registration Division (7505P)

Office of Pesticide Programs

μ	yse	reau	mşu	u
ī				-
ı				
ł			_	•

United States

Registration

OPP Identifier Number

\$EPA	Environmental Protection Agency Washington, DC 20460		х	Amendme Other	nt		
	Applica	tion for I	Pesticide	- Section	l .	· · · · · ·	`
1. Company/Product Num 432-716	ber		2. EPA Produ Richard Geb	uct Manager oken		3. Propos	sed Classification
4. Company/Product (Nan SCOURGE INSECTICIDE WI	ne) TH SPB-1382/PIPERONYL BUTOXIDE 4%	+ 12% MF FII	PM# - 10				
Bayer Environmental Scie 2 T W Alexander Drive Research Triangle Park NC 27709	Applicant (Include ZIP Code) ence this is a new address		(b)(i), my pr to:	No		in compo	RA Section 3(c)(3) osition and labeling
		Sec	tion - II	vame			
X Notification - Expl	esponse to Agency letter dated		Fine Age Miles	al printed label ency letter dete e Too" Applica er - Explain be	tion.		
See Attached	tional page(s) if necessary. (For sec	tion I and Se	ction II.)		N	Otific Jul 2 (CATION 2007
	· \	Sect	ion - III				
1. Material This Product 1	Will Be Packaged In:			,			
Child Resistant Packaging Yes No * Certification must be submitted	Unit Packaging Yes No If "Yes" Unit Packaging wgt. No. per Contains	If "Yes		No. per container	P	ntainer fetal fastic flass aper ther (Spec	ify)
3. Location of Net Conten	ats Information 4. Size(s)	Retail Contai	ner	5. Loc	L cation of Label I	Direcțions	
6. Manner in Which Label	Per	nograph per glued enciled	Ĺ	Other			
			ion - IV				
1. Contact Point (Comple	ete items directly below for identifica	tion of indivi	idual to be co	ntacted, if nec	essary, to proce	ss this app	licetion.)
Name R	obyn Kneen	Title	Registration	on Manage	l l	19-549-	o. (Include Area Code) 2412
I certify that the st I acknowledge that both under applicat	atements I have made on this form a any knowlingly false or misleading	ication and all attach statement m	ments thereto	ere true, accubile by fine or i	mprisonment or	eta.	Date Application Received (Stamped)
2. Signature	yn treen	3. Title		Registra	ation Mana	acer	
4. Typed Name Robyn Kneen		5. Date			06/25/2	CC7(

SCOURGE INSECTICIDE WITH SPB-1382/PIPERONYL BUTOXIDE 4% + 12% MF FII EPA Reg. No. 432-716
June 22, 2007

NOTIFICATION

Section II - Explanation

JUL 2 0 2007

With this application Bayer Environmental Science is submitting a **Notification** of a typographical correction to the active ingredient statement on the label for **SCOURGE INSECTICIDE WITH SPB-1382/PIPERONYL BUTOXIDE 4% + 12% MF FII, EPA Reg No. 432-716**.

Currently the active ingredient statement reads:

Resmethrin 4.14%
Piperonyl Butoxide 2.42%
Other Ingredients 83.44%
Total 100%

This is clearly an error since the ingredients do not total up to 100%. Also, the registered value for Piperonyl Butoxide is 12.42% not 2.42% as indicated by the product name. Therefore, the active ingredient statement should read:

Resmethrin 4.14%
Piperonyl Butoxide 12.42%
Other Ingredients 83.44%
Total 100%

Enclosed for your files are two copies of the corrected label, one of which shows the correction highlighted.

This notification is consistent with the provision of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

RESTRICTED USE CLASSIFICATION

Due to Acute Fish Toxicity

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicators Certification.

SCOURGE® INSECTICIDE

with RESMETHRIN/PIPERONYL BUTOXIDE 4% + 12% MF FORMULA II
FOR USE ONLY BY FEDERAL, STATE, TRIBAL OR LOCAL GOVERNMENT OFFICIALS RESPONSIBLE FOR
PUBLIC HEALTH AND VECTOR CONTROL, OR BY PERSONS CERTIFIED BY THE STATE OR TRIBAL LEAD
PESTICIDE REGULATORY AGENCY TO PERFORM ADULT MOSQUITO CONTROL APPLICATION, OR BY
PERSONS UNDER THEIR DIRECT SUPERVISION

- * A READY TO USE SYNTHETIC PYRETHROID FOR EFFECTIVE ADULT MOSQUITO (INCLUDING ORGANOPHOSPHATE RESISTANT SPECIES), MIDGE (BITING AND NON-BITING), AND BLACK FLY CONTROL
- * FOR CONTROL OF BITING AND NON-BITING FLIES
- * CONTAINS 0.3 lb/gal (36 g/L) OF RESMETHRIN AND 0.9 lb/gal (108 g/L) OF PIPERONYL BUTOXIDE
- * FOR AERIAL AND GROUND APPLICATION

ACTIVE	INGRED	FNTS:
AVIIVE	IIIGNLD	LI1 I G.

100.00%

JUL 2 0 2007

NOTIFICATION

†Contains Petroleum Distillates.

EPA REG. NO. 432-716

EPA EST. NO.

KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

FIRST AID			
IF SWALLOWED	Call a poison control center or doctor immediately for treatment advice.		
	Do not induce vomiting unless told to do so by a poison control center or doctor.		
	Do not give any liquid to the person.		
	Do not give anything by mouth to an unconscious person.		
IF ON SKIN OR	Take off contaminated clothing.		
CLOTHING	Rinse skin immediately with plenty of water for 15 to 20 minutes.		
	Call a poison control center or doctor for treatment advice.		
	[Synthetic Pyrethroid]		
	ntainer or label with you when calling a poison control center or doctor, or going for also contact 1-800-334-7577 for emergency medical treatment information.		
Note To Physician:	Contain petroleum distillate – vomiting may cause aspiration pneumonia.		

In case of Medical emergencies or health and safety inquiries or in case of fire, leaking or damaged containers, information may be obtained by calling 1-800-334-7577.

See Side Panel For Additional Precautionary Statements

^{*}Cis/trans isomers ratio: max. 30% (±) cis and min. 70% (±) trans.

^{**}Equivalent to min. 9.94% (butylcarbityl) (6-propylpiperonyl) ether and 2.48% related compounds.

PRECAUTIONARY STATEMENTS

Hazards To Humans & Domestic Animals CAUTION

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

Environmental Hazards

This pesticide is extremely toxic to fish and aquatic invertebrates and shrimp. Runoff from treated areas or deposition of spray droplets into a body of water may be hazardous to fish and aquatic invertebrates. Do not apply over bodies of water (lakes, rivers, permanent streams, natural ponds, commercial fish ponds, swamps, marshes or estuaries), except when necessary to target areas where adult mosquitoes are present, and weather conditions will facilitate movement of applied material away from the water in order to minimize incidental deposition into the water body. Do not contaminate water when disposing of equipment wash waters.

This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow drift when bees are actively visiting the treatment area, except when applications are made to prevent or control a threat to public and/or animal health determined by a state, tribal or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes, or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL FOR DIRECTIONS

NOTICE: This concentrate cannot be diluted in water. Mix well before using. Avoid storing excess formulation in spray equipment tank beyond the period needed for application.

In treatment of corrals, feed lots, swine lots, and zoos, cover any exposed drinking water, drinking water fountains and animal feed before application.

Before making the first application in a season, it is advisable to consult with the state or tribal agency with primary responsibility for pesticide regulation to determine if permits or other regulatory requirements exist.

Do not exceed 25 applications at 0.007 pounds of resmethrin per acre (not to exceed a total of 0.18 pounds of resmethrin per acre) in any given season.

More frequent treatments may be made to prevent or control a threat to public and/or animal health determined by the state, tribal or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort.

GENERAL

Scourge is designed for application as an Ultra-Low Volume (ULV) aerosol to control adult mosquitoes and flies in residential, industrial, urban, recreational areas, and other areas where the labeled pests are a problem.

Scourge provides effective control of adult mosquitoes, black flies, gnats, biting and non-biting midges, stable flies, horse flies, deer flies, sheep flies, horn flies, yellow flies and nuisance flying insects such as house flies in areas such as but not limited to industrial areas, urban areas, parks, campsites, woodlands, athletic fields, golf courses, playgrounds, recreational and overgrown waste areas, roadsides, and other public areas where adult mosquitoes and flies occur. Apply when ground wind speed is equal or greater than 1 mph.

Scourge can be applied as undiluted or diluted with refined soybean oil, light mineral oil of 54 second viscosity or other suitable solvent or diluent.

Spray Droplet Size Determination Ground Equipment:

Spray equipment must be adjusted so that the volume median diameter is less than 30 microns (D_v 0.5 < 30 μ m) and that 90% of the spray is contained in droplets smaller than 50 microns (D_v 0.9 < 50 μ m). Directions from the equipment manufacturer or vendor, pesticide registrant or a test facility using a laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

Aerial Equipment:

Spray equipment must be adjusted so that the volume median diameter produced is less than 60 microns (D_v 0.5 < 60 μ m) and that 90% of the spray is contained in droplets smaller than 100 microns (D_v 0.9 < 100 μ m). The effects of flight speed and, for non-rotary nozzles, nozzle angle on the droplet size spectrum must be considered. Directions from the equipment manufacturer or vendor, pesticide registrant or a test facility using a wind tunnel and laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

ULTRA LOW VOLUME APPLICATIONS

All types of applications should be conducted at temperatures of 50°F. Apply when ground wind speeds are equal to or greater than 1 mph.

GROUND APPLICATION

Vehicle-Mounted ULV Cold Aerosol Generators or Vehicle-Mounted Non-Thermal Aerosol (Cold Fog): Apply through non-thermal ULV application equipment and base acreage calculations on the equipment manufacturer's recommended swath width. Apply at a rate not to exceed 0.007 pounds of resmethrin per acre in any given 24 hour period. An optimum swath is created when Scourge is applied from a truck that is being driven perpendicular to the wind direction. Direct the spray head of equipment to ensure even distribution of the spray cloud throughout the area. For best results, apply when insects are most active and meteorological conditions are conducive to keeping the spray cloud in the air column close to the ground. An inversion of air temperatures and a light breeze is preferable. Application during the cooler hours of the night or early morning is recommended.

Scourge may be applied through ULV Cold Aerosol Generators, or other equipment designed for non-thermal ULV aerosol applications. The desired application rate may be obtained under different conditions by altering the dilution rate of Scourge, the flow rate of the insecticide from the application equipment and the vehicle speed. Examples are given in the following Table.

Treatment Ib ai/A of Scourge Wanted	FI oz/A of undiluted Spray to be Applied	Application Rate-FI oz/Min		
Resmethrin/PBO		5 MPH	10 MPH	
0.007/0.021	3.0	9.0	18.0	
0.0035/0.0105	1.5	4.5	9.0	
0.00175/0.00525	. 0.75	2.25	4.5	
0.00117/0.00351	0.50	1.50	3.0	

Where dense vegetation is present, the use of the higher rates and/or slower speed is recommended.

AERIAL APPLICATION

Scourge may be applied either diluted or undiluted at rates of 0.0035 to 0.007 pounds resmethrin per acre by fixed wing or rotary aircraft that are capable of making a ULV application. Aerial application of Scourge should be made at a minimum altitude of 75 ft for rotary and 100 ft for fixed wing aircraft. Applications shall only be made when recommended by public health officials and trained personnel of mosquito abatement districts and other mosquito control programs.

For best results, treat when insects are most active and meteorological conditions are conducive to keeping the spray cloud close to the ground. In order to compensate for windy conditions and ensure drift onto the target area aerial application with aircraft equipped with Global Positioning Systems (GPS) is recommended

lb ai/A Wanted Resmethrin/PBO	FI oz/A of Undiluted Spray to be Applied		
0.007/0.021	3.0		
0.0035/0.0105	1.5		
0.00175/0.00525	0.75		
0.00117/0.00351	0.50		

BACKPACK ULTRA LOW VOLUME APPLICATIONS

For use in nonthermal ULV portable backpack equipment, mix 70 fl oz of this product with 1 gal of refined soybean oil, light mineral oil of 54 second viscosity or other suitable solvent or diluent. Adjust equipment to deliver fog particles of 18-50 microns mass median diameter. Apply at the rate of 4.25-8.50 fl oz of finished formulation per acre as a 50 ft swath while walking at a speed of 2 mph. This is equivalent to 0.0035-0.0070 pounds resmethrin per acre. Where dense vegetation is present, the use of higher label rates is recommended.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. CONTAINER DISPOSAL: Metal Containers - Triple rinse or equivalent.

Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

Plastic Containers - Triple rinse or equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned stay out of smoke. Then dispose of in a sanitary landfill or by other approved state and local procedures.

CONTAINER DISPOSAL FOR RETURNABLE CONTAINERS: Replace the dry disconnect cap if applicable, and seal all openings which have been opened during use. Return empty container to a collection site designated by Bayer Environmental Science. If container has been damaged and cannot be returned according to the recommended procedures, contact Bayer Environmental Science Customer Service Center at 800-843-1702.

RETURNABLE/REFILLABLE SEALED CONTAINER: Do not rinse container. Do not empty remaining formulated product. Do not break seals. Return intact to point of purchase.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability. **CONDITIONS:** The directions for use of this product are believed to be adequate and should be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Bayer CropScience LP. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: BAYER CROPSCIENCE LP MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Bayer CropScience LP is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. BAYER CROPSCIENCE LP DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: TO THE EXTENT OF THE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT BAYER CROPSCIENCE LP'S ELECTION, THE REPLACEMENT OF PRODUCT.

©Bayer AG, 2006

®Scourge is a registered trademark of Bayer AG.

NET CONTENT

Produced for



Bayer Environmental Science

A Business Group of Bayer CropScience LP PO BOX 12014, 2 T.W. Alexander Drive Research Triangle Park, North Carolina 27709