

Reg # 432-717

PM-10

PB-NOX™ INSECTICIDE WITH ROTENONE/PBO EC 4% + 1

Emulsifiable Rotenone-Piperonyl Butoxide Agricultural and Home Garden Insecticide
Contains 0.356 lb/gal (42.61 g/L) of Rotenone and 0.711 lb/gal (85.09 g/L) of Piperonyl Butoxide
Kills Colorado Potato Beetles

ACTIVE INGREDIENTS:

Rotenone	4.3%w/w
Other Associated Resins	8.6%
* Piperonyl Butoxide	8.6%
INERT INGREDIENTS:	78.5%
	100.0%w/w

* Equivalent to 8.9% (Butylcarbityl)(6-propylpiperonyl) ether and 1.7% related compounds.

™Roussel Uclaf Corporation Trademark

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

TRANSLATION: (TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

KEEP OUT OF REACH OF CHILDREN
WARNING

**SEE SIDE PANEL FOR ADDITIONAL
 PRECAUTIONARY STATEMENTS AND
 STATEMENT OF PRACTICAL TREATMENT**

EPA Est.: See Lot No. For Correlation
 EPA Reg. No. 432-717 A 42545-MO-1 P- 3/21/90
 F 10370-TX-1 P 655-GA-1

NET CONTENTS:
 GALLONS (Liters)

ACCEPTED

NOV 23 1993

Under the Federal Insecticide,
 Fungicide, and Rodenticide Act,
 this pesticide

ROUSSEL UCLAF

Roussel Uclaf Corporation
 95 Chestnut Ridge Road
 Montvale, New Jersey 07645

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
WARNING

May be fatal if swallowed. Harmful if absorbed through skin. Avoid contact with eyes, clothing. Wash thoroughly with soap and water after handling and before eating or smoking.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or Poison Control Center. Do not induce vomiting. This product contains aromatic petroleum solvent. Aspiration may be a hazard.
 If on skin: Wash with plenty of soap and water. Get medical attention if irritation persists.
 If in eyes: Flush with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish. For terrestrial uses, do not apply directly to water areas where surface water is present or to intertidal areas below the mean high water mark, and drift from treated areas may be hazardous to aquatic organisms in adjacent sites. Contaminate water when disposing of equipment washwaters. Do not feed treated foliage to livestock. Do not apply rotenone in such a manner as to directly or through drift expose or other persons. The area being treated must be vacated by unprotected persons. Do not enter treated areas without protective clothing until sprays have dried or dust has settled.

PHYSICAL HAZARDS

FLAMMABLE: Do not use or store near heat or open flame. Flash point minimum 55°F

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its label.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
STORAGE: For Containers One Gallon and Under: Store product in original container in a locked storage area.
PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or empty container is a violation of Federal Law. If these wastes cannot be disposed of according to label instructions, contact your State Pesticide or Environmental Control Agency, or the hazardous waste representative at the nearest EPA Regional Office for guidance.
CONTAINER DISPOSAL: For Containers One Gallon and Under: Do not reuse container. Wrap container and put in trash. For Containers Over One Gallon: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and Local authorities.

DIRECTIONS FOR USE (Continued)

AGRICULTURAL USE: KILLS COLORADO POTATO BEETLES, APHIDS ON VEGETABLE CROPS. Mix 90 fl.oz. (2.66L) (0.25 lb a.i., rotenone and 0.50 lb a.i., piperonyl butoxide) PB-NOX with the volume of water needed to cover one acre. Do not apply this product to any type of irrigation system.

HOME GARDEN USE: KILLS COLORADO POTATO BEETLES, APHIDS ON VEGETABLE PLANTS. Mix 3 1/2 tablespoons (1.7 fl.oz.) (50 ml) of PB-NOX with one (1) gallon of water on vegetables to the point of run-off.

BEST AVAILABLE COPY

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.