

PM 10

432 719

1 of 4

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

21 SEP 1995

Sharon M. Johnston
AgrEvo Environmental Health
95 Chestnut Ridge Road
Montvale, NJ 07645

Dear Ms. Johnston:

Subject: Revised Labeling and Confidential Statements of Formula
Scourge Insecticide with SBP-1382/Piperonyl Butoxide
1.5% + 4.5% MF FII
EPA Registration Number 432-719

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comment listed below:

- Revise the ingredient statement for Resmethrin so that it reads as follows:

Resmethrin 1.5%

This required change in product labeling is articulated in the Resmethrin Registration Standard.

A stamped copy of the label is enclosed for your records.

The updated confidential statements of formula referred to above are acceptable. They have been added to the file for this product and supercede all previously submitted confidential statements of formula for this product.

If you have any questions or comments, please contact me at (703) 305-6788.

Sincerely,

RPK

Richard P. Keigwin, Jr.
Product Manager 10
Insecticide-Rodenticide Branch

~~Registration Division (7505C)~~

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

RESTRICTED USE CLASSIFICATION
 Due to Acute Fish Toxicity

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's Certification.

SCOURGE® Insecticide with SBP-1382®/PBO
1.5% + 4.5% MF Formula II

- ✓ **A Ready To Use Synthetic Pyrethroid for Effective Adult Mosquito Control**
- ✓ **To Be Applied by Mosquito Abatement Districts, Public Health Officials and Other Trained Personnel in Mosquito Control Programs**
- ✓ **Contains 0.1 lb/gal (12 g/L) of SBP-1382 and 0.3 lb/gal (36 g/L) of Piperonyl butoxide**

ACTIVE INGREDIENTS:

*†Resmethrin [5-(phenylmethyl)-3-furanyl] methyl 2,2-dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarboxylate.....	1.5%
**Piperonyl Butoxide Technical.....	4.5%
‡INERT INGREDIENTS:	94.0%
	100.0%

‡Contains Petroleum Distillates
 *Cis/trans isomers ratio max. 30% (±) cis and min. 70% (±) trans.
 †AgrEvo Environmental Health's SBP-1382® brand of resmethrin insecticide
 **Equivalent to 3.6% (butylcarbityl) (6-propylpiperonyl) ether and 0.9% related compounds.
 ‡Scourge and SBP-1382 are registered trademarks of AgrEvo Environmental Health, Inc.

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.
 (TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

EPA Reg. No. 432-719

EPA Est. No.

KEEP OUT OF REACH OF CHILDREN
CAUTION
STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Call a doctor or get medical attention. Do not induce vomiting. Do not give anything by mouth to an unconscious person. Avoid alcohol. This product contains aromatic petroleum solvent. Aspiration may be a hazard.
 If On Skin: Wash with soap and plenty of water. Get medical attention.

See Side Panel For Additional Precautionary Statements

AgrEvo Environmental Health
 95 Chestnut Ridge Road
 Montvale, NJ 07645

NET CONTENTS:

ACCEPTED
 with **COMMENTS**
 In EPA Letter Dated
21 SEP 1995
 Under the Federal Insecticide,
 Fungicide, and Rodenticide Act
 as amended, for the pesticide
 registered under EPA Reg. No.
432-719

For truck mounted nonthermal ULV equipment similar to LECO HD or MICRO-GEN or WHISPERMIST-XL, adjust equipment to deliver fog particles of 8 - 20 microns mass median diameter. Consult the following chart for application rates.

Treatment lb ai/A of Scourge Wanted SBP-1382/PBO	Fl oz/A of Finished Spray to be Applied	Application Rate - Fl oz/Min	
		5 mph	10 mph
0.007/0.021	9.0 (266.2 ml)	27.0 (798.5 ml)	54.0 (1,597 ml)
0.0035/0.00105	4.5 (133.1 ml)	13.5 (400 ml)	27.0 (798.5 ml)
0.00175/0.00525	2.25 (66.6 ml)	6.75 (200 ml)	13.5 (400 ml)
0.00117/0.00351	1.5 (45 ml)	4.5 (133.1 ml)	9.0 (266.2 ml)

Where dense vegetation is present, the use of the higher rates and/or slower speed is recommended.

For best results, fog when air currents are 2 - 8 mph (3.2 - 12.9 kph). It is preferable to fog during early morning and evening when there is less breeze and convection currents are minimal. Arrange to apply the fog in the direction with breeze to obtain maximum swath length and better distribution. Direct spray head of equipment in a manner to insure even distribution of the fog throughout the area to be treated. Avoid prolonged inhalation of fog.

Where practical, guide the direction of the equipment so that the discharge nozzle is generally maintained at a distance of more than 6 feet (1.83 m) from ornamental plants and 5 - 15 feet (1.5 - 4.5 m) or more from painted objects. Temperature fluctuations will require periodical adjustment of equipment to deliver the desired flow rate at the specified speed of travel. The flow rate must be maintained to insure the distribution of the proper dosage of finished formulation.

Spray parks, campsites, woodlands, athletic fields, golf courses, swamps, tidal marshes, residential areas and municipalities around the outside of apartment buildings, restaurants, stores and warehouses. Do not spray on cropland, feed or foodstuffs. Avoid direct application over lakes, ponds and streams.

DIRECTIONS FOR STABLE FLY, HORSE FLY, DEER FLY CONTROL:

Treat shrubbery and vegetation where above flies may rest. Shrubby and vegetation around stagnant pools, marshy areas, ponds and shore lines may be treated. Application of this product to any body of water is prohibited.

For control of adult flies in residential and recreational areas, apply this product undiluted at a rate of 432 - 864 fl oz/hr (12.78 - 25.55 L/hr) by use of a suitable ULV generator traveling at 5 mph (8 kph) or at a rate of 864 - 1,728 fl oz/hr (25.55 - 51.11 L/hr) while traveling at 10 mph (16 kph). When spraying, apply across wind direction approximately 300 ft (91.4 m) apart. Apply when winds range from 1 - 10 mph (1.6 - 16.0 kph). Repeat for effective control.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift and runoff from treated sites may be hazardous to fish in adjacent waters. Consult your State's Fish and Wildlife agency before treating such waters. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store product in original container in a locked storage area.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and Local authorities.

READ ENTIRE LABEL FOR DIRECTIONS

For use only by certified applicators or under the supervision of such applicators, for the reduction in annoyance from adult mosquito infestations and as a part of a mosquito abatement program.

IN THE STATE OF CALIFORNIA For use only by local districts or other public agencies which have entered into and operate under a cooperative agreement with the Department of Public Health pursuant to Section 2426 of the Health and Safety Code.

This product is to be used for control of adult mosquitoes, (including organophosphate resistant species), midges (biting & non-biting) and blackflies by specially designed aircraft capable of applying ULTRA LOW VOLUME of finished spray formulation or by ground application with nonthermal or mechanical spray equipment that can deliver spray particles within the aerosol size range and at specified dosage levels

ULTRA LOW VOLUME APPLICATIONS

For use in nonthermal ULV portable backpack equipment similar to the Hudson B P., adjust equipment to deliver fog particles of 18 - 50 microns mass median diameter. Apply at the rate of 4.5 - 9.0 fl oz of finished formulation per acre (328 - 658 ml/ha) as a 50 ft (15.2 m) swath while walking at a speed of 2 mph (3.2 kph). This is equivalent to 0.0035 - 0.007 lb ai SBP-1382/A (3.92 - 7.85 g/ha) plus 0.0105 - 0.021 lb ai piperonyl butoxide technical/A (11.77 - 23.54 g/ha). Where dense vegetation is present, the higher rate is recommended.