

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 11-30-93

(A)	United States Environmental Protection Agency Office of Pesticide Programs (H7505C) Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number 157732
	Application for Pesticide:		

Section I

1. Company/Product Number 432-722	2. EPA Product Manager J. Tavano	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) SBP-1382/Bioallethrin/ Piperonyl Butoxide Insecticide Aqueous Pressurized Spray 0.35% + 0.10% + 0.40%	PM# 10	
5. Name and Address of Applicant (Include ZIP Code) Roussel Uclaf Corporation 95 Chestnut Ridge Road Montvale, NJ 07645 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section II

<input type="checkbox"/> Amendment - Explain below <input type="checkbox"/> Resubmission in response to Agency letter dated _____ <input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application. <input type="checkbox"/> Other - explain below.
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Revised Environmental Hazards Statement as per PR Notice 93-3.

**NOTIFICATION
 LABEL NOT REVIEWED
 PER PR NOTICE 93-3**

BEST AVAILABLE COPY

DATE 7/1/93

Section III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____	
* Certification must be submitted.		If "Yes," Unit Package wgt. _____ No. per container _____	If "Yes," Package wgt. _____ No. per container _____		
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) of Retail Container _____		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed To Product. <input type="checkbox"/> Lithograph <input type="checkbox"/> Other (_____) <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled					

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name Sharon M. Johnston	Title Registration Specialist	Telephone No. (Include Area Code) (201) 307-9700
----------------------------	----------------------------------	-----------------------------------------------------

Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

6. Date Application Received (Stamped)

2. Signature 4. Typed Name Sharon M. Johnston	3. Title Registration Specialist 5. Date 5-19-93
-----------------------------------------------------	-----------------------------------------------------------

SBP-1382®/BIOALLETHRIN/PIPERONYL BUTOXIDE INSECTICIDE AQUEOUS PRESSURIZED SPRAY 0.35%+0.10%+0.40%

ACTIVE INGREDIENTS:

*Resmethrin[5-(phenylmethyl)-3-furanyl]methyl 2,2-dimethyl-3-(2-methyl-1-propenyl)cyclopropanecarboxylate.....	0.35%w/w
d-trans Allethrin	0.10%
‡Piperonyl Butoxide, technical	0.40%
INERT INGREDIENTS:.....	99.15%
	100.00%w/w

*Cis/trans isomers ratio max. 30% (±)cis and min. 70% (±)trans.
 © Roussel Uclaf's SBP-1382® brand of resmethrin insecticide.
 Roussel Uclaf Corp., 95 Chestnut Ridge Road, Morvale, N.J. 07845
 ‡ Equivalent to 0.4% (Butylcarbityl)(6-propylpiperonyl) ether and 0.01% related compounds

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

**SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS AND
STATEMENT OF PRACTICAL TREATMENT**

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid contact with eyes, skin or clothing and foodstuffs. Remove pets, birds and cover fish aquariums and edible crops. Do not remain in treated areas. Ventilate the area.

STATEMENT OF PRACTICAL TREATMENT

For skin and eyes: In case of contact, immediately flush eyes with water and seek medical attention. Irritation possible.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish. For terrestrial uses, do not apply where surface water is present or to intertidal areas below the low tide line. Treated areas may be hazardous to fish in adjacent aquatic sites.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not puncture or incinerate container. Do not use in open flame. Exposure to temperatures above 130°F may cause explosion.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with these directions.

Storage: Keep in locked storage area.

Container Disposal: Replace cap and discard container in accordance with local, state and federal regulations.

Do not use in edible product areas of food processing plants where food is commercially prepared or processed. Do not use in areas exposed in the home, cover all food handling surfaces and cooking utensils.

For use in areas of food handling establishments in and around homes, industrial, office, residential, public, institutional and storage areas, preschools, nurseries, day camps, seed houses, packaging plants, handling areas of milk, cheese and ice cream plants, milk processing plants, supermarkets, restaurants, bottling plants, canneries, boats, ship cabins and hospitals. In hospitals, patients should be kept away from treated areas. Also for use in campers, mobile homes, buses, automobiles, cargo holds. Also for use in dog kennels and horse stables. Do not use in areas where horses will be used for food.

Do not use on electrical equipment or on surfaces that can be damaged by insecticides. Shake well before using. Remove protective cap. Aim spray at insect and push button to spray.

INDOORS: For use in households, commercial and institutional buildings, bathhouses, campers, mobile homes, vehicles and boats, as well as in areas of food handling establishments.

DIRECTIONS FOR USE (Continued on reverse side)

BEST AVAILABLE COPY

A Synthetic pyrethroid for controlling the following flying and crawling insects in and around households, greenhouses, buildings, vehicles, boats, kennels and stables.

FLYING INSECTS

house flies
mosquitoes
gnats (midges)
deer flies
stable flies
flying moths (millers)
fruit flies

wasps
hornets
yellow jackets
bees

CRAWLING INSECTS

cockroaches
bedbugs
ticks
ants
crickets
silverfish
boxelder bugs
waterbugs

earwigs
spiders
scorpions
centipedes
millipedes
grain moths
grain insects
fleas

**CAN BE USED IN NON-FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS.
SHAKE WELL BEFORE USING**

EPA Est.: See Lot No. For Correlation

EPA Reg. No. 432-722

A 42545-MO-1

P-02/26/92

F 10370-TX-1

P 855-GA-1

NET WEIGHT:
LOT NO.

**NOTIFICATION
LABEL NOT REVIEWED
PER FR NOTICE 88-6**

DATE 7/1/93

ROUSSEL UCLAF
Roussel Uclaf Corporation
95 Chestnut Ridge Road
Morvale, New Jersey 07845

Directions For Use (Continued)

EPA Reg. No. 432-722

INDOORS:

TO KILL FLYING INSECTS: House flies, mosquitoes, gnats (midges), deer flies, stable flies, flying moths (millers), fruit flies- Close all doors and windows. Point nozzle upward. Direct spray mist to all parts of the room, especially window and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

TO KILL WASPS, HORNETS, YELLOW JACKETS, BEES: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, especially under attic rafters, contacting as many insects as possible. Repeat as necessary.

TO KILL CRAWLING INSECTS: Fleas, cockroaches, waterbugs, crickets, silverfish, earwigs, spiders, sowbugs, centipedes, millipedes, grain mites and grain insects (adults and accessible stages of confused flour beetles, red flour beetles, saw-toothed grain beetles, shiny spider beetles, carpet beetles, grain weevils, Angoumois grain moths, Indian meal moths)- Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, storage areas and other insect harborage areas. Spray directly on insects where possible. Repeat as necessary.

GRAIN INSECTS: For control of the insect pests listed above, remove infested grain, cereal or flour and destroy. Avoid contamination of other food and foodstuffs in the area by removing before spraying. Spray directly on exposed stages and into cracks and crevices where grain insects may be hiding. In homes, dispose of all infested products. The shelves and drawers should be cleaned and thoroughly sprayed so as to contact all pests, and covered with shelf paper after allowing shelves to dry. Any utensils that are contacted with spray should be washed before using. Repeat as necessary.

TO KILL SPIDERS: (INCLUDING BLACK WIDOW AND BROWN RECLUSE): Spray directly on these pests and use repeated applications to the webbing and all cracks and crevices which harbor spiders.

TO KILL ANTS: (Including Fire Ants): Spray doors, around window frames, ant trails and hills.

TO KILL BEDBUGS: Apply as a spot treatment to cracks and crevices around baseboards, floorboards, bedboards, and walls. First, thoroughly clean and air mattresses and springs. Then spot treat only areas that may harbor pests, concentrating on tufts, folds and seams. Repeat as necessary. For persistent infestations, consult professional applicator.

TO KILL FLEAS & TICKS ON DOGS, CATS AND PREMISES: Apply directly to animals along back, under forelegs, and on other areas except scrotum and anus. Part hair to contact skin and insure good coverage. Hold nozzle about one foot away while spraying. Apply until hair is thoroughly moist. Do not spray directly in eyes or mouth of animal. Repeat within 24 hours of first treatment, if necessary. To reduce reinfestation, thoroughly spray the animal's bedding and other resting areas until the surface is slightly moist. Treat these areas at the rate of two seconds per linear foot at a distance of 12 to 18 inches. Also spray the entire inside surface of dog houses. Repeat as necessary, thoroughly spraying floors, cracks, crevices and bedding. Hit as many insects directly as possible.

OUTDOORS

PESTS OUT-OF-DOORS: DO NOT TREAT OR ALLOW THE SPRAY TO CONTACT PLANTS (LAWNS, FLOWERING PLANTS, SHRUBS, TREES, EVERGREENS, ETC.) BECAUSE OF POSSIBLE INJURY.

TO KILL HOUSE FLIES, MOSQUITOES, GNATS (MIDGES), DEER FLIES, STABLE FLIES, FLYING MOTHS (MILLERS), FRUIT FLIES- Spray resting areas to reduce annoyance from these pests. Follow precautions listed above. Hold container 18 to 24 inches from shrubs, bushes, and grassy areas. Spray these areas with a slow sweeping motion at the rate of 1 to 3 seconds per cubic yard of space, while moving away from the treated areas. Treat open porches and patios in a similar manner. Spray only when the air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary.

WASPS, HORNETS, YELLOW JACKETS, BEES: Same as directed above for indoor use. Application should be made late in the evening when insects are at rest. Aim spray at nest openings in the ground, and in cracks and crevices which may harbor nests, saturating nest openings and contacting as many insects as possible. Repeat as necessary.

ANTS AND FLEAS- Same as directed above for indoor use.

FIRE ANTS: Kills and reduces annoyance for short periods of time. To reduce annoyance from these ants and keep them from entering homes, spray patios, barbecue areas, driveways, entryways, door sills, window sills, other entrance areas, foundations of buildings, ant trails, mounds, around pools and areas where the ants are noticed. Spray until the area is wet, contacting as many insects as possible. This treatment will not kill the colonies but will reduce the immediate population for up to four hours. Repeat as necessary. Avoid contacting plants, shrubbery and large areas of lawns.

CRICKETS, SILVERFISH, EARWIGS, SPIDERS, SOWBUGS, CENTIPEDES, MILLIPEDES, AND SCORPIONS: Same as directed above for indoor use.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

BEST AVAILABLE COPY

(1)
-2.
6.