

NOV 15 1991

300 5403994
18 17

Ms. Christina M. Lawes
Roussel Bio Corporation
170 Reaver Brook Road
Lincoln Park, NJ 07035

Dear Ms. Lawes:

Subject: Amendment - Updated Precautionary Labeling
Dathmor 3.75% EC
EPA Registration No. 432-729
Your Submission Dated September 12, 1991

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted prior to releasing the product for shipment.

- Under the statement of Practical Treatment, replace the first sentence "Flush eyes with plenty of water" with the following sentence:

Hold eyelids open and flush with a gentle stream of water for 15 minutes.

- For the caption "IF INHALED" add "Get medical attention."

Sincerely yours,

George T. LaRocca
Product Manager (13)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

63285:I:Moats:WP5.0-3:KEVRIC:11/06/91:12/06/91:rj:wo:dd:rj

CONCURRENCES

SYMBOL	SURNAME	DATE					

ACCREDITED
with COMPTON
In EPA

NOV 15 1991

DETHMOR 3.75% EC

A Synthetic Pyrethroid Insecticide for Residual Control of German Cockroaches, Crickets, and
Only For Sale To, Use and Storage By Pest Control Operators *432-7*

ACTIVE INGREDIENTS:

(1R, 3S) 3[[1'RS) (1', 2', 2', 2' -tetrabromoethyl)] -2, 2-dimethylcyclopropanecarboxylic acid (S)-alpha-cyano-3-phenoxybenzyl ester ^{1/}	3.75%
‡Inert Ingredients:	96.25%
	<u>100.00%</u>

‡ Contains Xylene and other Petroleum distillates.
^{1/} Equivalent to 0.3 lbs. active ingredient per gallon.

PRECAUCION AL CONSUMIDOR: Si usted no lee Ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.
(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

KEEP OUT OF REACH OF CHILDREN
DANGER
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND STATEMENT OF PRACTICAL TREATMENT

FOR INDOOR USE ONLY

Can be used in non-food areas of food handling establishments such as, but not limited to, garbage rooms, lavatories, floor drains (to sewers), entries, vestibules and hallways, offices, locker rooms, machine rooms, basements, boiler rooms, garages, utility rooms, mop closets and storage rooms (after canning and bottling).

EPA Reg. No. 432-729

EPA Est. No. 34147-FR-1

NET CONTENTS:

LOT NO.

ROUSSEL BIO
CORPORATION 
PO Box 1077, 400 Sylvan Avenue
Englewood Cliffs, New Jersey 07632

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

DANGER Add A

Corrosive, causes irreversible eye damage. Wear goggles or face shield during handling and application. Can cause irritation to skin such as rashes, blisters, or burns. Do not get in eyes, or on skin, or on clothing. Do not breathe vapor. Wash with soap and water after handling. Do not reuse before reuse.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush eyes with plenty of water. Get medical attention immediately.
IF SWALLOWED: Do not induce vomiting. Call a physician or Poison Control Center. If vomiting occurs, have it supervised by trained personnel because of the possibility of aspiration of the solvent. Contains petroleum distillates. If possible, have victim aspirated by a physician.
IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation occurs.
IF INHALED: Remove victim to fresh air. Apply artificial respiration if necessary.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and other aquatic organisms. Use with care when applying in areas adjacent to any body of water. Do not use when disposing of equipment washwaters. Remove pets and cover aquariums before spraying.

PHYSICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with the label.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
STORAGE: Do not store over 100°F or below 10°F. Do not store in unapproved containers.
PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Do not dispose of by use according to label instructions, contact your State Department of Environmental Control Agency, or the hazardous waste representative at the nearest EPA office for guidance.
CONTAINER DISPOSAL: Empty containers should be triple rinsed and recycled by spray operation. Then offer for recycling or reconditioning, or for incineration in a sanitary landfill, or by other procedures approved by state and local authorities.

Draft label. Based on SAL 6/27/91

DIRECTIONS FOR USE (Continued)

EPA Reg. No. 452-729

DIRECTIONS FOR USE

This concentrate is intended for all dilution as directed in the table below. Consult directions under each heading for guidance on when to use either the higher or lower rate.

	Amount of Spray Mixture Desired	Amount of Product Needed
0.06% Dilution	1 Gal. (3.89 L)	2 oz. (60 ml)
	1 Qt. (0.95 L)	0.5 oz. (15 ml)
0.03% Dilution	1 Gal. (3.89 L)	1 oz. (30 ml)
	1 Qt. (0.95 L)	0.25 oz. (7.5 ml)

Food Handling Establishments: Applications can be made in nonfood areas of schools, nursing homes, hospitals, restaurants, hotels and food manufacturing processing and service establishments. Do not use in the food areas of food handling establishments, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. (Serving areas are considered to be areas where prepared foods are served, such as dining rooms, but exclude areas where foods may be produced or held.) In the home, all food processing surfaces and utensils should be covered and surfaces washed following treatment. Cover exposed food or remove from premises.

Attention: Do not allow children or pets to come in contact with treated surfaces until surfaces are completely dry. Do not apply where electrical short circuits could occur. Remove or tightly cover fish tanks during application. The treatment area should be vacated until treated surfaces are completely dry. Do not apply this product in patient rooms while occupied or in any rooms while occupied by the elderly or infirmed. Do not apply to classroom while in use.

FLEAS

General Information: For control of fleas in and around infested areas (i.e. homes, residential, non-food areas of commercial, industrial buildings, warehouses, stores) Apply as directed below using a low pressure system using a fan type or variable pattern nozzle which will adequately cover the area but which will allow dripping or runoff to occur.

Application Directions: The following treatment results in 21 days of residual control of adult fleas and residual control of flea larvae for up to 4 weeks. Dilute to 0.06% and apply as a fine mist spray to rugs, carpets, pet beds, floor coverings, and other pet resting areas. Apply until area is moist. Treat pet bedding the same way, and spray the entire inside surface of dog houses. **DO NOT ALLOW PETS TO CONTACT TREATED AREAS UNTIL SPRAY HAS DRIED.** Remove or cover animal feed before spraying. To control the source of flea infestations, pets inhabiting the treated premises should be treated with a flea control product registered for application to animals before they reenter the treated area.

GERMAN COCKROACHES AND CRICKETS

General Information: For residual control of German cockroaches and crickets (such as house crickets, field crickets, camel crickets) in and around infested areas (i.e. homes, residential, commercial and industrial buildings, warehouses, stores, and modes of transportation). Avoid application to latex-painted plywood surfaces as control may not be satisfactory. Use the higher rate for repeat treatments on linoleum and vinyl surfaces. For best results, do not use hard water with a pH near neutral for dilution of this product.

Application Directions: Apply diluted product as a general and/or spot surface application in a low pressure system using a fan type or variable pattern nozzle to adequately cover the area, but which will not allow dripping or runoff to occur. Applications can be made to walls, floors, ceiling, in and around cupboards, between, behind and beneath equipment, appliances, along baseboards, cracks and crevices, floor drains, window and door frames, and on the underside of shelves, drawers, and in similar areas. Applications may be made to floor surfaces along baseboards and around air ducts, however, do not treat entire area of floor covers. Use the higher rate for heavy infestations, and the lower rate for light infestations and maintenance. May be used at the rate of up to 1 gal. of diluted material per 1000 sq. ft.

COCKROACHES AND CRICKETS

General Information: For control of cockroaches and crickets (such as house crickets, field crickets, camel crickets) in and around infested areas (i.e. homes, residential, commercial and industrial buildings, warehouses, stores, and modes of transportation).

Application Directions: Apply diluted product as a general and/or spot surface application in a low pressure system using a fan type or variable pattern nozzle to adequately cover the area, but which will not allow dripping or runoff to occur. Applications can be made to walls, floors, ceiling, in and around cupboards, between, behind and beneath equipment, appliances, along baseboards, cracks and crevices, floor drains, window and door frames, and on the underside of shelves, drawers, and in similar areas. Applications may be made to floor surfaces along baseboards and around air ducts, however, do not treat entire area of floor covers. Keeps killing roaches for 6 weeks or more.

Dilute to 0.06% for contact spray use. May be used at the rate of up to one gallon of diluted material per 1000 sq. ft.

ANTS

For Ants (such as harvesting ants, thief ants, little black ants, Argentine ants, odorous ants, Pharaoh ants, and carpenter ants): For contact and residual control for up to 8 weeks, dilute to 0.06% and spray trails, nests, and points of entry. Use a low pressure system using a fan type or variable pattern nozzle to adequately cover the area, but which will not allow dripping or runoff to occur. Do not allow children to come in contact with treated surfaces until completely dry. Do not apply where electrical short circuits could occur.

Remove or tightly cover fish tanks during application. The treatment area should be vacated until treated surfaces are completely dry.

May be used at the rate of up to one gallon of diluted material per 1000 sq. ft.

WARRANTY STATEMENT

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibilities, including injury or damage, resulting from its misuse as such, or in combination with other materials.

