



[Front Panel]

VENGEANCE®

RODENTICIDE BAIT PELLETS

- * FOR CONTROL OF COMMENSAL RODENTS
- * KILLS NORWAY RATS, ROOF RATS, AND HOUSE MICE
- * RATS AND MICE CONSUME A LETHAL DOSE IN A SINGLE FEEDING WITH DEAD RODENTS APPEARING TWO TO THREE DAYS AFTER TREATMENT BEGINS. RODENTS CEASE FEEDING AFTER CONSUMING A LETHAL DOSE IN A SINGLE-NIGHT'S FEEDING. VENGEANCE BAIT IS EFFECTIVE AGAINST ANTICOAGULANT-RESISTANT RATS AND MICE.

ACTIVE INGREDIENT:

Bromethalin: N-methyl-2, 4-dinitro-N-(2,4,6-tribromophenyl)-6-(trifluoromethyl)benzenamine 0.01%

INERT INGREDIENTS: 99.99%

100.00%

VENGEANCE is a registered trademark of AgrEvo Environmental Health, Inc.
U. S. Patent No. 4,815,923

EPA REG. NO. 432-746 EPA EST. NO.

KEEP OUT OF REACH OF CHILDREN CAUTION

May Be Harmful Or Fatal If Swallowed

[Second Panel]


STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or local Poison Control Center. Drink 1-2 glasses of water and induce vomiting by touching the back of throat with finger. Do not try to induce vomiting or give anything by mouth to an unconscious person. In case of accidental contact with eyes or skin, flush with plenty of water, and seek medical attention if irritation persists. Wash all contaminated clothing thoroughly. If bait is eaten by animals or pets contact a veterinarian.

NOTE TO PHYSICIAN: Vengeance bait is not an anticoagulant type of rodenticide. If ingested, limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

See Side Panel For Additional
Precautionary Statements

NET CONTENTS 5 Pounds



PRECAUTIONARY STATEMENTS

Hazards To Humans & Domestic Animals

CAUTION

Keep away from humans, domestic animals, and pets. May be harmful or fatal if swallowed. Causes eye irritation. Avoid contact with skin, eyes, or clothing. Wash hands thoroughly after handling Vengeance bait.

Environmental Hazards

This product is toxic to fish, birds and other wildlife. Keep out of any body of water.

[Third Panel]

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or other non target animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.
2. Apply bait in locations out of reach of children, pets, domestic animals and non target wildlife, or in tamper resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.
3. Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: For control of Norway rats, roof rats and house mice in and around homes, industrial and agricultural buildings, and similar man-made structures. This product may also be used in alleys located in urban areas, inside transport vehicles (ships, trains, aircraft), and in and around related ports or terminal buildings. Do not use Vengeance bait in sewers. Do not place baits in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait.

[Fourth Panel]

SELECTION OF TREATMENT AREAS: Determine areas where rats or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners, and concealed places between floors and walls or in locations where rodents or their signs have been observed. Protect bait from rain and snow. Remove as much food as possible.

APPLICATION DIRECTIONS

NORWAY AND ROOF RATS: Place 1 to 8 ounces of bait per placement (usually at intervals of 20 to 30 feet). Adjust the number of packs applied to the level of rat feeding expected at each bait placement.

VENGEANCE®

For burrow baiting, use Vengeance Rodenticide Bait Packs, or enclose bait pellets in a material such as plastic or paper bags. apply 1 to 2 ounces of bait per burrow.

When baiting burrows, insert each bag into the burrow far enough so that only a person who knows that bait is there would be likely to see it. Do not bait burrow in any location accessible to children or nontarget animals unless there is no other way to bait the target population effectively. If burrows in such an area are baited, check burrows every morning and evening to make sure that baits have not become more accessible to children or nontarget animals in any way. Remove packs that become more accessible to nontarget animals. Remove packages of bait from burrow if the bait has not been touched by target rodents for seven days. Intact bait packs may be relocated. Damaged packs or packs no longer needed must be properly disposed.

HOUSE MICE: Apply 1/4 ounce to 3 ounces of bait per placement. Space placements at 8 to 12 foot intervals. Adjust the amount of bait applied to the level of mouse feeding expected at each bait placement.

BAITING STRATEGY: Highest bait consumption is expected to occur on the first day or two after treatment begins. After several days, inspect the placements and replenish bait at sites where there is evidence of heavy feeding. Normally, volume of bait consumed will be significantly less with bromethalin baits than with anticoagulant baits. Although one night's feeding will usually provide a lethal dose, maintain bait for at least a week to provide all rodents a chance to feed on the bait. Baiting should be continued until all signs of feeding have ceased. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed. Collect and properly dispose of all dead rodents and leftover bait.

[Fifth Panel]

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store only in original container, in a cool, dry place inaccessible to children and pets and away from other chemicals. Keep containers closed.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Do not reuse empty containers. Triple rinse container, and then dispose of in a sanitary landfill or by incineration if allowed by state and local authorities.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

AgrEvo Environmental Health
95 Chestnut Ridge Road
Morrisdale, NJ 07645

Labeling for Bait Stations

Vengeance®

NOTE: If bait is eaten by animals or pets,
call for assistance (telephone number)

RODENTICIDE

ACTIVE INGREDIENT:
Bromethalin-N-methyl-2,4-dinitro-N-
(2,4,6-tribromo-phenyl)-6-(trifluoro-
methyl) benzenamine 0.01%
Inert Ingredients 99.99%
100.00%

Note to Physician: Vengeance bait is not
an anticoagulant type of rodenticide. If
ingested, limit absorption by either emesis
or gastric lavage. Sublethal symptoms, if
present, would be the result of cerebral
edema and should be treated accordingly
through administration of an osmotic
diuretic and corticosteroid.
Check appropriate E.P.A. registration
number below.

- E.P.A. Reg. No. 432-748
- E.P.A. Reg. No. 432-746
- E.P.A. Reg. No. 602-343-432

This sticker was applied on _____
at time Vengeance was _____

Pest Control Company _____

Address _____

City _____ State _____

Phone _____

Local Poison Control _____

Center Phone _____

KEEP OUT OF REACH OF CHILDREN
CAUTION
May Be Harmful Or Fatal If Swallowed
See Product Label For
Additional Precautionary Statements

AgrEvo Environmental Health
95 Chestnut Ridge Road
Montvale NJ 07645