

# **VENGEANCE®**

- FOR CONTROL OF COMMENSAL RODENTS
- KILLS NORWAY RATS, ROOF RATS, AND HOUSE MICE
- RATS AND MICE CONSUME A LETHAL DOSE IN A SINGLE FEED-ING WITH DEAD RODENTS APPEARING TWO TO THREE DAYS AFTER TREATMENT BEGINS. RODENTS CEASE FEEDING AFTER CONSUMING A LETHAL DOSE IN A SINGLE-NIGHT'S FEEDING. VENGEANCE BAIT IS EFFECTIVE AGAINST ANTICOAGULANT-RE-SISTANT RATS AND MICE.

#### **ACTIVE INGREDIENT:**

Bromethalin: N-methyl-2, 4-dinitro-N-(2,4,6-tribromophenyl)-6-(trifluoromethyl) benzenamine...... 0.01% INERT INGREDIENTS: ...... 99.99%

VENGEANCE is a registered trademark of AgrEvo Environmental Health,

U. S. Patent No. 4,815,923

**EPA REG. NO. 432-748** 

EPA EST. NO.

### KEEP OUT OF REACH OF CHILDREN **CAUTION**

## May Be Harmful Or Fatal If Swallowed [Second Panel]


STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or local Poison Control Center. Drink 1-2 glasses of water and induce vomiting by touching the back of throat with finger. Do not try to induce vomiting or give anything by mouth to an unconscious person. In case of accidental contact with eyes or skin, flush with plenty of water, and seek medical attention if irritation persists. Wash all contaminated clothing thoroughly. If bait is eaten by animals or pets contact a veterinarian.

NOTE TO PHYSICIAN: Vengeance bait is not an anticoagulant type of rodenticide. If ingested, limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

### See Side panel for Additional **Precautionary Statements**

**NET CONTENTS 3 Pounds** (Contains 96 X 1/2 oz.



748old 111594In

## PRECAUTIONARY STATEMENTS **Hazards To Humans & Domestic Animals**

CAUTION

Keep away from humans, domestic animals, and pets. May be harmful or fatal if swallowed. Causes eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly after handling Vengeance bait.

### **Environmental Hazards**

This product is toxic to fish, birds and other wildlife. Keep out of any body of water. [Third Panel]

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling,

READ THIS LABEL: Read this entire label and follow all use directions and use precautions.

IMPORTANT: Do not expose children, pets, or other non target animals to rodenticides. To help prevent accidents:

- Store product not in use in a location out of reach of children and
- Apply bait in locations out of reach of children, pets, domestic animals and non target wildlife, or in tamper resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be used in a manner that prevents such children from reaching into bait compartments and obtaining bait. If bait can be shaken from stations when they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, other potentially destructive animals, or in areas prone to vandalism.
- Dispose of product container, and unused, spoiled, and unconsumed bait as specified on this label.

USE RESTRICTIONS: For control of Norway rats, roof rats and house mice in and around homes, industrial and agricultural buildings, and similar man-made structures. This product may also be used in alleys located in urban areas, inside transport vehicles (ships, trains, aircraft), and in and around related ports or terminal buildings. Do not use Vengeance bait in sewers. Do not place baits in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food. Do not broadcast bait. [Fourth Panel]

SELECTION OF TREATMENT AREAS: Determine areas where rats or mice will most likely find and consume the bait. Generally, these areas are along walls, by gnawed openings, in or beside burrows, in corners, and concealed places between floors and walls or in locations where rodents or their signs have been observed. Protect balt from rain and snow. Remove as much food as possible

### **APPLICATION DIRECTIONS**

NORWAY AND ROOF RATS: Place 2 to 16 bait packs her placement. (usually at intervals of 20 to 30 feet). Adjust the number of packs applied to the level of rat feeding expected at each bait placement.

For burrow baiting, apply 2-4 bait packs per burrow.

# **VENGEANCE®**

When baiting burrows, insert each bait pack into the burrow far enough so that only a person who knows that bait is there would be likely to see at. Do not bait burrow in any location accessible to children or nontarget animals unless there is no other way to bait the target population effectively. If burrows in such an area are baited, check burrows every morning and evening to make sure that baits have not become more accessible to children or nontarget animals in any way. Remove packs that become more accessible to nontarget animals. Remove packages of bait from burrow if the bait has not been touched by target rodents for seven days. Intact bait packs may be relocated. Damaged packs or packs no longer needed must be properly disposed.

HOUSE MICE: Apply 1 to 6 bait packs per placement. Space placements at 8 to 12 foot intervals. Adjust the amount of bait applied to the level of mouse feeding expected at each bait placement.

BAITING STRATEGY: Highest bait consumption is expected to occur on the first day or two after treatment begins. After several days, Inspect the placements and replenish bait at sites where there is evidence of heavy feeding. Normally, volume of bait consumed will be significantly less with bromethalin baits than with anticoagulant baits. Although one night's feeding will usually provide a lethal dose, maintain bait for at least a week to provide all rodents a chance to feed on the bait. Baiting should be continued until all signs of feeding have ceased. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed. Collect and properly dispose of all dead rodents and leftover bait.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **Storage:** Store only in original container, in a cool, dry place inaccessible to children and pets and away from other chemicals. Keep containers closed.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Do not reuse empty containers. Triple rinse container, and then dispose of in a sanitary landfill or by incineration if allowed by state and local authorities.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

AgrEvo Environmental Health 95 Chestnut Ridge Road Montvale, NJ 07645

### Labeling for Individual Bait Packs

If both is easen by animals or pear contact a veteriourian.

Note to Physicians Vengeance but it not an anticoagulant type of redenticide. If ingested, limit absorption by either emests or gastric brage. Subterbal symptoms if present, availd be the result of cerebral edema and shruid be treated accordingly through administration of an owneile distretic and corticosteroid. Environmental Hazarda. This product is took to fish, birds and other wildlife. Keep cut of any list in state?

DIRECTIONS FOR USE.
It is a violation of Federal law to use this product in a manner inconsistent with it's tabeling.
Read entire label on the outer package before using this product. It is illegal to sell these placepacks individually.

AgrEvo Environmental Health 95 Chestnut Ridge Road Montvale NJ 07645

# AgrEvo Environmental Health VENGEANCE

#### Rodenticide Small Bait Pack

For Control of Commensal Rodents Kills Norway Rats, Roof Rats, and House Mice

# CAUTION

May be hatmful or fatal if swallowed. See side panel for additional precautionary statements.

U.S. Patent No. 4,815, 923. E.P.A. Est. No. EPA Reg No 432-149 EPA Eu No


Net Contents 1/2 Ounce

#### PRECAUTIONARY STATEMENTS

#### Hazards to Humans and Domestic Animais

CAUTION.Keep away firms humans, domewik animak, and press. May be barmful or fatal K emallemed. Causes eve instation. Arrid contact with skin, eves, or closhing. Wash hands throughly after handling Vengeance half.

STATEMENT OF PRACTICAL TREATMENT. It was to work all a physician or heal point in control brink 1.2 glasses of water and inchese symiting in this hing the back of thront with linger. Do not up to hinduce contining or give arithing by mouth to a successful promoting or give arithing by mouth to a seek or accelerate contact with every with, flush with plenty of water, and seek medical attention if irration persists. Which all contaminated cluthing the coupled.



BEST COPY AVAILABLE