

PM 03

432-754

10/3/97

10/3

**CYPERMETHRIN/ESBIOTHRIN®/  
PIPERONYL BUTOXIDE 0.05%/0.1%/0.4%  
INSECTICIDE PRESSURIZED SPRAY**

- o A Combination of Insecticides Offering Quick Knockdown and Kill of Flying and Crawling Insect Pests
- o Controls Crawling Insects on Contact
- o Indoor and Outdoor Uses
- o Controls Fleas
- o Kills on Contact

**ACTIVE INGREDIENTS:**

\*Cypermethrin: (±)α-cyano-(3-phenoxyphenyl) methyl (±)-cis,trans-3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate ..... 0.05%

†d/l-allethrolone d-trans chrysanthemate ..... 0.10%

‡Piperonyl Butoxide, Technical ..... 0.40%

**INERT INGREDIENTS:** ..... ~~99.45%~~ 100.00%

\*Cis/trans ratio: 45/55 ± 10.

†Esbiothrin®: Registered trademark of AgrEvo S.A. Min. 72% d-trans-Chrysanthemum monocarboxylic ester of d-2-allyl-4-hydroxy-3-methyl-2-cyclopenten-1-one. Max 28% other isomers.

‡Equivalent to 0.32% (butylcarbityl(6-propylpiperonyl) ether and 0.08% related compounds.

**PRECAUCION AL CONSUMIDOR:** Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

**(TO THE USER:** If you cannot read English, do not use this product until the label has been fully explained to you.)

EPA Reg. No. 432-754

EPA Est. No.

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

**STATEMENT OF PRACTICAL TREATMENT**

**If Inhaled:** Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

**If Swallowed:** Do not induce vomiting. Call a physician or Poison Control Center. Do not give anything to an unconscious person.

**If In Eyes:** Flush eyes with plenty of water. Call a physician if irritation persists.

**If On Skin:** Wash with plenty of soap and water. Get medical attention.

See Side Panel For Additional  
Precautionary Statements

AgrEvo Environmental Health  
95 Chestnut Ridge Road  
Montvale, NJ 07645

**ACCEPTED**  
NET CONTENTS:

OCT - 3 1997

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No. 432-754

P. 3/6

**PRECAUTIONARY STATEMENTS  
Hazards To Humans & Domestic Animals  
CAUTION**

Harmful if inhaled or absorbed through skin. Avoid breathing spray mist and contact with skin, eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling.

Do not use in food/feed areas of food handling establishments, restaurants, or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms, but excluding areas where foods may be prepared or held. In the home, cover all food handling surfaces and cover or remove all food and cooking utensils, or wash thoroughly after treatment. Exposed food/feed should be covered or removed.

**Environmental Hazards**

This product is toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Drift from treated areas may be hazardous to organisms in adjacent aquatic sites.

**Physical And Chemical Hazards**

Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130°F (54.5°C) may cause bursting. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Can be used in non-food/non-feed areas of food handling establishments such as garbage rooms, lavatories, floor drains (to sewers), entries, vestibules and hallways, offices, locker rooms, machine rooms, basements, boiler rooms, garages, utility rooms, mop closets and storage rooms (after canning or bottling).

Shake well before use. Point valve away from face. Remove protective cap. Aim spray opening away from person. Push button firmly to spray.

In preschools and nurseries, do not apply when classrooms are occupied nor when children are present.

SEP 24 1997 08:51AM AGREVO REGULATORY

NOT FOR USE IN USDA MEAT AND POULTRY PLANTS

For use in non-food/non-feed areas indoors and outside premises of hotels, motels, homes, preschools, nurseries, day camps, greenhouses (non-commercial), seed houses, food handling establishments, packaging and processing plants, commercial, industrial, office, institutional and storage buildings, dairies, milk storage rooms, egg processing plants, supermarkets, restaurants, bottling plants, canneries, flour and feed mills, bakeries, and hospitals. IN HOSPITALS, patients should be removed prior to treatment. Also for use in dog kennels and horse stables. IN HORSE STABLES, not for application as a space spray while horses are present, if horses will be used for food/feed. Also for use in campers, mobile homes, buses, automobiles, trucks and boxcars.

Do not use in food/feed areas of food handling establishments, restaurants, or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms, but excluding areas where foods may be prepared or held. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before reuse. Exposed food/feed should be covered or removed.

INDOOR USE

**Wasps, Hornets, Yellow Jackets, Bees:** Application should be made in the late evening when insects are at rest. Spray liberally into hiding and breeding places, especially under attic rafters, contacting as many insects as possible. Repeat as necessary.

**Ants:** To kill ants, spray directly on these pests for fast action. Spray trails, nests and points of entry such as cracks and crevices where ants may hide. Repeat treatment as necessary.

**TO KILL CRAWLING INSECTS: Cockroaches, Waterbugs, Palmetto Bugs, Crickets, Silverfish, Earwigs, Sowbugs, Centipedes, Millipedes, Pillbugs and Firebrats:** Spray thoroughly in areas where insects are found, such as cracks, crevices, moist areas, openings around pipes and sinks, baseboards, corners, behind and under refrigerators, cabinets, sinks, furnaces, stoves, underside of shelves, drawers and similar areas. Spray directly on insects when possible. Repeat as necessary.

**Fleas:** Thoroughly spray the animals' bedding and other resting areas until the surface is slightly moist contacting as many insects as possible. Do not allow pets to use these areas until spray has dried. Treat floor areas, cracks and crevices in the floor and along baseboards at the rate of 2 seconds per linear foot (30 cm) at a distance of 12 to 18

inches (30-45 cm). Also spray the entire inside surface of dog houses.

**TO KILL FLYING INSECTS: Flies, Mosquitoes, Gnats, Fruit Flies, Small Flying Moths:** Directly contact as many insects as possible. Direct spray mist to all parts of the room, especially around windows. Do not remain in treated area. Ventilate the room after treatment is complete. Repeat as necessary.

**Carpenter Ants:** Apply spray to the point of runoff around doors, door frames, windows, and other areas where these ants enter the premises or hide.

OUTDOOR USE

Do not apply this product to edible crops. For use around residential, commercial and institutional buildings, patios, mobile homes, campers, boats, and swimming pools for controlling household and other pests.

**PESTS ON OUTSIDE SURFACES OF BUILDINGS:** Use this product to control **Cockroaches, Crickets, Ants, Millipedes, Earwigs, Spiders and Sowbugs** on the outside surface of buildings. To help prevent infestation of buildings, treat the building foundation to a height of 2 to 3 feet, where pests are active and may find entrance. Also apply to outside surfaces of building, including porches, screens, window frames, eaves, patios, garages, refuse dumps and other areas where these pests congregate. Apply spray to the point of runoff. Repeat as necessary to maintain effectiveness.

**House Flies, Mosquitoes, Cluster Flies, Gnats, Flying Moths:** For outdoor use only as an aid in reducing annoyance from these insects. Contact as many insects as possible. Spray outside surfaces of screens, doors, window frames or wherever these insects may enter. Treat surfaces around light fixtures on porches, in garages and other places where these insects congregate. Repeat as necessary.

**Wasps, Hornets, Yellow Jackets, Bees:** Application should be made late in the evening when insects are at rest. Aim spray at nest openings in ground, bushes, and in cracks and crevices which may harbor nests, saturating nests and contacting as many insects as possible. Repeat as necessary.

**Ants and Carpenter Ants:** Same as directed for indoor use.

**Fleas:** Apply as a spray to areas where fleas are most likely to be found, such as, but not limited to, dog houses, kennels, runways, cracks and crevices in sidewalks, paths or patios, under plants, shrubs, bushes, trees, or other shaded moist areas where pests may rest.

### STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not puncture or incinerate.

**Storage:** Do not store near heat or open flame. Do not store this water based formulation at temperatures below 32°F (0°C).

**Container Disposal:** Replace cap and discard container in trash.

**NOTICE:** Buyer assumes all responsibility for safety and use not in accordance with directions.