

TRALEX™ Aerosol

Crawling Insect Spray

Quick Kill - Long Lasting Action

ACCEPTED
18 MAY 1992
 Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the purposes registered under EPA Reg. No. 432-756

ACTIVE INGREDIENTS:

| | |
|---|---------------|
| *d/l-allethrolone chrysanthemate..... | 0.25% |
| (1R, 3S) 3[(1R, 2S, 2', 2' -tetrabromoethyl)] -2, 2-dimethylcyclohexanecarboxylic acid (S) -alpha-cyano-3-methoxybenzyl ester | 0.05% |
| N-Octyl bicycloheptane dicarboximide | 1.00% |
| Inert Ingredients†: | 98.70% |
| | <hr/> 100.00% |

*Esbiothrin® Registered trademark of Roussel UCLAF; Paris, France

†Min 72.0% d-trans-chrysanthemum monocarboxylic ester of d-2-allyl-4 hydroxy-3-methyl-2-cyclopentene-1-one. Max 28.0% Other Isomers.

†Contains petroleum distillates.

KEEP OUT OF REACH OF CHILDREN
CAUTION
 SEE SIDE PANEL FOR DIRECTIONS AND CAUTIONS

EPA Reg. No. 432-756
 NET WEIGHT:
 LOT NO.

P- 3/12/92

ROUSSEL BIO 
 CORPORATION
 P.O. Box 1077, 400 Sylvan Avenue
 Englewood Cliffs, New Jersey 07632

EMERGENCY COPY

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION

Harmful if absorbed through skin or if inhaled. Avoid contact with skin, eyes or clothing and avoid breathing spray. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Do not use in and/or feed areas of food/feed handling establishments, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms, but excluding areas where foods may be prepared or held. In the home, cover all food handling surfaces and cover or remove all food and cooking utensils, or wash thoroughly after treatment. Exposed food should be covered or removed.

STATEMENT OF PRACTICAL TREATMENT

If In Eyes or on skin: Flush with plenty of water. Get medical attention if irritation persists.
 If Swallowed: Call a physician or Poison Control Center. NOTE TO PHYSICIAN: Induce vomiting as first aid for this product may result in increased risk of chemical pneumonia or pulmonary edema caused by aspiration of the hydrocarbon solvent. Vomiting should be induced only under professional supervision.

PHYSICAL/CHEMICAL HAZARDS

FLAMMABLE. Contents under pressure. Do not use or store near heat source, pilot lights or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

STORAGE & DISPOSAL

STORAGE: Store in an area inaccessible to children.
DISPOSAL: Do not reuse empty container. Discard in trash. Do not incinerate or puncture.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NOT FOR USE IN USDA MEAT AND POULTRY PLANTS

DO NOT USE AS A SPACE SPRAY. Spray on surfaces only. Hold container upright while spraying. Direct nozzle about 12 inches from surface to be treated. Spray away from self and other persons. Do not allow children or pets in treated area until spray has dried.

REMOVE birds and tightly cover fish bowls and aquariums in areas being sprayed. Do not spray on plants or shrubbery.

DIRECTIONS FOR USE (CONTINUED)

DIRECTIONS FOR USE (Continued)

EPA Reg. No. 432-756

For use in non-food/non-feed areas indoors and outside premises of hotels, motels, homes, preschools, nurseries, day camps, greenhouses, bathhouses, seed houses, food handling establishments, packaging and processing plants, commercial, industrial, office, institutional and storage buildings, dairies, milk storage rooms, egg processing plants, supermarkets, restaurants, bottling plants, canneries, flour and feed mills, bakeries, and hospitals. In hospitals, patients should be removed prior to treatment.

Tralex Aerosol may be applied as a general spot and crevice treatment in non-food areas. For use in non-food/non-feed areas indoors and outside premises of hotels, motels, homes, preschools, nurseries, day camps, greenhouses, lathouses, seed houses, commercial, industrial, office, institutional and storage buildings.

Examples of non food areas include: garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, mop closets and storage areas (after packaging, canning or bottling). All areas that insects inhabit or through which insects may enter should be treated. Do not use in food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas if food is exposed or facility is in operation.

TO KILL ROACHES, WATERBUGS, PALMETTO BUGS, SILVERFISH, CRICKETS, SPIDERS AND MILLIPEDES: For long lasting action in and around residential and non-residential structures spray around baseboards, into cracks and crevices and other places where insects live and hide (under sinks, cabinets, kitchen appliances, damp areas, window and door frames, the underside of shelves, drawers, around plumbing and in attics and crawl spaces.) until surfaces are wet. Spray directly on insects if possible. Avoid excessive wetting of linoleum, asphalt tiles or plastics, do not treat entire area of floor cover.

TO KILL ANTS, SOWBUGS, AND EARWIGS: Spray around doors and window frames and other places where these insects may enter the house. Spray around foundations and porches. Spray on ant trails and ant hills and other areas where ants may enter the premises.

TO KILL FLEAS: It is suggested that infested area be thoroughly vacuumed prior to treatment. These areas include rugs, carpets, upholstered furniture, pet beds, floor coverings other pet resting areas and other indoor areas frequented by pets. The vacuum cleaner bag should be discarded in an outdoor trash container immediately. Note. Test possible staining on upholstered furniture or carpet by applying to a small concealed spot, if solution stains or effects color, a water based product should be considered. For long lasting control spray on carpets, upholstered furniture and floor covering until areas is moist. Destroy pets old bedding and replace with fresh bedding. Spray the entire surface of dog houses. **DO NOT ALLOW PETS TO CONTACT TREATED AREA UNTIL SPRAY HAS DRIED.** Remove or cover animal feed before spraying. To control the source of flea infestation, pets inhabiting the treated premises should be treated with a flea control product registered for application to animals before they reenter the treated areas. Destroy pets old bedding and replace with fresh bedding. **DO NOT TREAT PETS WITH THIS PRODUCT.**

TO KILL TICKS (including Lyme Disease Vectors): Thoroughly apply Tralex Aerosol to infested areas, such as pet beds and resting quarters; nearby cracks and crevices; along baseboards, window and door frames, where these pests may be present. **DO NOT TREAT PETS WITH THIS PRODUCT.** Do not allow pets to contact treated areas until spray has dried. Remove animals and feed before spraying.

OUTDOOR USE

Do not apply this product to edible crops. For use around residential, commercial and institutional buildings, patios, mobile homes, campers, boats, and swimming pools for controlling household and other pests.

PESTS ON OUTSIDE SURFACES OF BUILDINGS: Use this product to control Cockroaches, Crickets, Ants, Millipedes, Earwigs, Spiders, and Sowbugs on the outside surface of buildings. To help prevent infestation of buildings, treat the building foundation to a height of 2 to 3 feet, where pests are active and may find entrance. Also, apply to outside surfaces of building including porches, screens, window frames, eaves, patios, garages, refuse dumps and other areas where these pests congregate. Apply spray to the point of runoff. Repeat as necessary to maintain effectiveness.

BEST AVAILABLE COPY