

PM 3

432-758

2/5/98

1/3

CYPERMETHRIN 40 WP

*** CRACK, CREVICE AND SPOT TREATMENT FOR COCKROACH AND MAJOR NUISANCE PEST RESIDUAL CONTROL**

*** ONLY FOR SALE TO, USE AND STORAGE BY, PEST CONTROL OPERATORS**

ACTIVE INGREDIENT:

* Cypermethrin: (+)alpha-cyano-(3-phenoxy-phenyl) methyl (+)cis, trans-3-(2,2-dichloro ethenyl)- 2,2dimethylcyclopropane carboxylate 40.00%

INERT INGREDIENTS: 60.00%
100.00%

*cis/trans ratio: 45/55 + 10

EPA REG. NO. 432-758 EPA EST. NO.

**KEEP OUT OF REACH OF CHILDREN
WARNING**

STATEMENT OF PRACTICAL TREATMENT

- IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.
- IF ON SKIN: Wash with plenty of soap and water.
- IF SWALLOWED: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger.
- IF INHALED: Remove victim to fresh air. Apply artificial respiration if necessary.

For Emergency Assistance Call (800)331-2867

See Side Panel For Additional Precautionary Statements

PRECAUTIONARY STATEMENTS

Hazards To Humans & Domestic Animals

WARNING

Harmful if swallowed or absorbed through skin. Causes eye irritation. Do not get in eyes, on skin or on clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling. May cause allergic skin reactions.

Environmental Hazards

This product is extremely toxic to fish. Do not contaminate water when disposing of equipment wash waters. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Apply this product only as specified on this label. Care should be used when spraying to avoid pets, especially reptiles. Cover aquariums and terriums before spraying.

Physical/Chemical Hazards

Do not use this product in or on electrical equipment due to the possibility of shock hazard. In case of a significant spill, call CHEMTREC (800)424-9300.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Pesticide Storage:

BULK - Mix as needed. Do not store diluted material. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use, replace lid and close tightly. Do not put concentrate or diluted material into food or drink containers. Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal:

BULK - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or dispose of in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke. **UNIT DOSE -** Completely empty bag into application equipment. Then dispose of bag in a sanitary landfill by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

GENERAL INFORMATION

Cypermethrin 40 WP is intended for residual pest control in and on buildings, structures and their immediate surroundings and on modes of transport. Permitted areas of use include, but are not limited to:

- | | | |
|----------------------|----------|--------------|
| stores | vessels | buses |
| industrial buildings | railcars | laboratories |
| houses | trucks | warehouses |
| apartment buildings | trailers | greenhouses |

and the non-food areas of;

- | | |
|---|---------------|
| hotels | nursing homes |
| restaurants | schools |
| hospitals (non-patient areas) | |
| food manufacturing, processing and serving establishments | |

MIXING INSTRUCTIONS:

Cypermethrin 40 WP insecticide is intended for dilution with water for spray application. Do not use strainers finer than 50 mesh size. Fill sprayer with one half of the desired volume of water. Add Cypermethrin 40 WP as indicated in the table below and add remaining water

ACCEPTED

FEB - 5 1998

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 432-758

needed. Close and shake for 30 seconds before use. Shake again before use if spraying is interrupted. Mix only the amount of solution needed for the application, repeat treatments as necessary.

PESTS	CONCENTRATION OF ACTIVE INGREDIENTS	DILUTION RATIO
Ants Boxelder Bugs Centipedes Cockroaches (Maintenance) Crickets Earwigs	Firebrats Flies* Millipedes Pillbugs Silverfish Sowbugs	.01% 1 scoop ¹ or 1 unit dose ² of Cypermethrin 40 WP per 1 gallon of water
Bees Cockroaches (Clean-out) Spiders Wasps		0.2% 2 scoops or 2 unit doses ² of Cypermethrin 40 WP per 1 gallon of water

- * Not for indoor use in California for fly control.
- ¹ 1 scoop = 1/3 ounce of Cypermethrin 40 WP
- ² 1 unit dose = 1/3 ounce of Cypermethrin 40 WP

GENERAL PEST CONTROL INDOORS

COCKROACHES, CRICKETS, FIREBRATS, SILVERFISH AND SPIDERS: Apply as a coarse, low pressure spray to areas where these pests hide, such as baseboards, corners, storage areas, closets, around water pipes, doors and windows, attics and eaves, behind and under refrigerators, cabinets, sinks, furnaces, and stove, the underside of shelves, drawers and similar areas. Pay particular attention to cracks and crevices; also see OUTDOOR USE.

ANTS: Apply to any trails, around doors and windows and other places where ants may be found. Apply barrier treatments to prevent infestation as described below; also see OUTDOOR USE.

BEEES AND WASPS: Application to nests should be made late in evening when insects are at rest. Thoroughly spray nest entrance and surround areas where insects may land; also see OUTDOOR USE.

BOXELDER BUGS, CENTIPEDES, EARWIGS, MILLIPEDES, PILLBUGS, AND SOWBUGS: Apply around doors and windows and other places where these pests may be found or where they may enter premises. Spray baseboards, storage areas and similar locations. Apply barrier treatments to prevent infestation as described below; also see OUTDOOR USE.

FLIES: Apply directly to walls, ceilings, window screens, and other fly resting areas as a residual surface treatment. May be used inside residential buildings as

well as in and around garages, storage sheds. Also see OUTDOOR USE.

FOOD/FEED HANDLING ESTABLISHMENTS

Food/Feed handling establishments are defined as places other than private residences in which food/feed is held, processed, prepared or served. Not for use in USDA Meat and Poultry Plants.

FOOD/FEED AREAS: Do not use in food/feed areas of food/feed-handling establishments, restaurants or other areas where food/feed is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held. In the home, all food/feed processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food/feed should be covered or removed.

NON-FOOD/FEED AREAS: Cypermethrin 40 WP may be used as a general spot, crack and crevice treatment in non-food/feed areas. Examples of non-food/feed areas include garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, garages, mop closets, and storage (after canning or bottling). All areas where insects hide or through which insects may enter should be treated.

GENERAL PEST CONTROL OUTDOORS

FOR CONTROL OF ANTS, BEES, CENTIPEDES, COCKROACHES, CRICKETS, FIREBRATS, FLIES, MILLIPEDES, SILVERFISH, SOWBUGS, PILLBUGS, SPIDERS, AND WASPS: Apply as a residual spray to surfaces of buildings, porches, screens, window frames, eaves, patios, lawns (residual sites only), refuse dumps, garages and in similar areas where these pests are found, by either hand or power sprayer.

BARRIER TREATMENTS: To help prevent infestation of buildings, apply to a band of soil and vegetation 6 to 10 feet wide around and adjacent to the building. Also, treat the building foundation to a height of 2 to 3 feet where pests are active and may find entrance. Apply as a coarse spray to thoroughly and uniformly wet the band area, using 1 gallon of spray mix per 400 square feet.

NOTE: During application to overhead interior areas of structure, cover surfaces below with plastic shielding or similar material.
Do not use as a space spray.
Use only in well ventilated areas.
Do not apply this product in patient rooms or in any room while occupied by the elderly or infirm.
Do not apply to classrooms when in use.

