2 5 OCT 1995

Ms. Christina Lawes AgrEvo Environmental Health 95 Chestnut Ridge Road Montvale, NJ 07645

Dear Ms. Lawes:

Finished Labeling and Add Directions for Outdoor Pests

SAGA RTU-FA Insecticide

EPA Registration No. 432-784

Your Submission Dated October 14, 1994

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, Rodenticide Act, as amended, is acceptable, provided that you make the labeling change bearing the amended labeling:

Revise the statement "Not for use on ornamental plants grown in commercial greenhouses" to "Not for use on ornamental plants grown in commercial greenhouses or nurseries."

Submit three copies of your final printed labeling before you release the product for shipment. A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

George T. LaRocca Product Manager (13) Insecticide-Rodenticide Branch Registration Division (7505C)

enclosure

	CONCURRENCES	
SYMBOL		
SURNAME VILLERY		
DATE		
FPA Form 1320-1A (1/90)	Printed on Personal d Penson	OFFICIAL FILE COPY

EPA FORM 1320-1A (1/90)

☆ U.S. GOVERNMENT PRINTING OFFICE 1995 - 619-457

SAGA RTU - FA INSECTICIDE

- * A SYNTHETIC PYRETHROID FOR RESIDUAL CONTROL OF FIRE ANTS
- * ONE GALLON KILLS APPROXIMATELY 8 10 MOUNDS
- * READY-TO-USE
- * NO MIXING OR MEASURING
- ***** KILLS ON CONTACT
- * KILLS THE QUEEN(S) I.E. KILLS THE MOUND
- *** FAST KILLING**
- * QUICK KILL TO STINGING ANTS
- * EASY TO USE
- * CONVENIENT
- * WATER-BASED
- * NON-STAINING

}

- * NO OILY RESIDUE
- * NO UNPLEASANT ODOR
- * NOT HARMFUL TO GRASS AND ORNAMENTAL PLANTS AND BUSHES
- * REMOVE CAP AND POUR
- * FOR OUTDOOR RESIDENTIAL USE ONLY

ACTIVE INGREDIENT:

(1R,3S) 3[(1'RS)(1',2',2',2'-tetrabromethyl)]-2 2-dimethylcyclopropanecarboxylic acid (S)-alpha-cyano-3-

phenoxybenzyl ester	00.05%
INERT INGREDIENTS:	99.95%
	100.00%

SAGA is a registered trademark of Roussel UCLAF, Paris, France. *Tralomethrin.

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

EPA REG. NO. 432-784

EPA EST. NO.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if necessary.

See Side Panel for Additional Precautionary Statements

NET CONTENTS:

PRECAUTIONARY STATEMENTS Hazards To Humans & Domestic Animals CAUTION

Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Avoid contamination of food, feedstuffs and domestic water supplies.

Environmental Hazards

This product is extremely toxic to fish and other aquatic organisms. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **Storage:** Store in cool, dry area away from heat or open flame. **Disposal:** Discard container in trash.

GENERAL INFORMATION

Saga RTU FA is a ready-to-use insecticide containing 0.05% by weight active ingredient, Add Attachment O

Not for use in sod farms or on grass grown for seed. Not for use in vegetable gardens.

One quart and one gallon pump spray containers - turn nozzle to spray position and squeeze trigger pump to spray.

One and five gallon containers without trigger sprayer - pour contents into conventional hand pressurized spray equipment and/or refill the above pump spray containers.

Apply as a gentle rain, thoroughly wetting top of mound and surrounding area to a diameter of 3 feet. Do not disturb mound before treating. Use approximately 1 pint per 10 - 12 inch mound. For best results, apply in cool weather or in early morning or late afternoon. Treat new mounds as they appear. Saga RTU FA gives quick reduction of stinging ants with total mound kill in approximately 5 days. One gallon treats 8 - 10 mounds. Store unused portion in original container.

Add Attachment 3

If you are not completely satisfied with this product, call ______
7:30 am to 5:30 pm eastern standard time.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

BEST AVAILABLE COPY

ACCEPTED
with COMMENTS
in EPA Letter Dated

25 OCT 1995

Under the Federal Insecticide, Fungiciste, and Rodenticide Act as unended, for the posticide registered under EPA R y. So.

ROUSSEL UCLAF

Roussel Uclaf Corporation
95 Chestnut Ridge Road
Montvale, New Jersey 07845

784S 091994TK

ATTACHMENT 1

Use Saga RTU-FA to control outdoor pests by application as either a perimeter treatment or a residual spray. Do not allow adults, children or pets to walk on treated areas until spray has dried.

ATTACHMENT 2

Saga RTU-FA provides effective knockdown and residual control of fire ants.

ATTACHMENT 3

Perimeter Treatment: To help prevent infestation of buildings, apply Saga RTU-FA where pests are active and may find entrance. For example, treat a band of soil 6 to 10 feet wide around and adjacent to buildings and treat the building foundation to a height of 2 to 3 feet. Apply as a coarse spray. Thoroughly and uniformly wet the barrier area.

Residual Spray: To control ants, cockroaches, crickets, and spiders (contact kill), apply Saga RTU-FA as a coarse low pressure spray to surfaces of buildings, porches, screens, window frames, eaves, patios, lawns, refuse dumps and garages.

To Control Fleas and Ticks: Apply Saga RTU-FA as a coarse wet spray to areas where fleas and ticks are most likely to be found, such as, but not limited to, dog houses, kennels, runways, cracks and crevices in sidewalks, paths or patios, under plants, shrubs, trees, or other shaded, moist areas where pests may rest.

Wasps, Hornets, Yellow Jackets and Bees: Application should be made late in the evening when insects are at rest. Aim spray at nest opening in ground, bushes, in cracks and crevices and under attic rafters which may harbor nests (adequate care and proper protection should be used when spraying areas which require upward spraying). Saturate nests and contact as many insects as possible.

Flies, Midges, Gnats and Mosquitoes: For use as an aid in reducing annoyance from these insects. Spray outside surface of doors, screens, window frames, or wherever these insects may enter the room. Also, spray surfaces around light fixtures, on porches, in garages and other places where these insects alight or congregate.

Ornamental Pests: To control armyworms, bagworms, cankerworms, cutworms, elm leaf beetles, flea beetles, grasshoppers, gypsy moth larvae, adult Japanese and June beetles, lacebugs, leafhoppers, leafrollers, leaf skeletonizers, loopers, oakworms, plant bugs, pine moths, sawfly larvae, spanworms, stinkbugs, tent caterpillars, ticks, treehoppers, and webworms.

Spray foliage with Saga RTU-FA to run-off. Not for use on ornamental plants grown in commercial greenhouses