

432-832

04/05/2005

1/7



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

APR - 5 2005

Mr. Adrian Krygsman
Bayer Environmental Science
Bayer CropScience
95 Chestnut Ridge Road
Montvale, NJ 07645

Dear Mr. Krygsman:

Subject: Amendment - Add new uses; Revise per Agency letter dated January 5, 2005
Delta Wettable Powder
EPA Registration Number 432-832
Your submission dated January 14, 2005

The amendment referred to above, submitted in connection with registration under with registration under FIFRA section 3(c)(7)(a), is acceptable and a stamped copy of the label is enclosed for your records. When preparing the actual finished label please incorporate the following revision

- 1) As directed in the Agency's January 5, 2005 pre-acceptance letter, under the heading Application Methods add as the second sentence: "For residential buildings and structures apply only as a crack and crevice or spot treatment."

Please submit 3 copies of the revised finished label when it becomes available.

Sincerely,

George LaRocca.
Product Manager 13
Insecticide Branch
Registration Division (7505C)



Delta Wettable Powder

Specimen Label

- * Only For Use and Storage by Pest Control Operators and/or Lawn Care Operators and/or Mosquito Control Districts and/or Commercial Applicators Only.
- * To be applied commercial Applicators Responsible for Control Programs.
- * For outdoor perimeter applications for broad-spectrum control of crawling, flying and wood destroying insects on and around Residential, Industrial and Institutional Structures.
- * For Insect Control on Commercial and Residential Lawn and Landscape Ornamental Plants.
- * Will not Damage Paints, Plastics, Fabrics or Other Surfaces Where Water Alone Causes No Damage.
- * Contains DeltaGard® Insecticide.
- * Controls mosquitoes that may transmit malaria, arboviruses or encephalitis
- * May be applied to tire piles to control adult mosquitoes.

ACTIVE INGREDIENT:

Deltamethrin: (s)-cyano-3-phenoxybenzyl-(1R,3R)-3-(2,2-dibromovinyl)-2, 2-dimethyl-cyclopropanecarboxylate 5.00%

INERT INGREDIENTS: 95.00%
100.00%

EPA Reg. No. 432-832

EPA Est. No.

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none"> ◆ Call a poison control center or doctor immediately for treatment advice. ◆ Have a person sip a glass of water if able to swallow. ◆ Do not induce vomiting unless told to do so by a poison control center or doctor. ◆ Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> ◆ Take off contaminated clothing. ◆ Rinse immediately with plenty of water for 15-20 minutes. ◆ Call a poison control center or doctor for treatment advice.
IF IN EYES:	<ul style="list-style-type: none"> ◆ Hold eye open and rinse slowly and gently with water for 15-20 minutes. ◆ Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. ◆ Call a poison control center for treatment advice.
IF INHALED:	<ul style="list-style-type: none"> ◆ Move person to fresh air. ◆ If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth is possible. ◆ Call a poison control center or doctor for further treatment advice.
HOT LINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-334-7577 for emergency medical treatment information.	

**ACCEPTED
with COMMENTS
In EPA Letter Dated:**

APR - 5 2005

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No.

432-832

See Side Panel For Additional Precautions

NET CONTENTS:

PRECAUTIONARY STATEMENTS Hazards To Humans & Domestic Animals

CAUTION

Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling.

Environmental Hazards

This product is extremely toxic to fish and other aquatic organisms. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Use with care when applying in areas adjacent to any body of water. Do not contaminate water when disposing of equipment waters. Remove pets and cover aquariums and terrariums before spraying.

Physical & Chemical Hazards

Do not use water based sprays of Delta WP in conduits, motor housings, junction boxes, or other electrical equipment because of possible shock hazard.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

General Information: Delta WP is a wettable powder insecticide containing 5.0% by weight active ingredient which will provide effective knockdown and long residual control of various pests in and around residential and non-residential buildings and structures and on various modes of transport.

Delta WP does not damage paints, plastics, fabrics or other surfaces where water alone causes no damage. To ensure against possible damage to delicate material, test a small inconspicuous area before treatment.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **Storage:** Mix as needed. Do not store diluted material. Store in original container in secured dry storage area. Prevent cross-contamination with other pesticides and fertilizers. If the container is leaking and/or material is spilled on floor or paved surfaces, sweep up and remove to chemical waste area. **Pesticide Disposal:** Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility. **Container Disposal:** Empty container completely into application equipment. Do not reuse empty container. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

INDOORS

Delta WP is intended to be mixed with water and applied indoors as crack and crevice, and spot and general surface treatments with pressurized sprayers or other equipment suitable for applying insecticides to localized areas. For residential buildings and structures apply only as a crack & crevice or spot treatment. To minimize airborne particles, spray pressure should not exceed 30 psi at the nozzle tip.

Handling Procedures: Protective clothing is recommended when using or handling this product to help avoid exposure. As a minimum, a long-sleeved shirt and long-legged pants or coveralls and shoes plus socks are recommended.

Adults, children and pets should not contact treated surfaces until spray has dried. Do not treat pets with this product. Before spraying, remove pets, cover aquaria and turn off air pump. Do not apply where electrical short circuits could occur. Do not use indoors as a space spray or in fogging equipment. It is recommended that eye protection be worn when making applications overhead. Do not apply in classrooms

when in use. Do not apply this product in occupied patient rooms or in any rooms/areas while occupied by patients, the elderly or infirm. Do not apply to institutions (including libraries, sport facilities, etc.) in the immediate area where occupants are present.

Treatment Sites: When used in accordance with label directions, Delta WP may be applied in and around residential and non-residential buildings and structures. This product can be applied to walls, ceilings, in and around cabinets, between, behind and beneath equipment and appliances, around floor drains, window and door frames, and around plumbing, sinks and other possible pest harborage sites. Permitted areas of use include, but are not limited to, the non-food/non-feed areas of:

- apartments
- buses
- food manufacturing, processing and servicing establishments
- hotels
- houses
- industrial buildings and installations
- laboratories
- mausoleums
- railcars
- restaurants
- schools
- ships & vessels
- stores & institutions
- trucks
- unoccupied poultry houses, horse stalls, cattle barns
- warehouses

Treatments may be applied at 21-day intervals or as necessary to maintain adequate control.

Mixing Instructions: Delta WP is intended to be mixed with water and applied with hand pressurized or power operated sprayers as a coarse spray. When diluting, add water to the spray tank and the appropriate amount of Delta WP. Thoroughly agitate the sprayer before using to insure proper suspension of the wettable powder. Re-invert sprayer before use if spraying is interrupted. If spray screens are used, they should be 50 mesh or larger. **Dilute Delta WP insecticide only with water.**

Pests	Concentration of Active Ingredient	Dilution Rate Per Gallon of Final Spray
ants, bees, carpet beetles, centipedes, cockroaches (maintenance rate), fleas (indoors), flies (including such flies as stable, house, cluster and horse flies), firebrats, gnats, hornets, killer bees, midges, mosquitoes, pantry pests, ticks (indoors) silverfish, yellow jackets, wasps	0.03% w/w	1 scoop
bedbugs, carpet beetles, cockroaches (clean out rate), crickets, fleas (outdoor), lice, pillbugs, sowbugs, spiders, ticks (outdoor)	0.04% w/w	1.25 scoops
termites (Formosan & Eastern subterranean - localized control only)	0.04% w/w	1.25 scoops
carpenter ants	0.03% w/w	1 scoop

Dosage Chart: This product is intended for dilution prior to applications as directed in the table above. Use the scoop provided for measuring from the jar. Each level scoopful contains 0.8 oz Delta WP.

Tank Mixing: Unless prohibited by a product's label, users at their own discretion can tank-mix pesticides such as insect growth regulators currently labeled for similar use patterns. It is always recommended that a small jar compatibility test using proper proportions of chemicals and water be run to check for physical compatibility prior to tank-mixing.

Application Methods

This product may be applied as crack and crevice, spot, general surface treatments. Treat where pests are found or normally occur.

Crack and Crevice Applications: Use a low pressure system with a pin-point or variable pattern nozzle to apply the spray mixture to areas such as floors, cracks and crevices in and around baseboards, walls, expansion joints, areas around water and sewer pipes, and voids formed by equipment or appliances.

Spot Applications: Use a low pressure system with fan-type nozzle to uniformly apply spot treatments in and around cupboards, and between, beneath and behind equipment or appliances. For control of carpet beetles, fleas and ticks indoors, apply as a coarse, low pressure crack & crevice spot treatment to problem areas and infested habitats. Do not treat entire area of floor, carpet or floor coverings. Do not apply as a space spray. Application to furniture should be restricted to those areas where prolonged contact by humans will not occur. Care should be taken to limit spot treatment to pet beds and infested floor coverings.

Carpet Beetles, Fleas and Ticks: A total integrated pest management program is recommended (continue to bedding section). It is suggested that infested areas be thoroughly vacuumed prior to treatment. These areas include all carpet, upholstered furniture, baseboards and other indoor areas frequented by pets. The vacuum cleaner bag should be discarded in an outdoor trash container upon completion. Pet bedding should be cleaned or replaced. Apply Delta Wetttable Powder as a uniform coarse low pressure spot or crack and crevice treatment to areas where these pests normally inhabit. Do not treat entire area of floor, carpet or floor coverings. Do not apply where electrical short circuits can occur. Use a dust such as Deltadust® in these areas. Do not apply as a space spray. Restrict applications to furniture where no prolonged contact by humans will occur. Do not allow people or pets to contact treated areas until spray has dried. Particular attention should be given to treating entry points and harborage areas. This product can be used with an Insect Growth Regulator (IGR). Effective flea control includes controlling the source of flea infestations. This can require treatment of pets with a product registered by EPA for such use and treating outside areas frequented by pets. Delta Wetttable Powder can also be applied out-of-doors for flea control. Do NOT treat pets with this product.

Premise Pest Control: Apply as a coarse, low pressure spot or crack and crevice spray to areas that pests normally inhabit. Pay particular attention to dark corners of rooms and closets; floor drains; cracks and crevices in walls; along and behind baseboards; beneath and behind sinks, stoves, refrigerators, and cabinets; around plumbing and other utility installations, doors, windows and in attics and crawl spaces. Applications may be made to floor surfaces along baseboards and around air ducts.

Cabinet Interiors: Make application to cupboards, shelving and storage areas. Remove all food stuffs, all utensils, shelf paper and other objects before spraying. Allow all treated surfaces to dry and cover shelves with clean paper prior to replacing food stuffs, utensils or other items. Any food stuff accidentally contaminated with any spray solution should be discarded.

Pet Kennels: For residual control of crawling and flying insects in and around these structures, apply as a general surface and/or crack and crevice spray. Optimal control results if facilities to be treated are clean and if the exterior perimeter is concurrently treated with Delta WP. Apply only to areas of facility where animals are not present. Allow spray to dry before allowing re-entry of animals into treated areas. Do not apply to animal feed or watering equipment.

FOOD/FEED HANDLING ESTABLISHMENTS

Do not use in food/feed areas of food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served, such as dining rooms, but excluding areas where foods may be prepared or held. Do not use in Federally Inspected Meat and Poultry Plants.

In the home, cover all food handling surfaces and cover or remove all food and cooking utensils or wash thoroughly after treatment. Exposed food should be covered or removed.

NON-FOOD/NON-FEED AREAS: Delta WP may be applied as a general, spot or crack and crevice treatment in non-food/non-feed areas. Non-food/feed establishment areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, mop closets and storage (after packaging, canning or bottling). All areas that insects inhabit or through which insects may enter should be treated.

FOR CONTROL OF MOSQUITOES THAT MAY TRANSMIT MALARIA

General Surface Application: Mix 2 scoops (1.6 ounces) of Delta WP per gallon of water (0.06% dilution). Apply at a rate of 1 gallon of dilution per 1000 square feet. Do not allow dripping or run-off to occur. Spray evenly on all internal walls and ceilings of houses ensuring areas such as eaves are thoroughly treated. Also spray other buildings adjacent to the house such as animal shelters where many mosquitoes may rest. For best results, all houses in the area should be sprayed and therefore access to as many houses as possible is important.

INDOOR PESTS CONTROLLED BY DELTA WP

Ants ⁽¹⁾	Firebrats
Beetles	Fleas ⁽⁵⁾
Boxelder bugs	Flour beetles
(or other true bugs)	(confused)
Brown dog ticks ⁽²⁾	(red)
Carpet beetles ⁽³⁾	(saw-toothed)
Centipedes	Indian meal moths
Clover mites	Mediterranean flour moths
Cockroaches ⁽⁴⁾	Mosquitoes
(American)	Rice weevils
(Asian)	Silverfish
(brown-banded)	Sowbugs
(German)	Spiders
(oriental)	Ticks
(smoky brown)	and other insect pests
Crickets	

Numbers refer to "Specific Indoor Use Directions".

Specific Indoor Use Directions

1. Ants may be controlled by treating ant trails and wherever else these pests may find entrance; for example, around doors and windows.
2. For control of brown dog ticks, thoroughly apply the spray to infested areas, such as cracks and crevices, along baseboards, windows and door frames, and areas of floor and floor coverings where

these pests may be present. Non-carpeted flooring should only be treated with spot applications as necessary. Spots are defined as areas not exceeding two square feet. Use a 0.06% spray at the rate of 1 gallon of diluted spray per 1600 square feet. Do not treat pets with this product. Adults, children and pets should not contact treated surfaces until spray has dried.

3. For the control of carpet beetles, thoroughly apply as a spot treatment to rugs and carpets, and baseboards and edges of carpeting; under carpeting, rugs and furniture, in closets and on shelving. Spots are defined as areas not to exceed two square feet. Use a 0.06% rate. Adults, children and pets should not contact treated surfaces until spray has dried.
4. Cockroaches can be controlled by making crack and crevice, spot or general surface treatments. Treat where insects are found or normally occur including, but not limited to, floors, cracks and crevices in walls, along and behind baseboards; around plumbing, floor drains and other utility installations; and beneath and behind sinks, cabinets or other fixtures.
5. To control fleas, thoroughly apply a fine-particle as a spot or crack and crevice treatment to infested areas, such as rugs and carpets. Vacuuming carpets prior to treatment will improve flea control. An insect growth regulator may be added to achieve extended control of developing flea larvae and pupae. Spots are defined as areas not to exceed two square feet. Do not treat entire area of floor, carpet or floor coverings.

Treated areas should be vacated during application, except for the applicator. Cover aquaria and fish bowls and remove other pets. Adults, children and pets should not contact treated surfaces until spray has dried. Old bedding should be replaced or thoroughly washed. Do not treat pets with this product. To control the source of flea infestations, pets inhabiting the treated premises should be treated with a flea control product registered for application to animals.

OUTDOORS

Delta WP is intended to be mixed with water and applied outdoors with pressurized sprayers as a general surface spray. The active ingredient in this product will provide effective residual control of pests listed on this label.

Handling Procedures for General Use Outdoors: Do not allow adults, children or pets on treated surfaces until spray has dried. Keep out of fish pools or other bodies of water. Do not treat vegetable gardens. Do not allow livestock to graze in treated areas.

Treatment Sites: When used in accordance with label directions, Delta WP may be applied to and around outside surfaces of residential and non-residential buildings and structures. Permitted areas of use include, but are not limited to:

- | | |
|--------------|------------------------|
| Crawl spaces | Lawns |
| Decks | Ornamental plantings |
| Driveways | Refuse dumps |
| Eaves | Walkways |
| Fences | Walls |
| Foundations | Window and door frames |
| Garages | |

Mixing Instructions: Delta WP is intended to be mixed with water and applied with hand pressurized or power operated sprayers as a coarse spray. When diluting, add water to the spray tank and the appropriate amount of Delta WP. Thoroughly agitate the sprayer before using. Re-invert sprayer before use if spraying is interrupted. If spray screens are used, they should be 50 mesh or larger. Dilute Delta WP insecticide only with water.

Dosage Chart: This product is intended for dilution prior to application as directed in the table below. Use the scoop provided for measuring from the jar. Each level scoopful contains 0.8 oz Delta WP.

Concentration of Spray Mixture	Amount of Delta WP (ounce)	Amount of water (gal)	
High Conc.	0.03%	0.80	1 low
	0.06%	1.60	1 volume
Low Conc.	0.003%	0.80	10
		4.00	50
		8.00	100
	0.006%	1.60	10
		8.00	50
	16.00	100	

Tank Mixing: Unless prohibited by a product's label, users at their own discretion, can tank-mix pesticides, such as insect growth regulators, currently labeled for similar use patterns. It is always recommended that a small jar compatibility test using proper proportions of chemicals and water be run to check for physical compatibility prior to tank-mixing.

Application Methods

This product may be applied outdoors as a general surface spray. Treat where pests are found or normally occur.

Low Volume Directed Sprays: Application of low volume, high concentration (0.03 - 0.06%), sprays can quickly reduce localized heavy pest infestations on outside surfaces. Use a low pressure system with a pinpoint or variable pattern nozzle, such as a hand pump sprayer or backpack sprayer or Actisol Delta Model, and apply the spray mixture to specific areas such as cracks and crevices along walkways, patios, windows and door frames or other areas where insects may congregate or can gain entrance to the structure.

High Volume Broadcast Sprays: Application of high volume, low concentration (0.003 - 0.006%) sprays, such as with power spraying equipment, can help prevent infestations of buildings by reducing pests in outdoor areas. Longer residual is achieved at the higher rates (about 0.006%). This type of treatment provides more thorough coverage over large areas than low volume directed sprays. Treat by applying spray mixture directly to areas such as flower beds, junctions of soil and structural walls, under shrubs, along base of fences, and under eaves. Apply as a coarse spray at the rate of about 10 gallons spray mixture per 1000 square feet. Thoroughly and uniformly wet the treated area.

Outdoor Pests Controlled by Delta WP

- | | |
|---------------------------|-------------------------------|
| Ants | Fire ants ⁽²⁾ |
| Bees ⁽¹⁾ | Fleas |
| Beetles | Flies ⁽³⁾ |
| Boxelder bugs | Hornets ⁽¹⁾ |
| (or other true bugs) | Midges ⁽³⁾ |
| Carpenter ants | Mosquitoes ⁽³⁾ |
| Centipedes | Moths |
| Clover mites | Pillbugs |
| Cockroaches | Scorpions ⁽⁴⁾ |
| (American) | Sowbugs |
| (Asian) | Spiders |
| (brown-banded) | Springtails |
| (German) | Ticks |
| (oriental) | Wasps ⁽¹⁾ |
| (smoky brown) | Yellow Jackets ⁽¹⁾ |
| Crickets | and other outdoor insects |
| Elm leaf beetles (adults) | |

Numbers refer to "Specific Outdoor Use Directions".

Specific Outdoor Use Directions

1. Wasps, Hornets, Yellow Jackets & Bees -
Application should be made late in the evening when insects are at rest. Aim spray at nest openings in ground, bushes, in cracks and crevices and under attic rafters which may harbor nests. Saturate nest and contact as many insects as possible.
2. Fire ant mounds may be controlled by applying Delta WP as a drench. Dilute 1.6 oz per 2 gallons of water. Gently sprinkle 1 to 2 gallons of the diluted insecticide over the surface of each mound and surrounding area to a 2 foot diameter. For best results, apply in cool weather, 65 to 80°F, or in early morning or late evening hours. Treat new mounds as they appear. Pressurized sprays may disturb the ants and cause migration, reducing product effectiveness.
3. Flies, midges and mosquitoes may be controlled by spraying outside surfaces of doors, screens, window frames, or wherever these insects may enter the room. Also, spray surfaces around light fixtures on porches, in garages and other places where these insects alight or congregate.
4. Scorpions may be controlled by removing accumulations of lumber, firewood and other materials serving as harborage sites. Before stacking firewood or lumber, apply Delta WP as a localized spray to surfaces immediately below such materials. Do not treat firewood directly. Broadcast sprays outdoors may assist in reducing pests migrating from surrounding areas.

FOR CONTROL OF WOOD-INFESTING INSECTS

Delta WP is intended to be mixed with water and applied as a general surface or localized injection treatment with pressurized sprayers or other equipment suitable for applying insecticides to localized areas.

Handling Procedures: Contact with treated surfaces should be avoided until spray has dried. Cover or remove exposed foods before treatment. Before spraying, remove pets, cover aquaria and turn off air pump. Do not apply where electrical short circuits could occur.

Treatment Sites: When used in accordance with label directions, Delta WP can be applied to residential and non-residential buildings and structures for control of wood-infesting insects. Permitted areas of use include but are not limited to:

- crawl spaces
- gaps between wooden members
- junctions between wood and foundation
- voids and channels in damaged wood
- wall voids
- wood surfaces

Mixing Instructions: To make a 0.03% water-based spray, mix 0.8 ounces (1 scoop) of Delta WP per gallon of spray mixture. To make a 0.06% water-based spray, mix 1.6 ounces (2 scoops) of Delta WP per gallon of spray mixture. When diluting, add water to the spray tank and the appropriate amount of Delta WP. Thoroughly agitate the sprayer before using to insure proper suspension of the wettable powder. Re-invert sprayer before use if spraying is interrupted. If spray screens are used, they should be 50 mesh or larger. Dilute Delta WP insecticide only with water.

Dosage Rates: Applications of 0.03% to 0.06% Delta WP can be made depending on pest species and method of application. Expect increased residual control of higher rates. See "Specific Use Directions For Control of Wood-Infesting Insects" for additional information.

Tank Mixing: Unless prohibited by a product's label, users at their own discretion can tank-mix pesticides such as insect growth regulators currently labeled for similar use patterns. It is always recommended that

a small jar compatibility test using proper proportions of chemicals and water be run to check for physical compatibility prior to tank-mixing.

Application Methods

This product may be applied either as a coarse spray or by brushing onto targeted surfaces. Equipment capable of delivering a coarse, low pressure (about 20 psi) spray is recommended for treatment of large or overhead areas. Inaccessible areas such as wall voids can be treated by injecting the spray mixture under low pressure (about 20 psi) through drilled openings. Use sufficient amount of spray dilution to cover the area to the point of wetness but avoid applying to the point of runoff.

Drilling may be necessary prior to applying Delta WP to voids, cracks or joint spaces in vulnerable locations and to channeled section of wood but it must be recognized that such drilling and treating may not result in complete coverage of infested vulnerable voids. All treatment holes drilled in construction elements in commonly occupied areas of structures must be securely plugged. Inspect at 6 months and 1 year to insure that the colony has been killed. If infestation is still evident after inspection, retreat (but not more than 2 times a year).

Overhead Areas: It is recommended that, when spraying overhead interior living areas of residential buildings, surfaces below areas being treated be covered with plastic sheeting or other material which can be disposed of by placing in trash. Care should be taken to avoid dripping or runoff from contacting applicator.

Wood-Infesting Insects Controlled by Delta WP

- beetles⁽¹⁾
 - (Anobiidae)
 - (Bostrichidae)
 - (Cerambycidae)
 - (Lyctidae)
- Carpenter ants and other wood-infesting ants⁽²⁾
- Carpenter bees
- Termites⁽³⁾

Numbers refer to "Specific Use Directions for Control of Wood-Infesting Insects".

Specific Use Directions for Control of Wood-Infesting Insects

1. Beetles may be controlled by applying spray mixture to infested areas, or areas where infestations are likely to occur. This includes but is not limited to wood surfaces, voids and channels in damaged wood, spaces between wooden members of a structure and junctions between wood and foundations. Apply to wetness but avoid runoff.
2. Wood-infesting ants may be controlled by applying spray mixture around doors and windows, cracks or crevices, or other areas where ants may enter, crawl or hide.
Primary colonies are typically found outside through an exterior inspection. Correction of sanitation and structural deficiencies or landscape modifications may be necessary for effective control.
3. Termites can be treated by applying spray mixture to infested areas, or areas where infestations are likely to occur. This includes but is not limited to wood surfaces, voids and channels in damaged wood, spaces between wooden members of a structure and junctions between wood and foundations.

This application is not intended as a substitute for soil treatments. This product is not recommended as sole protection against termites. For active termite infestations, get a professional inspection.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Bayer Environmental Science. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: BAYER ENVIRONMENTAL SCIENCE MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Bayer Environmental Science is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. Bayer Environmental Science disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT BAYER ENVIRONMENTAL SCIENCE'S ELECTION, THE REPLACEMENT OF PRODUCT.

©Bayer AG, 2004

DeltaGard is a registered trademark of Bayer.



Bayer Environmental Science
A Business Group of BayerCropScience LP

Bayer Environmental Science
95 Chestnut Ridge Road, Montvale, NJ 07645
www.bayerprocentral.com