

# DELTA GARD™ T&O INSECTICIDE

- \* FOR INSECT CONTROL ON COMMERCIAL AND RESIDENTIAL TURF, AND LANDSCAPE, ORNAMENTAL PLANTS
- \* NOT FOR USE ON TURF BEING GROWN FOR SALE OR OTHER COMMERCIAL USE AS SOD, OR FOR COMMERCIAL SEED PRODUCTION, OR FOR RESEARCH PURPOSES

### ACTIVE INGREDIENT:

Deltamethrin: (s)-alpha-cyano-3-phenoxybenzyl-(1R,3R)-3-(2-2-dibromovinyl)-2,2-dimethylcyclopropanecarboxylate . . . . . 4.75%

INERT INGREDIENTS: . . . . . 95.25%  
100.00%

Contains 0.42 lb deltamethrin per gallon.  
DeltaGard is a trademark of AgrEvo Environmental Health, Inc.

EPA Reg. No. 432-834

EPA Est. No.

PRECAUCION AL USARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.  
(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)


## KEEP OUT OF REACH OF CHILDREN

## CAUTION

### STATEMENT OF PRACTICAL TREATMENT

If Inhaled: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

See Side Panel for Additional Precautions



AgrEvo Environmental Health  
95 Chestnut Ridge Road  
Montvale, NJ 07645

NET CONTENTS:

Q834 012098In

IN CASE OF MEDICAL EMERGENCIES OR HEALTH AND SAFETY INQUIRIES, OR IN CASE OF FIRE, LEAKING, OR DAMAGED CONTAINERS, INFORMATION MAY BE OBTAINED BY CALLING 1-800-471-0660.

FOR PRODUCT INFORMATION,  
CALL TOLL-FREE: 1-800-331-2867

### PRECAUTIONARY STATEMENTS

#### Hazards To Humans & Domestic Animals

##### CAUTION

Harmful if inhaled. Avoid breathing vapor or spray mist. Contact with product may result in transient tingling and reddening of the skin. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Wear protective clothing when using or handling this product to help avoid exposure to eyes and skin. Eye protection, gloves, a long-sleeved shirt and long-legged pants or coveralls are recommended.

Do not allow adults, children or pets on treated surfaces until spray has dried.

#### Environmental Hazards

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in areas near the application site. Use with care when applying in areas adjacent to any body of water. Do not apply on saturated soil. Do not contaminate ornamental fish ponds. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

This pesticide is highly toxic to bees exposed to direct treatment. Do not apply or allow it to drift to crops or weeds on which bees are actively foraging.

Notify state and/or Federal authorities and AgrEvo Environmental Health immediately if you observe any adverse environmental effects due to the use of this product.

NOTICE: It is a Federal offense to use any pesticide in a manner that results in the death of a member of an endangered species.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL INFORMATION: DeltaGard T&O Insecticide is a suspension concentrate formulation of deltamethrin containing the equivalent of 0.42 lb active ingredient per gallon. DeltaGard T&O Insecticide is a pyrethroid product which controls a broad spectrum of insects on turfgrasses and ornamental plants grown for non-food or non-feed uses. These areas include outdoor areas where turfgrasses and ornamentals are grown, such as athletic fields, recreational areas, residential landscapes, parks, and public and commercial sites. This product will provide effective

knockdown and residual control of the pests listed on this label. Uniform coverage is essential. Begin applications when pests are evident and repeat as needed.

**GENERAL HANDLING AND MIXING INSTRUCTIONS:**  
Shake container well before using. Add approximately one half of the water to the spray tank. Then add the proper amount of DeltaGard T&O Insecticide in water in accordance with the rates in the appropriate Application Rate table. Close the tank and agitate vigorously for 5 to 10 seconds, then add the remaining water slowly to avoid excess foam. Thoroughly agitate sprayer to ensure proper suspension. If spraying is interrupted when using a backpack or hand-held spray equipment, re-invert sprayer before use. If spray screens are used, they should be 50 mesh or larger. DILUTE DeltaGard T&O Insecticide ONLY WITH WATER. Prepare spray solution when ready to make applications.

**APPLICATION INSTRUCTIONS AND RECOMMENDATIONS**  
**TURFGRASS SITES:** Apply DeltaGard T&O Insecticide as a broadcast application using a conventional hydraulic boom-type sprayer or other suitable equipment for turfgrass pests according to the rates listed in the APPLICATION RATES FOR TURFGRASS SITES Table. Apply using a minimum of 2 gallons of water per 1000 sq. ft. Higher volumes (4 to 10 gallons of water per 1000 sq. ft.) may be needed for adequate coverage of dense turfgrass canopies and/or turfgrasses maintained under high mowing heights.

Get insects must be exposed to the insecticide to be controlled. For optimum control of surface-feeding insects, delay irrigation or mowing for 24 hours after application. For subsurface-feeding insects, irrigate with 0.25 to 0.5 inch of water immediately after application.

**TANK MIX RECOMMENDATIONS:** DeltaGard T&O Insecticide has been found to be compatible with many commonly used pest control and fertilizer products. When tank-mixing DeltaGard T&O Insecticide, observe all restrictions and precautions and limitations which appear on the label of each product. For any tank-mixture which has not been previously tested, mix the correct proportion of products and water in a quart jar to ensure proper physical compatibility of the mixture.

Tank mixtures of DeltaGard T&O Insecticide with silicone surfactants may improve the control of some insects.


**APPLICATION RATES FOR TURFGRASS SITES**

Turfgrass Sites	Pests	Rates	Remarks
Areas such as residential and recreational turf	Ants, Armyworms, Centipedes, Chiggers, Cockroaches, Crickets, Cutworms, Fleas (adult), Grasshoppers, Ground Beetles, Japanese Beetles (adults), Leafhoppers, Mealybugs, Pillbugs, Scorpions, Sod Webworms, Sowbugs, Springtails, Spiders, Ticks (including deer ticks)	0.4 to 0.6 fl oz per 1000 sq ft or 17.5 to 26 fl oz per Acre or 0.06 to 0.08 lb ai/A	Apply when pests become evident. Apply as a broadcast spray in a minimum of 2 gallons of water per 1000 sq ft. Delay irrigation or mowing for 24 hours after application for optimum control of surface-feeders such as cutworms and webworms.
	Annual Bluegrass Weevil (adult), Billbugs (adult), Black Turfgrass Ataenius (adult), Chinch Bugs, Mites*, Mole Crickets	0.6 to 0.9 fl oz per 1000 sq ft or 26 to 39 fl oz per Acre or 0.08 to 0.13 lb ai/A	For subsurface-feeders, such as mole crickets, irrigate with 0.25 to 0.5 inch of water immediately after application. The addition of a silicone surfactant may enhance mole cricket control.
	Red Imported Fire Ants**	1.5 fl oz/gallon	

- \* Suppression Only
- \*\* For control of fire ants, mix 1.5 fl. oz. DeltaGard T&O Insecticide per one gallon of water and apply as a drench treatment to each fire ant mound. Gently apply 1 to 2 gallons over the surface of each mound and surrounding area to approximately 2 feet in diameter. Whenever possible, avoid excessive disturbance of the mounds since high pressure sprays may cause ant migration, reducing product effectiveness. For best results, apply in cool weather during spring and fall (65-80°F) or early morning or late evening hours. If possible, apply after a recent rainfall. Make additional treatments as needed and treat new mounds as they appear.

**LANDSCAPE ORNAMENTALS:** DeltaGard T&O Insecticide provides control of a wide range of insects on landscape ornamentals. Mix DeltaGard T&O Insecticide with the required amount of water according to the APPLICATION RATES FOR LANDSCAPE ORNAMENTALS Table listed below. Thoroughly apply the finished spray to upper and lower leaf surfaces to ensure adequate coverage, but prior to dripping. Be sure to penetrate dense foliage to wet leaves, trunk, and branches.

Plant safety testing has been conducted on many species of ornamental plants under a wide range of environmental and cultural conditions, and no injury has been observed. If local use information is not available, it is advisable to pre-spray a few plants.



**APPLICATION RATES FOR ORNAMENTALS**

Ornamentals	Pests	Rate	Remarks
Landscape ornamentals including trees, shrubs, evergreens and foliage plants	Adelgids	4 to 8 fl oz per 100 gallons of water	Apply when pests become evident.
	Ants		
	Aphids		Thorough coverage is required for best results.
	Azalea lace bugs		
	Bagworms		Apply with sufficient water to ensure coverage of upper and lower leaf surfaces.
	Boxelder bugs		
	Cankerworms		
	Cardomom thrips		
	Cockroaches		
	Crickets		
	Elm leaf beetles		
	Elm spanworms		
	European pine sawflies		
	Fall webworms		
	Flea beetles		
	Flies		
	Fungus gnats		
	Grasshoppers		
	Greentriped mapleworm		
	Gypsy moth (larvae)		
	Imported willow leaf beetles		
	Japanese beetles (adults)*		
	June beetles (adults)		
	Lace bugs		
	Leaf-feeding caterpillars		
	Leafhoppers		
	Leaf rollers		
	Loopers		
	Leaf skeletonizers		
	Mealybugs		
	Midges		
	Mimosa webworms		
	Mites**		
Orangestriped oakworms			
Pillbugs			
Pine shoot beetles			
Pine tip moths			
Pinyon spindlegall midges			
Plant bugs			
Redhumped caterpillar			
Red imported fire ants			
Sawfly larvae			
Sowbugs			
Spiders			
Springtails			
Spanworms			
Scale insects (crawlers)			
Tent caterpillars			
Ticks			
Webworms			
Yellownecked caterpillar			

- \* Will provide antifeedent properties on treated ornamentals against Japanese beetles.
- \*\* Suppression only.

**NOTES:**

1. DO NOT apply DeltaGard T&O Insecticide through any type of irrigation system.
2. DO NOT apply this product to edible crops.

**STORAGE & DISPOSAL**

Do not contaminate water, food or feed by storage or disposal. **Storage:** Avoid extremes in temperature. Mix as needed. Do not store diluted material. Store in original container in a secured dry storage area. Prevent cross-contamination with other pesticides and fertilizers. If the container is leaking or material is spilled, on floor or paved surfaces, absorb with sawdust or other commercially available absorbing material, sweep up and remove to

chemical waste area for disposal.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

**IMPORTANT: READ BEFORE USE**

By using this product, user or buyer accepts the following conditions, warranty, disclaimer of warranties and limitations of liability.

**CONDITIONS:** The directions for use of this product are believed to be adequate and should be followed carefully. However, because of extreme weather conditions and soil conditions, manner of use and other factors beyond AgrEvo Environmental Health's control, it is impossible for AgrEvo Environmental Health to eliminate all risks associated with the use of this product. As a result, crop injury or ineffectiveness is always possible. All such risks shall be assumed by the user or buyer.

**DISCLAIMER OF WARRANTIES:** THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, WHICH EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of AgrEvo Environmental Health is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. AgrEvo Environmental Health disclaims any liability whatsoever for incidental or consequential damages, including, but not limited to, liability arising out of breach of contract, express or implied warranty (including warranties of merchantability and fitness for a particular purpose), tort, negligence, strict liability or otherwise.

**LIMITATIONS OF LIABILITY:** THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT AGREVO ENVIRONMENTAL HEALTH'S ELECTION, THE REPLACEMENT OF PRODUCT.

**AgrEvo Environmental Health**  
 95 Chestnut Ridge Road  
 Montvale, NJ 07645

