

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060, Approval expires 2-28-95



United States
Environmental Protection Agency
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 432-835	2. EPA Product Manager Mr. George LaRocca	3. Proposed Classification <input type="checkbox"/> None <input checked="" type="checkbox"/> Restricted
4. Company/Product (Name) DeltaGard GC 5SC Insecticide	PM# 23	
5. Name and Address of Applicant (Include ZIP Code) Aventis Environmental Science USA, LP 95 Chestnut Ridge Road Montvale, NJ 07645 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: NOTIFICATION EPA Reg. No. _____ Product Name MAR 8 2001	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input checked="" type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)
 This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.
 - Brand name change

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
<i>Certification must be submitted</i>		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per container
				<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
				<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/>	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input type="checkbox"/> Other _____	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Richard M. Gorrell	Title Manager, Registrations	Telephone No. (Include Area Code) (201) 307-3376
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature <i>Richard M. Gorrell</i>	3. Title Manager, Registrations	
4. Typed Name Richard M. Gorrell	5. Date February 7, 2001	

NOTIFICATION

MAR 8 2001



RESTRICTED USE PESTICIDE
Due To Toxicity To Fish and Aquatic Organisms
 For retail sale to and use only by Certified Applicators or persons under their direct supervision,
 and only for those uses covered by the Certified Applicator's certification.

DeltaGard® GC

**FOR INSECT CONTROL ON GOLF COURSES, SOD FARMS,
COMMERCIAL AND RESIDENTIAL TURF, AND LANDSCAPE
AND NURSERY ORNAMENTAL PLANTS.**

ACTIVE INGREDIENT:	
Deltamethrin:	4.75%
OTHER INGREDIENTS:	95.25%
	100.00%

Contains 0.42 lb deltamethrin per gallon.

EPA Reg. No. 432-835

EPA Est. No.
5/00

KEEP OUT OF REACH OF CHILDREN
CAUTION

SEE INSIDE PANEL FOR FIRST AID AND ADDITIONAL PRECAUTIONS

PRECAUCION AL USARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.
(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

IN CASE OF MEDICAL, ENVIRONMENTAL, OR TRANSPORTATION EMERGENCIES OR INQUIRIES, CALL 1-800-334-7577(24 HOURS/DAY).

FOR PRODUCT INFORMATION,
CALL TOLL-FREE: 1-800-331-2867

NET CONTENTS:



Produced By:
AVENTIS ENVIRONMENTAL SCIENCE USA LP
 95 Chestnut Ridge Road | Montvale, NJ 07645

FIRST AID

If Swallowed: Call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor.

If In Eyes: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

If On Skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center for treatment advice.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor for treatment.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if inhaled. Avoid breathing vapor or spray mist. Contact with product may result in transient tingling and reddening of the skin. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENGINEERING CONTROL STATEMENTS

When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users Should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in areas near the application site. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

This pesticide is highly toxic to bees exposed to direct treatment. Do not apply or allow it to drift to crops or weeds on which bees are actively foraging.

Notify State and/or Federal authorities and AgrEvo Environmental Health immediately if you observe any adverse environmental effects due to the use of this product.

NOTICE: It is a Federal offense to use any pesticide in a manner that results in the death of a member of an endangered species.

DIRECTIONS FOR USE

Restricted Use Pesticide: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls
- Waterproof gloves
- Shoes plus socks

NONAGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Wear protective clothing when using or handling this product to help avoid exposure to eyes and skin. Eye protection, gloves, a long-sleeved shirt, and long-legged pants or coveralls are recommended.

Do not allow adults, children or pets on treated surfaces until spray has dried.

GENERAL INFORMATION

DELTAGARD™ GC 55C Insecticide is a suspension concentrate formulation of deltamethrin containing the equivalent of 0.42 lb active ingredient per gallon. DELTAGARD GC 55C is a pyrethroid product which controls a broad spectrum of insects on turfgrasses and ornamental plants grown for nonfood or nonfeed uses. These areas include outdoor areas where turfgrasses and ornamentals are grown, such as golf courses, sod farms, athletic fields, recreational areas, residential landscapes, parks, public and commercial sites, and ornamental nurseries. This product will provide effective knockdown and residual control of the pests listed on this label. Uniform coverage is essential. Begin applications when pests are evident and repeat as needed.

GENERAL HANDLING AND MIXING INSTRUCTIONS

Shake container well before using. Add approximately one-half of the water to the spray tank. Then add the proper amount of DELTAGARD GC 55C Insecticide in water in accordance with the appropriate Application Rate table. Close the tank and agitate vigorously for 5 to 10 seconds, then add the remaining water slowly to avoid excess foam. Thoroughly agitate sprayer to ensure proper suspension. If spraying is interrupted when using a backpack or hand-held spray equipment, invert sprayer before use. If spray screens are used, they should be 50 mesh or larger. DILUTE DELTAGARD GC 55C Insecticide ONLY WITH WATER. Prepare spray solution when ready to make applications.

APPLICATION INSTRUCTIONS AND RECOMMENDATIONS

TURFGRASS SITES

Apply DELTAGARD GC 55C Insecticide as a broadcast application using a conventional hydraulic boom-type sprayer or other suitable equipment for turfgrass pests according to the rates listed in the APPLICATION RATES FOR TURFGRASS SITES table. Apply using a minimum of 2 gallons of water per 1000 sq. ft. Higher volumes (4 to 10 gallons of water per 1000 sq. ft.) may be needed for adequate coverage of dense turfgrass canopies and/or turfgrasses maintained under high mowing heights.

Target insects must be exposed to the insecticide to be controlled. For optimum control of surface-feeding insects, delay irrigation or mowing for 24 hours after application. For subsurface-feeding insects, irrigate with 0.25 to 0.5 inch of water immediately after application.

Tank Mix Recommendations - DELTAGARD GC 55C Insecticide has been found to be compatible with many commonly used pest control and fertilizer products. When tank mixing DELTAGARD GC 55C, observe all restrictions and precautions and limitations which appear on the label of each product. For any tank mixture which has not been previously tested, mix the correct proportion of products and water in a quart jar to ensure proper physical compatibility of the mixture.

Tank mixtures of DELTAGARD GC 55C Insecticide with silicone surfactants may improve the control of some insects.

APPLICATION RATES FOR TURFGRASS SITES

Turfgrass Sites	Pests	Rates	Remarks
Areas such as residential and recreational turf, sod farms, and golf courses	Armyworms, Cutworms, Sod webworms	0.2 to 0.4 fl.oz. per 1000 sq. ft. or 8.75 to 17.5 fl. oz. per Acre or 0.03 to 0.06 lb ai/A	Apply when pests become evident. Apply as a broad-cast spray in a minimum of 2 gallons of water per 1000 sq. ft.
	Ants, Centipedes, Chiggers, Cockroaches, Crickets, Fleas (adult), Grasshoppers, Ground beetles, Japanese Beetles (adults), Leafhoppers, Mealybugs, Pillbugs, Scorpions, Sod Sowbugs, Springtails, Spiders, Ticks (including black-legged ticks or deer ticks)	0.4 to 0.6 fl.oz. per 1000 sq. ft. or 17.5 to 26 fl. oz. per Acre or 0.06 to 0.08 lb ai/A	Delay irrigation or mowing for 24 hours after application for optimum control of surface feeders such as cutworms and sod webworms.
	Annual bluegrass weevil (Hyperodes adult), Billbugs (adult), Black turfgrass ataenius (adult), Chinch bugs, Mites*, Mole crickets	0.6 to 0.9 fl.oz. per 1000 sq. ft. or 26 to 39 fl. oz. per Acre or 0.08 to 0.13 lb ai/A	For subsurface feeders, such as mole crickets, irrigate with 0.25 to 0.5 inch of water immediately after application. The addition of a silicone surfactant may enhance mole cricket control.
	Red imported fire ants**	1.5 fl.oz./gallon	

* Suppression Only

** For control of fire ants, mix 1.5 fl. oz. DELTAGARD GC 55C Insecticide per one gallon of water and apply as a drench treatment to each fire ant mound. Gently apply 1 to 2 gallons over the surface of each mound and surrounding area to approximately 2 feet in diameter. Whenever possible, avoid excessive disturbance of the mounds since high pressure sprays may cause ant migration, reducing product effectiveness. For best results, apply in cool weather during spring and fall (65°- 80°F) or early morning or late evening hours. If possible, apply after a recent rainfall. Make additional treatments as needed and treat new mounds as they appear.

LANDSCAPE AND NURSERY ORNAMENTALS

Do not apply this product in greenhouses.

DELTAGARD GC 55C Insecticide provides control of a wide range of insects on landscape and nursery ornamentals. Mix DELTAGARD GC 55C Insecticide with the required amount of water according to the APPLICATION RATES FOR ORNAMENTALS table. Thoroughly apply the finished spray to upper and lower leaf surfaces to ensure adequate coverage, but prior to dripping. Be sure to penetrate dense foliage to wet leaves, trunk, and branches.

Plant safety testing has been conducted on many species of ornamental plants under a wide range of environmental and cultural conditions, and no injury has been observed. If local use information is not available, it is advisable to pre-spray a few plants.

APPLICATION RATES FOR ORNAMENTALS

Ornamentals	Pests	Rate	Remarks
Landscape and nursery ornamentals including trees, shrubs, evergreens, and foliage plants	Adelgids	4 to 8 fl.oz. per 100 gallons of water	Apply when pests become evident. Thorough coverage is required for best results. Apply with sufficient water to ensure coverage of upper and lower leaf surfaces.
	Ants*		
	Aphids		
	Azalea caterpillar		
	Azalea lace bugs		
	Bagworms		
	Boxelder bugs		
	California oakworms		
	Cankerworms		
	Cardamom thrips		
	Casebearers		
	Cockroaches		
	Crickets*		
	Elm leaf beetles		
	Elm spanworms		
	European pine sawflies		
	Fall webworms		
	Firebrats		
	Flea beetles		
	Flies		
	Fungus gnats		
	Grasshoppers		
	Greenstriped mapleworm		
	Gypsy moth (larvae)		
	Imported willow leaf beetles		
	Japanese beetles (adults)**		
	June beetles (adults)		
	Lace bugs		
	Leaf-feeding caterpillars		
	Leafhoppers		
	Leafminers		
	Leaf rollers		
	Leaf skeletonizers		
	Mealybugs		
	Midges*		
Mimosa webworms			
Mites***			
Orangestriped oakworms			
Pillbugs			
Pine shoot beetles			
Pine tip moths			
Pinyon spindlegall midges			
Plant bugs			
Psyllids			
Redhumped caterpillar			
Red imported fire ants			
Sawfly larvae			
Silverfish			
Sowbugs			
Spiders*			
Springtails			
Spanworms			
Scale insects (crawlers)			
Spittlebugs			
Tent caterpillars			
Ticks			
Webworms			
Yellownecked caterpillar			

* The use of DeltaGard GC 55C Insecticide for the control of ants, crickets, midges and spiders is limited to ornamental areas and areas adjacent to buildings. Apply as a general spray, concentrating on damp areas beneath shrubbery, around foundations and in areas of tall weeds and grass.

** Will provide antifeedent properties on treated ornamentals against Japanese beetles.

*** Suppression only.

SPRAY DRIFT AND PRECAUTIONS FOR OUTDOOR USE

1. DO NOT apply DELTAGARD GC 5SC through any type of irrigation system.
2. DO NOT apply by air. Do not apply within 25 feet of lakes, reservoirs, rivers, permanent streams, marshes or natural ponds, estuaries and commercial fish farm ponds. When treating tall trees (>15 feet) from the ground with high pressure sprays, or during any application with air assisted equipment (mist blowers), do not apply within 150 feet of aquatic areas.
3. DO NOT apply this product as a U.L.V. application. Apply product using spray nozzles which produce a coarse droplet size. Formation of very small droplets may be minimized by appropriate nozzle selection and by avoiding excessive spray pressure.
4. Low humidity and high temperatures increase the likelihood of spray drift to sensitive areas. Avoid spraying during conditions of low humidity and/or high temperature.
5. Make applications when wind velocity favors on-target deposition (approximately 3 to 10 mph). Do not apply when wind velocity exceeds 15 mph.
6. Risk of exposure to sensitive aquatic areas can be reduced by avoiding applications when the wind direction is towards the aquatic area.
7. DO NOT make outdoor applications during temperature inversions. Inversions are characterized by stable air and increasing temperature with height above ground. Mist or fog may indicate the presence of an inversion in humid areas. The applicator may detect the presence of an inversion by producing smoke and observing a smoke layer near the ground surface.
8. Be particularly careful not to allow drift to containers or ornamental ponds containing valuable fish or invertebrates.
9. In New York State, product may not be applied to turf within 100 feet of a coastal marsh, or stream that drains directly into a coastal marsh. For control of turf insects in New York State, a second application may be made after two weeks if target insect activity persists.

STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage: Avoid extremes in temperature. Mix as needed. Do not store diluted material. Store in original container in a secured dry storage area. Prevent cross-contamination with other pesticides and fertilizers. If the container is leaking or material is spilled on floor or paved surfaces, absorb with sawdust or other commercially available absorbing material, sweep up and remove to chemical waste area for disposal.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

Container Disposal: Triple rise (or equivalent). Then offer for recycling or reconditioning; or puncture and dispose of in a sanitary landfill, or by incineration; or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Aventis Environmental Science USA LP. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: Aventis Environmental Science USA LP MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Aventis Environmental Science USA LP is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. Aventis Environmental Science disclaims any liability whatsoever for special, incidental or consequential damages, resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT AVENTIS ENVIRONMENTAL SCIENCE'S ELECTION, THE REPLACEMENT OF PRODUCT.

©Aventis Environmental Science USA LP, 2000

DeltaGard and Chipco are registered trademarks of the Aventis Group.

Replaces: DG GC 55C-SL-10M-(990630)-N.P. 7/99

Revisions include:

- NEW EMERGENCY NUMBER
 - NEW WARRANTY STATEMENT
- DISCARD PREVIOUS LABELS!