

PM 03

432-836

3-12-99

1044

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060.



United States  
Environmental Protection Agency  
Washington, DC 20460

Registration  
 Amendment  
 Other

OPP Identifier Number  
262260

Application for Pesticide - Section I

1. Company/Product Number 432-836	2. EPA Product Manager George LaRocca	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) DeltaGard G Insecticide Granule	PM# 13	
5. Name and Address of Applicant (Include ZIP Code) AgrEvo Environmental Health 95 Chestnut Ridge Road Montvale, NJ 07645 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

**NOTIFICATION**  
MAR 12 1999

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA. **Notification of additional pest per PR Notice 98-10 - black turfgrass ateniensis**

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No			<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container		
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product		<input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input type="checkbox"/> Other _____	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Sharon M. Johnston	Title Manager, Registrations	Telephone No. (Include Area Code) (201) 307-3363
<b>Certification</b> I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Manager, Registrations	
4. Typed Name Sharon M. Johnston	5. Date March 5, 1999	

# DELTAGARD™ INSECTICIDE GRANULE

- For Sale to, Use and Storage by Commercial Applicators Only
- NOT FOR USE ON GOLF COURSES OR SOD FARMS
- [• For Insect Control in Turfgrasses, Landscape Ornamental Plantings (including interior plantscapes), and Perimeters around Commercial, Industrial, Residential and Recreational Areas]
- [• For Outdoor Use on Lawns, Grounds and Perimeter Treatments]
- [• Kills Insects in Lawns]
- [• Controls Home Invading Pests]
- [• 10 [20, 25, 50] Pounds Treats up to 5,000 [10,000, 12,500, 25,000] sq. ft.]
- [• Controls Surface-Feeding Pests]
- [• Ready-To-Use, Soluble Granule]
- [• Complete Release of Active Ingredient]
- [• Kills Ticks (including Lyme Disease Vectors)]
- [• Contains DeltaGard™]

### ACTIVE INGREDIENT:

Deltamethrin .....0.1%

OTHER INGREDIENTS: .....99.9%  
100.0%

DeltaGard is a trademark of AgrEvo Environmental Health, Inc.

EPA Reg. No. 432-836

EPA Est. No.

PRECAUCION AL USARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicado ampliamente. (TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

### KEEP OUT OF REACH OF CHILDREN

### CAUTION

#### FIRST AID

**If Swallowed:** Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting.

**If In Eyes:** Flush eyes with plenty of water. Call a physician if irritation persists.

See Side Panel for Additional Precautions

**NOTIFICATION**

**MAR 12 1999**

IN CASE OF MEDICAL EMERGENCIES OR HEALTH AND SAFETY INQUIRIES, OR IN CASE OF FIRE, LEAKING, OR DAMAGED CONTAINERS, INFORMATION MAY BE OBTAINED BY CALLING 1-800-XXX-XXXX.

FOR PRODUCT INFORMATION, CALL TOLL-FREE: 1-800-XXX-XXXX.

### PRECAUTIONARY STATEMENTS Hazards To Humans & Domestic Animals Caution

Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

Food utensils such as spoons and measuring cups must not be used for food purposes after use in measuring pesticides. Do not allow children or pets on treated areas until granules have been watered into the soil and the grass or soil is dry.

### Environmental Hazards

This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Use with care when applying in areas adjacent to any body of water. Do not contaminate water when disposing of equipment washwater.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks or on lawns and grounds.

Not for use in commercial greenhouses or nurseries.

Not for use on sod farms, grass grown for seed or on golf course turf.

GENERAL INFORMATION: DeltaGard G Insecticide Granule is a broad spectrum residual pyrethroid insecticide for the control of major insect pests in turfgrasses and landscape ornamentals (including interior plantscapes) and around the perimeters of structures in residential, commercial and recreational areas. DeltaGard G Insecticide Granule is a 0.1% granular formulation of deltamethrin on a water soluble carrier.



Treat as directed. This product is extremely toxic to fish and aquatic invertebrates. Use with care when applying in areas adjacent to any body of water. Do not apply on saturated soil. Do not allow runoff to occur. Do not contaminate ornamental fish ponds.

In New York State, product may not be applied to turf within 100 feet of a coastal marsh or stream that drains directly into a coastal marsh. For control of turf insects other than fleas and ticks in New York State, a second application may be made after two weeks if target insect activity persists.

**RECOMMENDATIONS FOR TURFGRASSES, LANDSCAPE ORNAMENTAL PLANTING AND PERIMETER TREATMENTS:**

Apply DeltaGard G Insecticide Granule as a broadcast application with suitable and calibrated application equipment to give complete and uniform coverage of pest infested areas. Applications should be made using the rates shown below.

Pest	Dosage of Product	Application Procedure
Annual bluegrass weevil (hyperodes) (adult), ants, armyworms, bermudagrass mites, billbugs (adult), black turfgrass ataenius, boxelder bugs, centipedes, chiggers, chinch bugs, clover mites, cockroaches, crickets, cutworms, darkling ground beetles, digger wasps, essex skipper, field crickets, fiery skipper, fire ants, firebrats, flea beetles, fleas, grasshoppers, Japanese beetles (adult), lawn moths, leafhoppers, mealy bugs (adult), scorpions, silverfish, sod webworms, sowbugs, spiders, spittlebugs, springtails, ticks (including Lyme disease vectors) and vegetable weevils	2 to 3 pounds per 1000 sq. ft.  OR  0.08 to 0.13 lbs ai/A  OR  87 to 131 lbs/A	Treat when insects first appear.  Apply this product uniformly to the pest infested area.  Use the higher application rate for subsurface pests and/or for extended residual control.  For optimum results, irrigate with an adequate quantity of water to thoroughly moisten grass and thatch and dissolve the insecticide granules.
Mole crickets	2 to 3 pounds per 1000 sq. ft.	In order to improve efficacy [For optimum results], irrigate as soon as possible with ¼ to ½ inch of water.

**APPLICATION EQUIPMENT:** DeltaGard G Insecticide Granule is a granular formulation. Apply with a fertilizer spreader or equivalent equipment as uniformly as possible.

**ALTERNATE ADDITIONAL TEXT**

The following table lists application equipment and recommended settings for that equipment for the application of DeltaGard G.

**Recommended Spreader Settings for Broadcast Applications**

(Numbers to be added to final container labeling)

Equipment	Ground Speed (mph)	Spreader Setting	
		87 lbs/A Once	130.7 lbs/A Twice
<b>Hand-Pushed</b>			
LESCO Rotary	3		
Scotts R-8A-1 Rotary	3		
Gandy Model 42H2C	3		
<b>Equipment Drawn (PTO - 540 RPM)</b>			
Gandy (8 foot)	4.5		
Lely 2.3202.000.1	4.5		
Lely Model L-400	4.5		
Vicon PS402	4.5		
Vicon PS10021	4.5		

**NOTE:** These recommended settings should be used as starting points when calibrating a spreader to achieve the desired application rate of DeltaGard G.

Spreaders should be calibrated periodically to ensure that equipment wear or other factors have not altered the flow rate of DeltaGard G. Calibration instructions are included in the Owner's Manual that was provided by the equipment manufacturer at the time of purchase. After calibration, the technician should regularly observe the amount of DeltaGard G Insecticide Granule that is applied to a known area and make further setting adjustments, as necessary, to maintain the appropriate application rate.

**FLEA AND TICK CONTROL (OUTDOORS):** For control of Fleas and Ticks (including, but not limited to Bear Tick, Black-legged Tick, Brown Dog Tick, Deer Tick, Lone Star Tick, Western Black-legged Tick, Wood Tick), a regular treatment program should be followed. Treat once a month as directed above when pests first appear in late spring (May - June) and continue until late summer (August-September) into the fall.

**SOD WEBWORMS:** If Lawn Moths (Sod Webworm Adults) are noticed in large numbers at dusk, or at first sign of damage to lawn, treat entire lawn uniformly.

**PERIMETER TREATMENT:** To help prevent infestation of buildings by Ants, Boxelder Bugs, Brown Dog Ticks, Centipedes, Cockroaches, Clover Mites, Crickets, Field Crickets, Fire Ants, Fleas, Scorpions, Sowbugs, Spiders, Springtails (Collembola), Termites and Ticks, treat a band 5 to 10 feet wide around and adjacent to the building where pests are active and may find entrance. Treat at a

rate of 1 to 1 1/2 pounds per 500 sq. ft. or 2 to 3 pounds per 1000 sq. ft.

For termites, the purpose of such applications of DeltaGard G Insecticide Granule is to kill workers or winged reproductive forms which may be present at the time of treatment. Such applications are not a substitute for mechanical, alteration, soil treatment or foundation treatment but are merely a supplement.

**SPOT TREATMENT:** To control *Ants, including Acrobat, Argentine, Big Headed, Cornfield, Harvester, Leafcutter, Little Black, Pavement and Pyramid Ants.* If possible, locate and treat nest first. Product should be applied to thoroughly cover the nest (1 to 2 teaspoons) and sprinkled with sufficient water to dissolve granules. IN addition to treating ant nests or mounds, entry points of buildings and the soil surface along the perimeter of the building should be treated.

**DIGGER WASPS:** Apply 1 to 2 teaspoons of granules in and around each individual ground nest opening. Make the application at dusk when wasps are not active.

**IMPORTED FIRE ANTS:** Apply up to 1 tbsp. over each 10" to 12" diameter mound and 2 feet around each mound to prevent escape of the queen. Immediately after application, water the granules into the soil gently with a light sprinkling can to avoid disturbing the colony. Use at least 1 gallon of water per mound. Apply in cool weather during the spring and fall (65 - 80°F), or in early morning or late evening for best results. Treat new mounds as they appear. If possible, make applications after a recent rainfall.

**FLOWER, SHRUB, ORNAMENTAL PLANT BEDS AND INTERIOR PLANTSCAPES:** To control *Ants, Fire Ants, Centipedes, Cockroaches, Crickets, Cutworms, Sowbugs, Pillbugs, Grasshoppers, Armyworms, Scorpions, Spiders, Springtails and Ticks,* apply granules evenly over soil within the beds, interiorscapes and under shrubbery. Use the same dosage recommended for control of these pests in lawns. For optimum results, irrigate with an adequate quantity of water to thoroughly moisten treated area and dissolve the insecticide granule. Do not use on or around fruit and nut trees, vegetable plants or around any plants used for food.

**STORAGE & DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**Storage:** Store in original container in a secured, dry storage area. Prevent cross-contamination with other pesticides and fertilizers. If container is leaking or material is spilled, sweep up and remove to chemical waste area.

**Pesticide Disposal:** Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** Completely empty container (by shaking and tapping sides and bottom) into application equipment. Dispose of container in a sanitary landfill or by incineration if allowed by State and local authorities. If burned, stay out of smoke.

Notice: Buyer assumes all responsibility for safety and use not in accordance with directions.

**IMPORTANT: READ BEFORE USE**

By using this product, user or buyer accepts the following conditions, warranty, disclaimer of warranties and limitations of liability.

**CONDITIONS:** The directions for use of this product are believed to be adequate and should be followed carefully. However, because of extreme weather conditions and soil conditions, manner of use and other factors beyond AgrEvo Environmental Health's control, it is impossible for AgrEvo Environmental Health to eliminate all risks associated with the use of this product. As a result, crop injury or ineffectiveness is always possible. All such risks shall be assumed by the user or buyer.

**DISCLAIMER OF WARRANTIES:** THERE ARE NOT WARRANTIES, EXPRESS OR IMPLIED OF MERCHANTABILITY OR OF FITNESS FOR PARTICULAR PURPOSE OR OTHERWISE, WHICH EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of AgrEvo Environmental Health is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. AgrEvo Environmental Health disclaims any liability whatsoever for incidental or consequential damages, including, but not limited to, liabilities arising out of breach of contract, express or implied warranty (including warranties of merchantability and fitness for a particular purpose), tort, negligence, strict liability or otherwise.

**LIMITATION OF LIABILITY:** THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT AGREVEO ENVIRONMENTAL HEALTH'S ELECTION, THE REPLACEMENT OF PRODUCT.

**AgrEvo Environmental Health**  
95 Chestnut Ridge Road  
Montvale, NJ 07645

NET CONTENTS:

[Denotes alternate bullet points]

