

U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 1200 Pennsylvania Ave., NW Washington, D.C. 20460

432-884

EPA Reg. Number:

Date of Issuance:

SEP 27 2001

Term of Issuance: Conditional

NOTICE OF PESTICIDE:

<u>x</u> Registration

Reregistration

Name of Pesticide Product:

DP210 Professional

Insecticide

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Aventis Environmental Science USA LP 95 Chestnut Ridge Road Montvale, NJ 07645

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to me above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is <u>conditionally</u> registered in accordance with FIFRA sec. 3(c)(7)(A). provided that you:

- 1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
- 2. Make the following labeling changes listed below before you release the product for shipment:
 - a. Under the "Precautionary Statements" section, please correct the last sentence to read "Wash thoroughly with soap and water after handling."
- 3. Please submit two (2) copies of your final printed label for before your release the product for shipment. Please refer to the A-79 enclosure for a further description of final printed labeling. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing amended labeling constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. If you have any questions regarding this action, please contact Dr. William Sproat of my team at (703) 308-8587.

Signature of Approving Official:

SEP 27 2001

George T. LaRocca

DP 210 Professional Insecticide

- [For Household & Domestic Use Only
- For Industrial/Industrial Use •
- For use in and around homes; apartments, motels.
- · Contains DeltaGard® Insecticide and pyrethrins Insecticide
- Contains pyrethrins, a botanical insecticide
- Contains Deltamethrin and pyrethrins
- Contains pyrethrins combined with Deltamethrin to give rapid [flush-out and] knockdown with extended killing power
- · Pyrethrins rapidly [excels] [flushes out] and knocks down bugs [roaches][insects] from cracks and crevices [their hiding places]
- · Pyrethrins insecticide is made from [chrysanthemum] flowers
- · Specially formulated [designed] to [provide fast and effective] kill [of] crawling and garden
- Improved Water-Based Formula
- Water-Based shake before use
- Killing Action and Residual Control
- [Fast] Knockdown Formula
- For Indoor/Outdoor Use
- Kills Fleas-Roaches-Ants-Spiders
- · Kills Ticks (including Lone Star Tick, Deer Ticks, Black Legged Ticks) ACCEPTED
- Kills Ticks (including ticks which may carry Lyme disease)
- Kills Bedbugs

SEP 2 7 2001 Kills On Contact

Kills Fast

Kills Hidden Bugs]

Under the Federal Inserticide. Fungicide, and Rodonticiale Act us amended, for the poetici registered under EPA Reg. No.

ACTIVE INGREDIENT:

Pyrethrins0.10% Deltamethrin 0.02% OTHER INGREDIENTS:99.88% 100.00%

DeltaGard is a registered trademark of the Aventis Group.

EPA Reg. No. 432-584

EPA Est. No.

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

IF ON SKIN OR ON CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

See Side Panel For Additional Precautions

In case of medical emergencies or health and safety inquiries, or in case of fire, leaking, or damaged containers, information may be obtained by calling 1-800-334-7577.

PRECAUTIONARY STATEMENTS Hazards To Humans & Domestic Animals CAUTION

Avoid contact with skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after.

Environmental Hazards

This product is extremely toxic to fish. Do not apply directly to water.

Physical Hazards

Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not apply this product in or on electrical equipment due to the possibility of shock hazard.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DP210 works in two ways: 1) it kills [pests, insects] bugs fast on contact; and 2) its residual action keeps on killing for up to 4 weeks after you spray (except for roaches and pantry pests). Contact kill gives you immediate results when spraying insects directly, while residual activity kills insects returning to treated areas. Remove pets, birds and cover fish aquariums before spraying.

SHAKE WELL BEFORE EACH USE. Hold container upright. Do not spray up into air. Apply to surfaces only. Remove protective cap and direct spray away from face. Hold can 12-15 inches from surface being sprayed. Press button down and spray as directed. Spray surface until slightly wet but not to the point of runoff.

DP210 will not stain surfaces or fabrics where water alone causes no damage.

DP210 insecticide is intended for use in and around residential structure and their immediate surroundings. Permitted areas of use include, but are not limited to: apartments, atriums, attics, automobiles, basements, bathrooms, boats,

cabins, campers, carports, cat sleeping quarters, clothes storage, condominiums, decks, dens, driveways, garages, gazebos, homes, kitchens, dog houses, lanais, living rooms, parlors, patios, pet sleeping areas, play rooms, porches, recreational vehicles, rooms, solariums, storage areas, sun rooms, utility rooms and verandahs. apartment buildings, campsites, cafeterias, crematoriums, day care centers, drive-ins, drug stores, dumpsters, factories, non-food/feed areas of food processing plants, food service establishments, food manufacturing and warehousing establishments, garages, hotels, hospitals, indoor and outdoor eating establishments, industrial plants, jails, kennels, motels, mausoleums, mess halls, morgues, nursing homes, office buildings, other public buildings, pet grooming parlors, pet stores, prisons, railroad cars, recreational areas, restaurants, schools, ships, solariums, sports stadiums, supermarkets, taverns, theaters, trailers, trains, transportation vehicles, trucks, truck trailers, utility rooms, veranda, veterinarians, warehouses, washrooms, and zoos.

For control of all labeled pests, applications are permitted non-food/non-feed areas of food/feed handling and processing establishments as a general surface, spot or crack and crevice treatment. Not for use in Federally Inspected Meat and Poultry Plants.

Do not apply as a general surface treatment in the nor-food/feed handling areas of the facility when the facility is in operation or food/feeds are exposed. Do not apply directly to food/feed products. Cover or remove all food/feed processing and/or handling equipment during application. After application in food/feed processing plants, cafeterias and similar facilities, wash all equipment, benches, shelving and other surfaces with food/feed will contact. Clean food/feed handling or processing equipment and thoroughly rinse with clean, fresh water. After application in bakeries, clean all food contact surfaces thoroughly with appropriate equipment.

Spot or crack and crevice applications may be made while the facility is in operation provided exposed food is covered or removed from the area being treated prior to application. Do not apply directly to food or food handling surfaces.

In the home, do not allow spray to contact food/feed surfaces. If it does, clean surfaces with soap and water.

Food/feed handling establishments are defined as places other than private residences in which exposed food/feed is held, processed, prepared or served. Included also are areas for receiving, storing, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed

processing systems (mills, dairies, edible oils, syrups) of food/feed. Serving areas where food/feed is exposed and the facility is in operation are also considered food/feed areas.

Non-Food/non-feed areas include garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, mop closets and storage (after packaging, canning or bottling). All areas that insects inhabit or through which insects may enter should be treated.

INDOORS:

Cockroaches [including adult and immature stages of both non-resistant and organophosphate and carbamate resistant strains], ants, boxelder bugs, centipedes, crickets, beetles, firebrats, fleas, palmetto bugs/waterbugs, sowbugs and ticks:

Apply thoroughly to all areas where these pests crawl and hide, especially in cracks and crevices, hidden areas around sinks and storage areas, behind baseboards, around doors and windows, behind and under refrigerators, cabinets, sinks and stoves, the underside of shelves, drawers, bookcases, and similar areas. When pests are driven out, spray directly. Repeat [treatment] after 4 weeks or if reinfestation occurs.

[ROACHES: Spray in cracks and crevices, around baseboards and other hiding places until wet. When driven out, spray bugs directly. Repeat [treatment] if reinfestation occurs.

Ants: Spray freely around ant trails, doors and windows and other places where ants enter the house. Repeat [treatment] after 4 weeks or if reinfested occurs.

Carpenter Ants: For effective control, locate and treat nests and surrounding areas. Apply around doors and windows and other places where ants enter premises and where they crawl and hide. Spray into infested wood through existing openings. Repeat [treatment] after 4 weeks or if re-infestation occurs.

Ticks (including ticks which may carry Lyme disease) and Fleas on Surfaces: Remove pet bedding and destroy or clean thoroughly. Spray pet resting quarters. Adult fleas contacted by spray will be killed. Put fresh bedding down once spray has dried. Do not spray animals directly. For best results, pets should be treated with an appropriate product before allowing them to return to treated area. Spray rugs and carpets where infestations are bad. Delicate fabrics should be tested for staining in an inconspicuous area prior to use. Repeat [treatment] after 2-4 weeks or if re-infestation occurs.

Spiders: Apply along and behind baseboards, to window and door frames, corners, pipes, storage

localities, attics, crawl spaces and into other areas where these pests are found.

Centipedes, Ground Beetles, Pillbugs, Sowbugs, Scorpions and Ticks: Apply around doors and windows, baseboards, storage areas and other locations where these pests are found.

[SILVERFISH, CRICKETS, SPIDERS, EARWIGS: Apply to areas where these pests are found.]

PANTRY PESTS - Beetles, Moths, Weevils, Flour Beetles [Grain beetles (Rusty, Merchant and sawtoothed), Flour Beetles (Red and Confused), Chocolate Moths, Indian Meal Moths, Angoumois Grain Moths, Mediterranean Flour Moths, Cigarette Beetles, Drugstore Beetles, Rice Weevils, Lesser Grain Borers, Spider Beetles, Grain Mites and Tobacco Moths]: Treat exposed stages. Remove all foodstuffs, utensils and shelf paper from area to be treated. Discard used shelf paper and any infested foodstuffs. Apply spray to shelves and in cracks and crevices behind and under cupboards and cabinets. Allow spray to dry prior to replacement of shelf paper, food utensils. Repeat [treatment] if re-infestation occurs.

Carpet Beetles [Black, Furniture and Varied] and Dermestid beetles [Hide/Larder/Leather]: Spray on and under edges of floor coverings, under rugs and furniture and in closets or other localities where these insects are found. Fabrics should be tested for staining in an inconspicuous area prior to use. Repeat [treatment] if re-infestation occurs.

[Webbing] Clothes Moths: Use this product as a crack and crevice treatment in closets and other storage areas where these pests are found. This will not control moth larvae already on clothes. Do not apply to clothing. Repeat [treatment] if re-infestation occurs.

Bedbugs: Apply as a spot treatment to cracks and crevices, around baseboards, floorboards, bedboards and walls. First thoroughly clean and air mattresses and springs. Then spot treat only areas that may harbor bedbugs, concentrating on tufts, folds and seams. Repeat [treatment] if re-infestation occurs.

To kill Lice and Louse Eggs: Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray entire area to be treated. Hold container upright with nozzle away from you. Depress valve and spray from a distance of 8 to 10 inches. Spray each square foot for three seconds. Spray only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered of dry cleaned. Allow all sprayed articles to dry thoroughly before use.

OUTDOORS:

Point nozzle away from face. Hold can on a slight downward angle, approximately 12-15 inches from surface to be sprayed. For best results, spray when air is calm. Spray with the wind if a breeze is blowing.

PESTS ON OUTSIDE SURFACES: To control infestations of outdoor pests such as ants, cockroaches, ticks and spiders. Spray foundation of building where these insects [pests, bugs] are active and may find entrance up to a height of 2 to 3 feet. Apply as a residual spray to outside surfaces of buildings where insects tend to congregate. Spray areas include (but are not limited to) screens, window frames, eaves, porches, patios, picnic areas, garages and refuse dumps. Repeat treatment weekly if necessary.

CRAWLING INSECTS: ants (including fire ants), cockroaches, centipedes, scorpions, crickets, palmetto/water bugs, spiders, sowbugs, earwigs, boxelder bugs, beetles. Spray insects [bugs, pests] directly.

Ticks (including LoneStar Ticks, Deer Ticks, Black Legged Ticks: Spray areas where these pests are found.

Ants: Spray freely around ant trails and hills. Spray around nests hidden under steps, brickwork, concrete, etc. Break apart accessible nests and spray freely on and around debris. Repeat is ants return.

[ANTS: Spray ant trails and hills. If nest can be located, spray surface of nest until wet.]

Wasps, Mud Daubers, Hornets and Bees: Spray individuals directly and vacate area. Do not treat whole nests with this product.

FLYING INSECTS: Houseflies, gnats, mosquitoes and moths: Use only on outdoor surfaces. Spray outside surfaces of windows, window and door frames, screens and other areas where these pests may enter the home. Also spray localized resting areas, such as under eaves, porches, light fixtures and cords, railings, etc. where these insects may rest. Insects coming to rest on treated surfaces will be killed. Retreat weekly and when insects return.

STORAGE & DISPOSAL

Storage: Do not store near heat or open flame. Store in a cool, dry area away from children.

Container Disposal: Replace cap, wrap container in several layers of newspaper and discard in trash. Do not incinerate or puncture. Can may be disposed of with other recyclables where local law permits.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, because of manner of use and other factors beyond Aventis Environmental Science's control, it is impossible for Aventis Environmental Science to eliminate all risks associated with the use of this product. As a result, crop injury or ineffectiveness is always possible. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: AVENTIS
ENVIRONMENTAL SCIENCE USA LP MAKES NO
OTHER WARRANTIES, EXPRESS OR IMPLIED, OF
MERCHANTABILITY OR OF FITNESS FOR A
PARTICULAR PURPOSE OR OTHERWISE, THAT
EXTEND BEYOND THE STATEMENTS MADE ON
THIS LABEL. No agent of Aventis Environmental
Science USA LP is authorized to make any
warranties beyond those contained herein or to
modify the warranties contained herein. Aventis
Environmental Science disclaims any liability
whatsoever for special, incidental or consequential
damages resulting from the use or handling of this
product.

LIMITATIONS OF LIABILITY: THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT AVENTIS ENVIRONMENTAL SCIENCE'S ELECTION, THE REPLACEMENT OF PRODUCT.

©Aventis Environmental Science USA LP, 2000

Aventis Environmental Science USA LP 95 Chestnut Ridge Road Montvale, NJ 07645

NET CONTENTS:

- [• Kills Bug You See and Even the Ones You Don't See
- Broad Spectrum Insect Control
- Kills Ants, Bees, Beetles, Cockroaches, Fleas, Flies, Mosquitoes, Scorpions, Spiders, Ticks
- Highly effective Against Labeled Pests In and Around Homes, Recreational Vehicles, Cabins, Tents and other Recreational Structures
- No Oily Residue No Unpleasant Odor

- No Greasy Residue
- Non-Staining
- Protects For Up To 4 Weeks
- Contains No CFC's or other Ozone Depleting Substances.
- Use DP 2 and you will have "Delta Blow" to your home invading bugs
- Guard your home with DeltaGard®]

[Indicates alternate text.]