

432-942

03/01/2002

1/6



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:

432-942

Date of Issuance:

MAR 1 2002

Term of Issuance: Unconditional

Name of Pesticide Product:

Banol Turf and Ornamental
Fungicide

NOTICE OF PESTICIDE:

— Registration

(under FIFRA, as amended) ☒ Reregistration

Name and Address of Registrant (include ZIP Code):

Aventis Environmental Science
95 Chestnut Ridge Road
Montvale, NJ 07645

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your response to the Reregistration Eligibility Documents, EPA has reregistered the product listed above. This action is taken under the authority of section 4 (g) (2) (c) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Registration under this section does not eliminate the need for control reassessment of pesticides. EPA may require submission of data at any time to maintain the registration of your product. With regards to labeling, you must make the labeling changes listed below:

- 1) In the Ingredients Statement, line up the percentages by ones, tens, and hundreds.
- 2) In the Environmental Hazards Statement, delete "For terrestrial uses," in the first sentence and capitalize the letter "d" in the word "do." The qualifying phrase "For terrestrial uses," is not needed as all uses on the label are terrestrial uses.

Submit one copy of your final printed labeling before you release the product for shipment. A stamped copy of the label is enclosed for your records.

Signature of Approving Official:

Mary L. Waller
Product Manager (21)
Fungicide Branch
Registration Division

Date:

3/1/02

BANOL®

TURF AND ORNAMENTAL FUNGICIDE
For control of Pythium and Phytophthora

Only for Use on Golf Courses, Sod Farms, Commercially Grown Ornamentals in Greenhouses and Container-Grown Ornamentals in Nurseries

NOT FOR SALE OR USE IN CALIFORNIA
NOT FOR USE ON SOD FARMS IN ARIZONA

ACTIVE INGREDIENT:

Propamocarb hydrochloride*

66.5%

INERT INGREDIENTS:

33.5%

TOTAL

100.0%

*Propyl [3-(dimethylamino)propyl] carbamate monohydrochloride

Contains 6.0 lbs. active ingredient per gallon

EPA Reg. No. 432-942

EPA Est. No. 407-IA-02

NET CONTENTS:

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF ON SKIN or CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

NOTE TO PHYSICIAN: Do not administer atropine unless cholinesterase inhibition is measured or patient shows distinct symptoms thereof. Oxime therapy is contraindicated. Otherwise, administration of gastric lavage or induction of vomiting followed by application of activated charcoal is the recommended treatment.

IN CASE OF MEDICAL EMERGENCIES OR HEALTH AND SAFETY INQUIRIES, OR IN CASE OF FIRE, LEAKING, OR DAMAGED CONTAINERS, INFORMATION MAY BE OBTAINED BY CALLING 1-800-228-6835, EXT. 202. HAVE THE PRODUCT CONTAINER OR LABEL WITH YOU WHEN CALLING A POISON CONTROL CENTER OR DOCTOR, OR GOING FOR TREATMENT.

ACCEPTED
with COMMENTS
In EPA Letter Dated:

MAR 1 2002

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.

432-942

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS **CAUTION**

Harmful if swallowed, or absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

PERSONAL PROTECTIVE EQUIPMENT

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category A on an EPA chemical-resistance category selection chart. Applicators and other handlers (both WPS and Non-WPS) must wear:

- Long-sleeved shirt and long pants
- Chemical-resistant gloves made of any waterproof material such as polyethylene or polyvinyl chloride
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENGINEERING CONTROLS STATEMENT

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should: Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove protective clothing and equipment immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

For terrestrial uses, do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

USE PRECAUTIONS

Do not graze or feed clippings from treated areas to livestock.

Do not apply this product through any type of irrigation system.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in original container and keep tightly closed. Store in a cool dry place.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

DO NOT REUSE ORIGINAL CONTAINER.

GENERAL INFORMATION

BANOL® is a completely water miscible fungicide concentrate. BANOL is intended for use on turfgrass or ornamental species which are subject to *Pythium* Blight (Cottony Blight, Grease Spot) or *Phytophthora*. It may be used after germination to control *Pythium* damping-off in turf, or on established turf to prevent or control *Pythium* Blight. BANOL does not afford broad spectrum disease control for *Rhizoctonia* sp. (brown patch), *Sclerotinia* sp. (dollarspot), or *Helminthosporium* sp. (leafspot). Use a broad spectrum fungicide if these diseases coexist with *Pythium* Blight.

BANOL is also recommended for prevention of root rot and damping-off caused by *Pythium* sp. and *Phytophthora* sp. at all stages of ornamental propagation.

COMPATIBILITY: BANOL is compatible with benomyl, iprodione, ethazol, chloroneb, trichlorfon, triadimefon, chlorothalonil, diazinon, chlorpyrifos, and thiram.

For control of other soil borne diseases such as *Rhizoctonia* sp. or *Fusarium* sp. BANOL can be tank-mixed with benomyl or thiophanate-methyl. Use the full rate of each fungicide and follow the most restrictive directions and restrictions appearing on the labels of these products.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers, other persons, or pets, either directly or through drift. Keep people and pets out of the area during application. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard 40 CFR 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls over short-sleeved shirt and short pants.
- Chemical-resistant footwear plus socks.
- Chemical-resistant gloves made of any waterproof material
- Chemical-resistant headgear for overhead exposure

Notify workers of the application by warning them orally and by posting signs at entrances to treated areas.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are not within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Do not enter or allow others to enter treated areas until sprays have dried.

TURFGRASS	AREA	Fluid Ounces BANOL	REMARKS
For Control of: Pythium Blight, Pythium Damping Off, and Root Rot on Established Turf and Overseeded Areas	1000 ft ²	<i>Preventative Treatment:</i> 1 1/2 - 2 fluid oz. in 2-5 gallons of water <i>Curative Treatment:</i> 3-4 fluid oz. in 2-5 gallons of water	Do not apply more than a total of 12 fl. oz. (0.57 lb a.i.) of BANOL per 1000 ft ² of turfgrass per year, equivalent to 25 lb a.i./acre/year. ESTABLISHED TURF: Apply as a preventative treatment during periods of high temperature and humidity favorable to the development of Pythium Blight. OVERSEEDDED AREAS: Apply after germination to control Pythium Damping-Off. RETREATMENT: Re-treat at 7-21 day intervals if conditions remain favorable for disease development. Use lower rate for the shorter interval and the higher rate for the longer interval within the application rate range. Under severe disease pressure conditions, use the highest recommended rate and shortest interval.

BANOL is recommended for prevention of root rot and damping-off caused by *Pythium* sp. and *Phytophthora* sp. at all stages of turfgrass development and ornamental plant propagation, including seeding, transplanting and potting.

ORNAMENTALS	Fluid Ounces BANOL	REMARKS
For Control of: <i>Pythium</i> and <i>Phytophthora</i> on Ornamental Plants: African Violet, Ageratum, Alyssum, Aster, Azalea, Browallia, Carnation, Celosia, Chrysanthemum, Coleus, Dahlia, Dusty Miller, Easter Lily, Ferns, Geranium, Gladiolus, Impatiens, Lobelia, Marigold, Pansy, Petunia, Poinsettia, Portulaca, Savia, Snapdragon, Verbena, Violet, and Vinca.	3 fl. oz. per 10 gallons of water 3 fl. oz. per 10 gallons of water 2 fl. oz. per 10 gallons of water 2 fl. oz. per 10 gallons of water	Do not use for field grown ornamentals. BANOL requires no agitation after initial mixing. Stock solutions of BANOL should be used within one week of mixing. BANOL does not cause phytotoxic symptoms on the listed plants when used as directed. Trials on other ornamental species should be conducted before extensive use. Seeding: Apply to the seeding area using 3 quarts of solution/10 ft ² . Treat before sowing of seeds requiring light and after covering of seeds requiring dark for germination. Transplanting (Seedlings): Apply to the transplanting area using 3 quarts of solution /10 ft ² before transplanting. Transplanting (Cuttings): Drench the cutting bed using 2 gallons of solution /10 ft ² before setting. Potting: Dip bare root plants in the solution before potting. After potting drench each pot using 3.5 fl. oz. of solution per 4 inch pot. Repeat the drench treatment at 6 week intervals.
Woody Ornamentals	2.5 fl. oz. per 10 gallons of water	For control of <i>Phytophthora</i> sp. on woody ornamentals, drench each container at the rate of 5 quarts of solution /10 ft ² of surface. Repeat the drench treatment at 3 to 4 month intervals

IMPORTANT: READ BEFORE USE

By using this product, user or buyer accepts the following conditions, warranty, disclaimer of warranties and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, because of extreme weather and soil conditions, manner of use and other factors beyond AgrEvo USA Company's control, it is impossible for AgrEvo USA Company to eliminate all risks associated with the use of this product. As a result, crop injury or ineffectiveness is always possible. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: THERE ARE NO WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, WHICH EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of AgrEvo USA Company is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. AgrEvo USA Company disclaims any liability whatsoever for incidental or consequential damages, including, but not limited to, liability arising out of breach of contract, express or implied warranty (including warranties of merchantability and fitness for a particular purpose), tort, negligence, strict liability or otherwise.

LIMITATIONS OF LIABILITY: THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT AGREVO USA COMPANY'S ELECTION, THE REPLACEMENT OF PRODUCT.

©AgrEvo USA Company, 1998

**Aventis Environmental Science
95 Chestnut Ridge Road
Montvale, NJ 07646**

Band Resubmit EPA 04/23/01