

432-1116

3/10/2004

113




TURBOCIDE® Pest Control System with Pyrenone®

- * THIS UNIQUE AEROSOL APPLICATION SYSTEM EMPLOYS LIQUID CARBON DIOXIDE AS A SOLVENT AND PROPELLANT.
- * NO CHEMICALS TO MIX, MEASURE OR POUR.
- * NO CYLINDERS TO DISPOSE OF.
- * THESE CYLINDERS ARE RETURNED TO THE MANUFACTURER FOR REFILLING.

ACTIVE INGREDIENTS:

Pyrethrins	0.5%
*Piperonyl Butoxide, Technical	4.0%
**INERT INGREDIENTS:	95.5%
	100.0%

*Equivalent to min. 3.2% (butylcarbityl)(6-propylpiperonyl) ether and 0.8% related compounds
 **Contains petroleum distillate



EPA REG. NO. 432-1116

EPA EST. NO.

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID

- IF SWALLOWED:**
- Call a Poison Control Center or doctor immediately for treatment advice.
 - Have person sip a glass of water if able to swallow.
 - Do not induce vomiting unless told to do so by the poison control center or doctor.
 - Do not give anything by mouth to an unconscious person.
- IF ON SKIN:**
- Take off contaminated clothing
- OR CLOTHING:**
- Rinse skin immediately with plenty of water for 15-20 minutes.
 - Call a poison control center or doctor for treatment advice
- IF IN EYES:**
- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
 - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
 - Call a poison control center or doctor for treatment advice.
- IF INHALED:**
- Move person to fresh air
 - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible
 - Call a poison control center or doctor for further treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-334-7577 for emergency medical treatment information.


For Product Information Call Toll-Free: 1-800-331-2867

See Side Panel For Additional Precautions

NET CONTENTS:

BAYER ENVIRONMENTAL SCIENCE

A Business Group of Bayer CropScience LP
 95 Chestnut Ridge Road • Montvale, NJ 07645



In case of Medical emergencies or health and safety inquiries or in case of fire, leaking or damaged containers, information may be obtained by calling 1-800-334-7577.

PRECAUTIONARY STATEMENTS Hazards To Humans & Domestic Animals

CAUTION

Harmful if swallowed. Avoid inhalation of spray mist. Avoid contact with skin and eyes. Avoid contamination of feed and foodstuffs, except as directed on this label. Vacate premises after treatment and ventilate before reoccupying. Remove pets, birds and cover fish aquariums before spraying.

When using this product as a space spray in food processing plants, foods should be removed or covered during treatment. Do not apply as a space spray while food processing is underway. Except in Federally inspected meat and poultry plants, when applied as a surface spray with care and in accordance with the directions and precautions given above, food processing operations may continue. Food processing surfaces and equipment must be covered during treatment or cleaned with a suitable detergent and rinsed with potable water before reuse.

Environmental Hazards

This product is toxic to fish. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water when disposing of washwaters. Shrimp and crabs may be killed at application rates recommended on this label. Do not apply where these are important resources.

Physical Or Chemical Hazards

Contents under pressure. Keep from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE AREAS

For use in and around the following:

- Food and Feed Processing and Handling Sites**
- Commercial Transportation Facilities**
- Private and Commercial Dwellings**
- Animal Shelters**
- Schools and Daycare Centers**
- Hospices, Hospitals and Nursing Homes**
- Nonresidential Buildings**
- Other Commercial, Industrial and Government Sites**

TURBOCIDE Pest Control System with Pyrenone should be applied only with the appropriate high pressure gun and hose or through a fixed Turbocide spray system.

The portable system with its hand-held gun will produce a specific discharge rate, expressed in grams per second, depending on the nozzle

size used. In a semi-portable system, or through a fixed installation, a dosing cylinder of a designated fill weight is connected to a nozzle system, thereby permitting a fixed dosage rate. This is calculated from the total cubic capacity of the premises. Different sizes of dosing cylinders thereby control the application rate. Where the dosing cylinder is filled from a supply cylinder, leave the valve open in the fill position prior to fogging for ten minutes to allow the pressure to balance. Turn the valve from the fill position to the fog (spray) position to release insecticide and propellant. The semi-portable system can also be operated on a timer without a dosing cylinder. Do not operate any Turbocide Pest Control System outside the temperature range of 50-95°F.

For optimum performance, close all doors and windows, shut off all HVAC equipment and keep the area closed for a minimum of 2 hours. The frequency of application should be determined by the degree of infestation and should be sufficient to interrupt the life cycle of the target species. The application of insecticide should also be timed to coincide with the peak activity of the target species. The dosage rates given below pertain to exposure periods of 2 hours. Where exposure periods are in excess of 2 hours (i.e. up to 6 hours), then the application may be adjusted downwards to achieve the same level of control.

For control of flying insects such as house flies, fruit flies and moths with a 2 hour exposure period, apply Turbocide Pest Control System with Pyrenone at an application rate of 8 grams per 1000 cubic feet. After treatment, ventilate, clean up insects, repeat as necessary.

For the control of crawling and flying insects as a contact spray, apply at an application rate of 16-24 grams per 1000 cubic feet. It should be noted even at the higher level, the system will only provide an aid to control of flour beetles.

Application rates for target species are as follows:

Target Species	TurboCide Pest Control System with Pyrenone Dose Rates (grams per 1000 cubic ft)
House Fly	<i>Musca domestica</i> 8.0
Fruit Flies	<i>Drosophila sp</i> 8.0
Indian meal moth,	<i>Plodia interpunctella</i> 8.0
German Cockroach	<i>Blattella germanica</i> 16.0
Oriental cockroach	<i>Blatta orientalis</i> 24.0
American Cockroach	<i>Periplaneta americana</i> 24.0
Saw-toothed grain beetle	<i>Oryzaephilus surinamensis</i> 24.0
Cigarette beetle	<i>Lasioderma serricorne</i> 24.0
*Confused flour beetle	<i>Tribolium confusum</i> 24.0
*Rust-red flour beetle	<i>Tribolium castaneum</i> 24.0
Warehouse beetle	<i>Trogoderma variabile</i> 8.0
Ants	<i>Formicidae</i> 16.0
Spiders	<i>Arachnida</i> 8.0

*Aid in control only

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: This cylinder must be checked periodically. A defective cylinder should not be used. A cylinder that has parts missing, is plainly worn or distorted, should be replaced immediately. Store upright in a cool and dry area.

Pesticide Disposal: Pesticide that cannot be used according to label instructions must be returned to the point of purchase in its original container.

Container Disposition: This cylinder must not be disposed of in any manner. Cylinders must be returned to point of purchase for credit. All cylinders, valves and caps remain the property of the manufacturer. Federal regulations prohibit the refilling of cylinders without written consent of the manufacturer.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Bayer Environmental Science. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: BAYER ENVIRONMENTAL SCIENCE MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Bayer Environmental Science is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. Bayer Environmental Science disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT BAYER ENVIRONMENTAL SCIENCE'S ELECTION, THE REPLACEMENT OF PRODUCT.

©Bayer AG, 2002

TURBOCID GOLD and PYRENONE are registered trademarks of Bayer AG.

BAYER ENVIRONMENTAL SCIENCE

A Business Group of Bayer CropScience LP
95 Chestnut Ridge Road
Montvale, NJ 07645

TBPCS -SL-11/02