

432-1240

07/11/2001

1/6



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

Date of Issuance:

432-1240

JUL 11 2001

Term of Issuance: **Unconditional**

Name of Pesticide Product:

**DeltaGard GC Granular
Insecticide**

NOTICE OF PESTICIDE:

- Registration
- Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Aventis Environmental Science USA LP
95 Chestnut Ridge Road.
Montvale, NJ 07645

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA sec. 3(c)(5), provided that you:

1. Make the following labeling changes listed below before you release the product for shipment:
 - a. Under the "Precautionary Statements" section of your label, please move the statements "Food utensils...soil is dry." to the "Directions for Use" section of your label.
 - b. Under "General Information", please change the second sentence to read "Deltagard GC is a 0.05% granular formulation..." to reflect the concentration of active ingredient listed on the label.
 - c. Add the following statements after the end of the second paragraph under "Perimeter Treatment": This product is not recommended as sole protection against termites. For active termite infestations, get a professional inspection"
 - d. Under "Agricultural Use Requirements", add the phrase "over long-sleeved shirt and long pants" after the word "Coveralls."

Signature of Approving Official:

Date:

George T. LaRocca

JUL 11 2001

7505C
SPRINT
07/11/01

- 2. Please submit two (2) copies of your final printed label for before your release the product for shipment. Please refer to the A-79 enclosure for a further description of final printed labeling. A stamped copy of the label is enclosed for your records.

If you have any questions regarding this action, please contact Dr. William Sproat of my team at (703) 308-8587.

Sincerely,

George T. LaRocca
Product Manager (13)
Insecticide Branch
Registration Division (7505C)

Enclosure



RESTRICTED USE PESTICIDE
Due To Acute Fish and Aquatic Organism Toxicity
 For retail sale to and use only by Certified Applicators or persons under their direct supervision,
 and only for those uses covered by the Certified Applicator's certification.

DeltaGard® GC

FOR INSECT CONTROL ON GOLF COURSES, SOD FARMS, LANDSCAPE ORNAMENTAL PLANTINGS AND PERIMETERS AROUND COMMERCIAL, INDUSTRIAL, RECREATIONAL, AND RESIDENTIAL AREAS.

ACTIVE INGREDIENT:

Deltamethrin: (S)-alpha-cyano-3-phenoxy- benzyl-(1R,3R)-3-(2-2-dibromovinyl)-2,2- dimethylcyclopropanecarboxylate	0.05%
OTHER INGREDIENTS:	99.95%
	100.00%

EPA Reg. No. 432-XXX

EPA Est. No.

KEEP OUT OF REACH OF CHILDREN
CAUTION

PRECAUCION AL USARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

IN CASE OF MEDICAL, ENVIRONMENTAL, OR TRANSPORTATION EMERGENCIES OR INQUIRIES, CALL 1-800-334-7577 (24 HOURS/DAY).

**FOR PRODUCT INFORMATION,
CALL TOLL-FREE: 1-800-331-2867**

NET CONTENTS:

ACCEPTED
with COMMENTS
by EPA Label Bureau

JUL 11 2001

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, the pesticide registered under EPA Reg. No. 432-1240

Produced By:

AVENTIS ENVIRONMENTAL SCIENCE USA LP

95 Chestnut Ridge Road Montvale, NJ 07645



FIRST AID

If Swallowed: Call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor.

If In Eyes: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

If On Skin: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center for treatment advice.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

NOTE: Have the product container or label with you when calling a poison control center or doctor for treatment.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

Food utensils such as spoons and measuring cups must not be used for food purposes after use in measuring pesticides. Do not allow children or pets on treated areas until granules have been watered into the soil and the grass or soil is dry.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users Should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Use with care when applying in areas adjacent to any body of water. Do not contaminate water when disposing of equipment washwater.

DIRECTIONS FOR USE

Restricted Use Pesticide: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For any requirements specific to your State or tribe, consult the agency

responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls
- Waterproof gloves
- Shoes plus socks

NONAGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Wear protective clothing when using or handling this product to help avoid exposure to eyes and skin. Eye protection, gloves, a long-sleeved shirt, and long-legged pants or coveralls are recommended.


GENERAL INFORMATION

DELTAGARD™ GC Granular Insecticide is a broad spectrum residual pyrethroid insecticide for the control of major surface feeding insect pests on golf courses, sod farms, ornamental landscape plantings, and perimeters around commercial, recreational, and residential areas. DELTAGARD GC Granular Insecticide is 0.1% deltamethrin formulated on a water-soluble carrier. Treat as directed. This product is extremely toxic to fish and aquatic invertebrates. Use with care when applying in areas adjacent to any body of water. Do not apply on saturated soil. Do not allow runoff to occur. Do not contaminate ornamental fish ponds.

Apply this product as prescribed on this label but not more than once per week during the growing season.

To avoid potential marking or discoloration of concrete surfaces (patios, sidewalks, driveways, pavers or similar material), it is recommended that granules applied to these surfaces be removed.

In New York State, product may not be applied to turf within 100 feet of a coastal marsh, or stream that drains directly into a coastal marsh. For control of turf insects in New York State, a second application may be made after two weeks if target insect activity persists.



RECOMMENDATIONS FOR TURFGRASSES, LANDSCAPE ORNAMENTAL PLANTINGS, AND PERIMETER TREATMENTS:

Apply DELTAGARD GC Granular Insecticide with suitable and calibrated application equipment to give complete and uniform coverage of pest infested areas. Applications should be made using the rates shown below.

Pests	Dosage of Product	Application Procedure
Annual bluegrass weevil (Hyperodes) (adult), Ants, Armyworms, Bermudagrass mites, Billbugs (adult), Black turfgrass atenioides, Boxelder bugs, Centipedes, Chiggers, Chinchbugs, Clover mites, Cockroaches, Crickets, Cutworms, Darkling ground beetles, Digger wasps, Essex skipper, Field crickets, Fiery skipper, Fire ants, Fire Brai, Flea beetles, Grasshoppers, Japanese Beetles (adult), Lawn moths, Leafhoppers, Mealybugs (adult), Sod webworms, Sowbugs, Spiders, Spittlebugs, Springtails, Ticks (including those that may carry Lyme disease), and Vegetable weevils	4 to 6 pounds per 1000 sq. ft.	Treat when insects first appear.
	OR	Apply this product uniformly to the pest infested area.
	0.08 to 0.13 lb ai/A	Use the higher application rate for subsurface pests and/or for extended residual control.
Mole crickets	OR	Use the higher application rate for subsurface pests and/or for extended residual control.
	174 to 262 pounds/A	For optimum results, irrigate with an adequate quantity of water to thoroughly moisten grass and thatch, and dissolve the insecticide granules.
Mole crickets	4 to 6 pounds per 1,000 sq. ft.	In order to improve efficacy, for optimum results, irrigate as soon as possible with 1/2 to 1 inch of water.

Do not allow adults, children, or pets on treated areas until granules have been watered into the soil and the grass or soil is dry.

FINE TURF USE PRECAUTIONS:

On fine turf, such as creeping bentgrass putting greens, tees and fairways, irrigate immediately after application with an adequate amount of water to completely dissolve the granule. DO NOT apply this product to creeping bentgrass when air temperatures are 80°F or greater.

APPLICATION EQUIPMENT:

Spreaders should be calibrated periodically to ensure that equipment wear or other factors have not altered the flow rate of DELTAGARD GC. Calibration instructions are included in the Owner's Manual that was provided by the equipment manufacturer at the time of purchase. After calibration, the technician should regularly observe the amount of DELTAGARD GC that is applied to a known area and make further setting adjustments, as necessary, to maintain the appropriate application rate.

PERIMETER TREATMENT: To help prevent infestation of buildings by Ants, Boxelder Bugs, Brown Dog Ticks, Centipedes, Cockroaches, Clover Mites, Crickets, Field Crickets, Fire Ants, Sowbugs, Spiders, Springtails (Collembola), Termites, and Ticks; treat a band 5 to 10 feet wide around and adjacent to the building where pests are active and may find entrance. Treat at a rate of 2 to 3 pounds per 500 sq. ft. or 4 to 6 pounds per 1,000 sq. ft.

For termites, the purpose of such applications of DELTAGARD GC Granular Insecticide is to kill workers or winged reproductive forms which may be present at the time of treatment. Such applications are not a substitute for mechanical alteration, soil treatment, or foundation treatment, but are merely a supplement.

SPOT TREATMENT: To control Ants, including Acrobat, Argentine, Big Headed, Cornfield, Harvester, Leafcutter, Little Black, Pavement and Pyramid Ants; if possible, locate and treat nest first. Product should be applied to thoroughly cover the nest (2 to 4 teaspoons) and sprinkled with sufficient water to dissolve granules. In addition to treating ant nests or mounds, entry points of buildings and the soil surface along the perimeter of the building should be treated.

IMPORTED FIRE ANTS: Apply up to 4 tablespoons over each 8" to 10" diameter mound and up to 2 feet around to prevent escape of the queen. Immediately after application, water the granules into the soil gently with a light sprinkling can to avoid disturbing the colony. Use at least 1 gallon of water per mound. Apply in cool weather during the spring and fall (65°-80°F) or in early morning or late evening for best results. Treat new mounds as they appear. If possible, make applications after a recent rainfall.

FLOWER, SHRUB AND ORNAMENTAL PLANT BEDS: To control Ants, Fire Ants, Centipedes, Cockroaches, Crickets, Cutworms, Sowbugs, Pillbugs, Grasshoppers, Armyworms, Spiders, Springtails, and Ticks; apply granules evenly over soil within the beds, and under shrubbery. Use the same dosage recommended for the control of these pests in lawns. For optimum results, irrigate with an adequate quantity of water to thoroughly moisten treated area and dissolve the insecticide granules. Do not use on or around fruit and nut trees, vegetable plants, or around any plants used for food.


STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

Storage: Store in original container in a secured, dry storage area. Prevent cross-contamination with other pesticides and fertilizers. If the container is leaking or material is spilled, sweep up and remove to chemical waste area.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

Container Disposal: Completely empty container (by shaking and tapping sides and bottom) into application equipment. Dispose of container in a sanitary landfill or by incineration if allowed by State and local authorities. If burned, stay out of smoke.



IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Aventis Environmental Science USA LP. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: Aventis Environmental Science USA LP MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Aventis Environmental Science USA LP is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. Aventis Environmental Science disclaims any liability whatsoever for special, incidental or consequential damages, resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT AVENTIS ENVIRONMENTAL SCIENCE'S ELECTION, THE REPLACEMENT OF PRODUCT.

©Aventis Environmental Science, 2000

DeltaGard and Chipco are registered trademarks of the Aventis Group.

