

432-1255

03-10-2004

1/1

MAR 10 2004

BAYER ENVIRONMENTAL SCIENCES
95 Chestnut Ridge Road
Montvale, NJ 07645

Dear Mr. Krygsman:

Subject: Label Amendment

Product name: MaxForce Professional Insect Control Roach Killer Bait Gel

EPA Registration No. 432-1255

Application date: January 6, 2004

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable, and a stamped copy is enclosed for your records.

Sincerely,



Richard Gebken
Acting Product Manager 10
Insecticide Branch
Registration Division 7505

MAXFORCE

PROFESSIONAL INSECT CONTROL GRANULAR BAIT/ANT KILLER

**FOR CONTROL OF ANTS, ROACHES¹ AND CRICKETS
FOR USE IN AND AROUND STRUCTURES AND RESIDENTIAL AREAS
RECOMMENDED FOR USE BY COMMERCIAL APPLICATORS**

ACTIVE INGREDIENT:

Hydramethylnon [Tetrahydro-5,5-dimethyl-2(1H)-pyrimidinone, (3-(4-(trifluoromethyl) phenyl)-1-(2-(4-(trifluoromethyl) phenyl) ethenyl)-2-propenylidene)hydrazone] 1.0%
Other Ingredients: 99.0%
TOTAL: 100%

**KEEP OUT OF REACH OF CHILDREN
CAUTION: SEE BELOW FOR ADDITIONAL PRECAUTIONARY STATEMENTS**

For more information, call: 1-800-331-2867.

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

FIRST AID

IF ON SKIN:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes Call a poison control center or doctor for treatment advice.
--------------------	--

Have the product container or label with when calling a poison control center or doctor or going for treatment. you may also contact 1-800-334-7577 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Do not remove baits from container.

STORAGE: Store in original container away from heat.

DISPOSAL: If empty: Do not reuse this container. place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

GENERAL INFORMATION

This product is a ready-to-use product for use indoors and outdoors; around buildings, on lawns, and other non-crop areas* such as residential areas, the non-food/non-feed areas of institutional and commercial establishments including warehouses, restaurants, food processing plants, supermarkets, hospitals, nursing homes, motels, hotels, apartment buildings, schools, laboratories, computer facilities, pet shops, zoos, sewers, highway rights-of-way and medians, traffic islands, utility rights-of-way (including: powerlines, pipelines, aqueducts), managed turf areas (non-crop²) (including: school yards, playgrounds, athletic fields, amusement parks, picnic areas, recreation areas, office parks, industrial grounds, airports, shopping centers, public parks, arboretums, public gardens, monument sites, cemeteries and mausoleums, golf courses, race tracks, fairgrounds, outdoor amphitheaters, sod farms, and ornamental nurseries). The use of this product on pasture and rangeland is unlawful. Do not graze or feed lawn or sod clippings to livestock. This patented formula contains a special blend of foods, combined with the delayed-action stomach poison, hydramethylnon. The delayed action of the active ingredient allows foraging ants to bring the bait back to the nest so that the entire colony, including the queen, is destroyed. When properly used, this bait will control many of the following insects, including ants, cockroaches, crickets, silverfish, before they can enter a structure. Do not apply other insecticides (such as aerosols, sprays, etc.) on top of or in close proximity to this product, as it will reduce the effectiveness. You should -or- Expect to see fewer ants -or- insects -or- roaches -or- crickets within a week.

This product's bulk container may be used on the job site or to refill the MAXFORCE Granular Insect Bait 10 oz service container. The bulk container will refill approximately 10 service containers. Reuse only those service containers with current and legible labels.

GENERAL PRECAUTIONS AND RESTRICTIONS

Do not apply this product by any method not specified on this label. The use of this product on pasture and rangeland is unlawful. Do not graze or feed lawn or sod clippings to livestock. Do not apply other insecticides (such as aerosols, sprays, etc.) on top of or in close proximity to this product, as it will reduce the effectiveness. Do not use on other non-crop areas in California. DO NOT USE ON EDIBLE FOOD CROPS OR ON AREAS INTENDED FOR EDIBLE FOOD CROP PRODUCTION.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR OUTDOOR USE:

1. AROUND STRUCTURES: This product may be sprinkled around structures and/or applied to refillable/serviceable bait stations as outlined below. Note: Around structures the total application should not exceed 4-8 oz per 200-400 linear feet (or 0.5 oz per 25 linear feet). Sprinkle evenly in a 1-2 foot wide band adjacent to the structure at a rate of 0.5 oz (one tablespoon) of bait per 25 linear feet. A typical application would be 4-8 oz adjacent to an average sized home of 200-400 linear feet. Be sure to treat areas such as porches, patios, driveways, sidewalks, flower gardens, landscape timbers and around trees, wood piles, air conditioning units and garbage receptacles. DO NOT USE ON EDIBLE FOOD CROPS OR ON AREAS INTENDED FOR EDIBLE FOOD CROP PRODUCTION. Treat visible ant trails, as well as cracks or crevices, where insects (ants, roaches, crickets) may enter a structure.

Refillable Stations: This product may be used in the Maxforce Refillable Bait Stations or B&G Perimeter Patrol Station. Place 1 to 3 oz (2 to 6 Tbsp.) of granular bait per station. Refillable stations should be placed every 20 to 30 feet around the perimeter of a structure. Use approximately 2 stations per side of a typical single family home.

For best results, place stations near: air conditioning units, water faucets, foundation vents and weep holes, decks, utility entryways (e.g. electrical, cable TV) and wherever target pests are frequently found. Stations may also be placed along fence lines and property lines to intercept foraging pests.

Regularly inspect all stations and replace bait as needed for continual control.

Position Refillable Bait Stations in areas where they will not be damaged by lawn equipment such as mowers and trimmers. When placing the station in turf remove sod layer and place station base plate against the soil. Screw the anchor tube into the ground and lock station lid so bait is not easily accessible to children and pets. If the station is not equipped with a sticker to identify the contents, apply a sticker to the outside or inside of the station.

2. BROADCAST APPLICATION: Broadcast this product uniformly at a rate of up to 1 oz per 1800 square feet.

3. FIRE ANTS AND OTHER MOUND BUILDING ANTS (Pavement, Fire, Harvester, Field and Cornfield): Sprinkle approximately two tablespoons (1 oz) of bait around each mound. For best results, do not apply bait directly in or on the mound. Do not disturb the mound. Ants that are agitated may not feed on the bait.

FOR INDOOR USE: AVOID CONTAMINATION OF FOOD, FOOD CONTACT SURFACES AND FEEDSTUFFS. NOTE: Indoor applications are limited to areas that are inaccessible to children or pets, such as cracks, crevices, wall voids, unfinished attics, crawl spaces and behind electrical switch plates, within residential and non-residential buildings or structures and within non-food/non-feed areas of industrial, institutional, and commercial buildings as outlined below.

Apply up to 0.5 oz (one tablespoon) of bait per crack, crevice or other inaccessible areas where insects may hide or live. Apply product using suitable application equipment (such as the Centro BaitMaster). Recover -or- Clean up -or- Wipe up any loose or excess granules. Apply evenly in unfinished attics and crawl spaces at a rate of 0.5 ounces per 100 square feet only if the space is secured or otherwise inaccessible to children and domestic animals

TOTAL NET WEIGHT 25 LB. (11.3 kg.)

* Do not use on other non-crop areas in California.

¹ German, American, Oriental, and Smokybrown roaches

² Native and Imported.

³ Pavement, Field, Cornfield, and Harvester ants



Bayer Environmental Science
A Business Group of Bayer CropScience LP
95 Chestnut Ridge Road, Montvale, New Jersey 07645

EPA Reg. No. 432-1255
EPA Est. No. 39578-TX-01

3/7

BAIT STATION STICKER

The artwork shown below is 100% of actual size.

PEEL HERE

CAUTION- CONTAINS PESTICIDES.
DO NOT ALLOW CHILDREN OR PETS TO PLAY WITH THIS STATION OR ITS CONTENTS.
AVOID EYE AND SKIN CONTACT.

This station contains the following Maxforce® products:

- A** Maxforce® Professional Insect Control® Granular Bait/Ant Killer
 Active Ingredient: Hydramethylnon (1.0%), EPA Reg. No. 432-1255
- B** Maxforce® IBH10
 Active Ingredient: Hydramethylnon (1.0%), EPA Reg. No. 432-1252
- C** Maxforce® Professional Insect Control® Roach Killer Bait Gel
 Active Ingredient: Hydramethylnon (2.15%), EPA Reg. No. 432-1254
- D** RBF5
 Active Ingredient: Flupromil (0.01%), EPA Reg. No. 64248-14
- E** Maxforce® IBH11
 Active Ingredient: Hydramethylnon (1.0%), EPA Reg. No. 64248-23

For more information call 1-800-426-6228. Dist. by & © Bayer AG, 2008. Bayer Environmental Science
 A Business Group of Bayer CropScience LP, 95 Chastnut Ridge Road, Monroeville, NJ 07645

Serviced By			
Date			
Product Code Letter			

R7355-8-5

4/7

MAXFORCE[®]

PROFESSIONAL INSECT CONTROL[®] GRANULAR BAIT/ANT KILLER

FOR CONTROL OF ANTS, CRICKETS, & ROACHES!
FOR USE *IN AND AROUND* STRUCTURES AND RESIDENTIAL AREAS

KEEP OUT OF REACH OF CHILDREN

CAUTION: (See back panel for usage instructions and additional precautionary statements)

PRECAUCION: AL USUARIO: Si usted no lee ingles no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

ACTIVE INGREDIENT: Hydramethylnon[†] 1.0%
OTHER INGREDIENTS..... 99.0%


[†]CAS No. 67485-29-4

EPA Reg. No. 432-1255 EPA Est. No. 39578-TX-01
U.S. Patent No. 4,657,912 and other patents pending.

NET WT 6 LB (2.72 kg)

©Bayer AG, 2003 Bayer Environmental Science, A Business Group of Bayer CropScience LP,
95 Chestnut Ridge Road, Montvale, NJ 07645 MADE IN U.S.A.

63824.104J3



PRECAUTIONARY STATEMENTS

HAZARDOUS TO HUMANS: May be harmful if swallowed. Avoid contact with skin. Wash thoroughly after handling.

FIRST AID

IF ON SKIN: Take off contaminated clothing. Wash thoroughly with plenty of water for 15 minutes. If irritation persists, consult your physician for treatment advice.

Have the product container label with you when calling a poison control center or hospital emergency room. Give them the name of the product and the name of the company that made it.

HAZARD TO ANIMALS: Bait stations may be attractive to birds, cats, dogs, and other animals. Do not use in areas where animals are present. Do not use in areas where children play. Do not use in areas where children play. Do not use in areas where children play. Do not use in areas where children play.

STORAGE AND DISPOSAL: Store in original container in a cool, dry place. Do not use in areas where children play. Do not use in areas where children play. Do not use in areas where children play. Do not use in areas where children play.

USE: This product is used to control fire ants and other mound building ants. It is used in areas where children play. It is used in areas where children play. It is used in areas where children play. It is used in areas where children play.

FOR INDOOR USE: AVOID CONTAMINATION OF FOOD, FOOD CONTACT SURFACES AND FEEDSTUFFS. NOTE: Indoor applications are limited to areas that are inaccessible to children or pets, such as cracks, crevices, wall voids, unfinished attics, crawl spaces and behind electrical switch plates, within residential and non-residential buildings or structures and within non-food/non-feed areas of industrial, institutional, and commercial buildings as outlined below.

Apply up to 0.5 oz (one tablespoon) of bait per crack, crevice or other inaccessible area where insects may hide or live. Apply product using suitable application equipment (such as the Centro BaitMaster). Recover -or- Clean up -or- Wipe up any loose or excess granules. Apply evenly in unfinished attics and crawl spaces at a rate of 0.5 ounces per 100 square feet only if the space is secured or otherwise inaccessible to children and domestic animals.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For OUTDOOR Use:

1. AROUND STRUCTURES: This product may be sprinkled around structures and/or applied to refillable/serviceable bait stations as outlined below. Note: Around structures the total application should not exceed 4-8 oz per 200-400 linear feet (or 0.5 oz per 25 linear feet). Sprinkle evenly in a 1-2 foot wide band adjacent to the structure at a rate of 0.5 oz (one tablespoon) of bait per 25 linear feet. A typical application would be 4-8 oz adjacent to an average sized home of 200-400 linear feet. Be sure to treat areas such as porches, patios, driveways, sidewalks, flower gardens, landscape timbers and around trees, wood piles, air conditioning units and garbage receptacles. **DO NOT USE ON EDIBLE FOOD CROPS OR ON AREAS INTENDED FOR EDIBLE FOOD CROP PRODUCTION.** Treat visible ant trails, as well as cracks or crevices, where insects (ants, roaches, crickets) may enter a structure.

Refillable Stations: This product may be used in the Maxforce Refillable Bait Stations or B&G Perimeter Patrol Station. Place 1 to 3 oz (2 to 6 Tbsp.) of granular bait per station. Refillable stations should be placed every 20 to 30 feet around the perimeter of a structure. Use approximately 2 stations per side of a typical single family home.

For best results, place stations near: air conditioning units, water faucets, foundation vents and weep holes, decks, utility entryways (e.g. electrical, cable TV) and wherever target pests are frequently found. Stations may also be placed along fence lines and property lines to intercept foraging pests.

Regularly inspect all stations and replace bait as needed for continual control.

Position Refillable Bait Stations in areas where they will not be damaged by lawn equipment such as mowers and trimmers. When placing the station in turf remove sod layer and place station base plate against the soil. Screw the anchor tube into the ground and lock station lid so bait is not easily accessible to children and pets. If the station is not equipped with a sticker to identify the contents, apply a sticker to the outside or inside of the station.

2. BROADCAST APPLICATION: Broadcast this product uniformly at a rate of up to 1 oz per 1800 square feet.

3. FIRE ANTS AND OTHER MOUND BUILDING ANTS (Pavement, Fire, Harvester, Field and Cornfield): Sprinkle approximately two tablespoons (1 oz) of bait around each mound. For best results, do not apply bait directly in or on the mound. Do not disturb the mound. Ants that are agitated may not feed on the bait.

FOR INDOOR USE: AVOID CONTAMINATION OF FOOD, FOOD CONTACT SURFACES AND FEEDSTUFFS. NOTE: Indoor applications are limited to areas that are inaccessible to children or pets, such as cracks, crevices, wall voids, unfinished attics, crawl spaces and behind electrical switch plates, within residential and non-residential buildings or structures and within non-food/non-feed areas of industrial, institutional, and commercial buildings as outlined below.

Apply up to 0.5 oz (one tablespoon) of bait per crack, crevice or other inaccessible area where insects may hide or live. Apply product using suitable application equipment (such as the Centro BaitMaster). Recover -or- Clean up -or- Wipe up any loose or excess granules. Apply evenly in unfinished attics and crawl spaces at a rate of 0.5 ounces per 100 square feet only if the space is secured or otherwise inaccessible to children and domestic animals.

² Native and Imported Fire Ants.
³ Field, Pavement, Cornfield and Harvester Ants.
⁴ B&G Perimeter Patrol Station™ is a trademark of B&G Equipment Company.
*Do not use on other non-crop areas in California.

Note: (Enclosed information is optional use.) | **MAXTORC** bait is not.

MAXTORC

PROFESSIONAL INSECT CONTROL GRANULAR BAIT/ANT KILLER

FOR INDOOR AND OUTDOOR CONTROL OF ANTS, CRICKETS & ROACHES*
FOR USE IN AND AROUND STRUCTURES AND RESIDENTIAL AREAS
RECOMMENDED FOR USE BY COMMERCIAL APPLICATIONS

CAUTION: KEEP OUT OF REACH OF CHILDREN
(See back panel for usage instructions and additional
precautionary statements)

PRECAUTION: AL USUARIO: Si usted no ha leído no sea más
producto hasta que le explique la hoja de instrucciones.

ACTIVE INGREDIENT: Hydramethylnon† 1.0%
OTHER INGREDIENTS 99.0%
1CAS No. 67485-24-4

NET WT 10 oz -or- 6 lbs -or- 25 lbs.	
This product controls a variety of ants including the following species:	<ul style="list-style-type: none"> Acrobat Argentine Big-headed Conspicuous Crematogaster Field Fire*
	<ul style="list-style-type: none"> Ghost Harvester Odorous House Pennsylvanian Pheasant Trail
<p>Also kills: • Crickets • Roaches* • Silverfish • Firebrats</p>	
<p>*Common, American, Oriental and Smoky Brown Roaches *Native and Imported fire ants</p>	

EPA Reg. No. 452-1255
EPA Est. No. 2857A-TX-41 U.S.
Patent Nos. 4,553,897; 4,587,912
and other patents pending.

© Bayer AG, 2003
Bayer Environmental Science, A Division
Group of Bayer Corporation LP
25 Chatham Ridge Road, Metairie, LA
70002 MADE IN U.S.A.

MAXTORC

PROFESSIONAL INSECT CONTROL GRANULAR BAIT/ANT KILLER

QUESTIONS? COMMENTS?
CALL 1-800-301-2827.
And, see the Maxtorc website
at www.bayerprofessional.com.

EPA Reg. No. 452-1255 **MAXTORC** Professional Insect Control Ant Killer/Granular Bait

This product is a ready-to-use product for use indoors and outdoors; around buildings, on lawns, and other non-crop areas* such as residential areas, the non-
food/non-feed areas of institutional and commercial establishments including warehouses, restaurants, food processing plants, supermarkets, hospitals, nursing
homes, motels, hotels, apartment buildings, schools, laboratories, computer facilities, pet shops, zoos, sewers, highway rights-of-way and roadways, traffic islands,
utility rights-of-way (including powerlines, pipelines, aqueducts), managed (non-crop) (including school yards, playgrounds, athletic fields, amusement
parks, picnic areas, recreation areas, office parks, industrial grounds, airports, shopping centers, public parks, arboreta, public gardens, monument sites,
cemeteries and mausoleums, golf courses, race tracks, fairgrounds, outdoor amphitheaters, and farms, and ornamental nurseries). The use of this product on pasture
and rangeland is authorized. Do not graze or feed from or soil adjacent to livestock. This patented formula contains a special blend of foods, combined with the deltamethrin
action stomach poison, hydroxyfluthrin. The delayed action of the active ingredient allows foraging ants to bring the bait back to the nest to feed the entire colony,
including the queen, is destroyed. When properly used, this bait will control many of the following insects, including ants, cockroaches, crickets, silverfish, and
other ants that enter a structure. Do not apply other insecticides (such as aerosols, sprays, etc.) on top of or in close proximity to this product, as it will reduce the
effectiveness. You should -or- expect to see fewer ants -or- insects -or- roaches -or- crickets within a week.

*Do not use on other non-crop areas in California.
This product's bait container may be used on the job site or to refill the MAXTORC Granular Bait 10 oz service container. The bait container will refill
approximately 10 service containers. Reuse only those service containers with current and legible labels.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
FOR OUTDOOR USE:

- 1. AROUND STRUCTURES:** This product may be sprinkled around structures and/or applied to refillable/serviceable bait stations as outlined below. Note: Around
structures the total application should not exceed 4.8 oz per 200-400 linear feet (or 0.5 oz per 25 linear feet). Sprinkle evenly in a 1-2 foot wide band adjacent to
the structure at a rate of 0.5 oz (one tablespoon) of bait per 25 linear feet. A typical application would be 4-8 oz adjacent to an average sized home of 200-400 linear
feet. Be sure to treat areas such as porches, patios, driveways, sidewalks, flower gardens, landscape timbers and around trees, wood piles, air conditioning units
and garbage receptacles. **DO NOT USE ON EDIBLE FOOD CROPS OR ON AREAS INTENDED FOR EDIBLE FOOD CROP PRODUCTION.** Treat visible ant trails, as well
as cracks or crevices, where insects (ants, roaches, crickets) may enter a structure.

Refillable Stations: This product may be used in the Maxtorc Refillable Bait Stations or 646 Perimeter Patrol Station. Place 1 to 3 oz (2 to 6 Tbsp.) of granular
bait per station. Refillable stations should be placed every 20 to 30 feet around the perimeter of a structure. Use approximately 2 stations per side of a typical single
family home.

For best results, place stations near: air conditioning units, water faucets, foundation vents and weep holes, decks, utility entryways (e.g. electrical, cable TV) and
whenever large pests are frequently found. Stations may also be placed along fence lines and property lines to intercept foraging pests.
Regularly inspect all stations and replace bait as needed for continual control.

Problem Refillable Bait Stations: In areas where they will not be disturbed by lawn equipment, such as mowers and trimmers. When placing the station in lawn mowable
soil, place and place station back into contact with soil. Sprinkle the entire area into the ground and back station. It so built in not easily accessible to children and
pets. If the station is not equipped with a sticker to identify the contents, apply a sticker to the outside of the station.

BROADCAST APPLICATION: Broadcast this product uniformly at a rate of up to 1 oz per 1000 square feet.

FIRE ANTS AND OTHER INDOOR BURNING ANTS (Pavement, Fire, Harvester, Field and Cremator): Sprinkle approximately two tablespoons (1 oz) of bait around
each mound. For best results, do not apply bait directly to or on the mound. Do not disturb the mound. Ants that are applied may not feed on the bait.

FOR INDOOR USE: AVOID CONTAMINATION OF FOOD, FOOD CONTACT SURFACES AND FEEDSTUFFS. NOTE: Indoor applications are limited to areas that are
inaccessible to children or pets, such as cracks, crevices, wall voids, unsealed attics, crawl spaces and behind electrical switch plates, while residential and non-
residential buildings or structures and within non-food/feed areas of industrial, institutional, and commercial buildings as outlined below.
Apply up to 0.5 oz (one tablespoon) of bait per crack, crevice or other inaccessible areas where insects may hide or live. Apply product using suitable application
equipment (such as the Centro Backpacker). Recover -or- Clean up -or- Wipe up any losses or excess granules. Apply evenly in unobstructed areas and crawl spaces
at a rate of 0.5 ounces per 100 square feet only if the space is secured or otherwise inaccessible to children and domestic animals.

PRECAUTIONARY STATEMENTS:
CAUTION: HAZARDOUS TO HUMANS: May be harmful if swallowed. Avoid contact with skin or eyes. Applicator should wear gloves and wash hands thoroughly
after handling.

IF ON SKIN:
• Take off contaminated clothing.
• Rinse skin immediately with plenty of water for 15-20 minutes
• Call a poison control center or doctor for treatment advice.

Have the product container or label with when calling a poison control center or doctor or going for treatment, you may also contact
1-800-334-7577 for emergency medical treatment information.

HAZARDOUS TO ANIMALS: Store in a secure place. Pets may be attracted to this product. Keep pets away from treated areas for at least 24 hours after application.
ENVIRONMENTAL HAZARDOUS: This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal
equipment washwaters.

STORAGE AND DISPOSAL: Store in a cool, dry, secure place. Keep container closed when not in use. Avoid contamination from other insecticides. Do not
contaminate water, food or feed by storage or disposal. Do not reuse empty container for any use other than this product. Wrap empty container and place in
trash can.

MAXTORC
Professional Insect Control Granular Bait/Ant Killer

RT355-8-5

MINOR LEFT

4/6 LB 41294
45805


MAXFORCE
PROFESSIONAL INSECT CONTROL®
FINE GRANULE INSECT BAIT/ANT KILLER

MAJOR FRONT

THIS SIDE UP

**AVOID
EXCESSIVE HEAT**
DO NOT STORE ABOVE
120°F

MAXIMUM
STACKING HEIGHT
8 CASES (2 UNIT LOADS)



11 CASES/PALETTE
4 LAYERS/PALLET

4/6 LB 41294
45805

MAXFORCE
PROFESSIONAL INSECT CONTROL®
FINE GRANULE INSECT BAIT/ANT KILLER



1 00 41294 45805 1

Bayer Environmental Science
A Business Group of Bayer CropScience LP
95 Chestnut Ridge Road, Montvale, NJ 07645
© 2002 Bayer AG

MAJOR BACK

MAXFORCE

45805 4/6 LB
41294

4/6 LB 41294
45805

MAXFORCE
PROFESSIONAL INSECT CONTROL®
FINE GRANULE INSECT BAIT/ANT KILLER



1 00 41294 45805 1

71662.002

MINOR RIGHT

4/6 LB 41294
45805

MAXFORCE
PROFESSIONAL INSECT CONTROL®
FINE GRANULE INSECT BAIT/ANT KILLER

MADE IN U.S.A.

I.D.'s: 14 1/16 x 10 1/8 x 10 1/2
CDO #114512

ACCEPTED

MAR 10 2004

430-1255

Product of Bayer Environmental Science
Bayer CropScience AG
Kunigundenstr. 9
40724 Solingen
Germany

PANEL ROTATION RESPONSIBILITY
LIES WITH CORRUGATED VENDOR

7/7