

MAXFORCE

IBH10

FOR INDOOR AND OUTDOOR CONTROL OF ANTS, CRICKETS & ROACHES¹
FOR USE IN AND AROUND STRUCTURES AND RESIDENTIAL AREAS
RECOMMENDED FOR USE BY COMMERCIAL APPLICATORS

- Smaller/finer granule
- Fine granule for greater/deeper penetration in cracks and crevices
- Fine granule designed for small insects*
- Smaller granule for easy application
- Smaller granule for excellent acceptance by small insects*
- Easier for small insects* to carry back (to the colony) [to where they live and breed]
- Fine granule designed for excellent acceptance [by small insects*] -or- [by insects both small and large**]
- Easier for small insects* to pick up, carry and share.

* Acrobat Ants, Pharaoh Ants, Thief Ants, Firebrats, Silverfish.
** American Cockroach, Smokey Brown Cockroach, Field Cricket.

CAUTION: KEEP OUT OF REACH OF CHILDREN
(See back panel for usage instructions and additional precautionary statements)

PRECAUTION: AL USUARIO: Si usted no lee ingles no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

ACTIVE INGREDIENT: Hydramethylnon† 1.0%
OTHER INGREDIENTS 99.0%
†CAS No. 67485-29-4

NET WT 10 oz -or- 6 lbs -or- 25 lbs.		
This product controls a variety of ants including the following species:	Acrobat	Ghost
	Argentine	Harvester
	Big Headed	Odorous House
	Carpenter	Pavement
	Cornfield	Pharaoh
	Field	Thief
	Fire*	
Also kills: • Crickets • Roaches ¹ • Silverfish • Firebrats		
*German, American, Oriental and Smokey Brown Roaches † Native and imported fire ants		

EPA Reg. No. 432-1262
EPA Est. No. 39578-TX-01
U.S. Patent Nos. 4,353,907; 4,657,912
and other patents pending.
© Bayer AG. 2003
Bayer Environmental Science
A Business Group of Bayer CropScience LP
95 Chestnut Ridge Rd. Montvale, NJ 07645
MADE IN U.S.A.

QUESTIONS? COMMENTS?
CALL 1-800-331-2867.

And, see the Maxforce website
at www.bayerprocentral.com.

FIRST AID

IF ON SKIN: -Take off contaminated clothing. -Rinse skin immediately with plenty of water for 15-20 minutes.
-Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-331-7577 for emergency treatment information.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: CAUTION: Harmful if absorbed through skin. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

Personal Protective Equipment (PPE)

Applicators and handlers must wear: -Long sleeved shirt and long pants -Chemical-resistant gloves (such as rubber or waterproof) -Shoes plus socks*
Follow manufacturer's instruction for cleaning/maintaining PPE. If no such instructions for Washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

User should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. User should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. User should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store in original container in a cool dry area (keep away from children). Keep container closed when not in use. Avoid contamination from other insecticides. **DISPOSAL:** If empty: Do not reuse this container. **PESTICIDE DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned stay out of smoke.

GENERAL INFORMATION

MAXFORCE IBH10 is a ready-to-use product for use indoors and outdoors and around buildings, on lawns, and other non-crop areas* such as residential areas, the non-food/non-feed areas of institutional and commercial establishments including warehouses, restaurants, food processing plants, supermarkets, hospitals, nursing homes, motels, hotels, apartment buildings, schools, laboratories, computer facilities, pet shops, zoos, sewers, highway rights-of-way and medians, traffic islands, utility rights-of-way (including powerlines, pipelines, aqueducts) managed turf areas (non-crop*) (including school yards, playgrounds, athletic fields, amusement parks, picnic areas, recreation areas, office parks, industrial grounds, airports, shopping centers, public parks, arboreta, public gardens, monument sites, cemeteries and mausoleums, golf courses, race tracks, fairgrounds, outdoor amphitheaters, sod farms, and ornamental nurseries). The use of this product on pasture and rangeland is unlawful. Do not graze or feed lawn or sod clippings to livestock. The patented formula of MAXFORCE IBH10 contains a special blend of foods, combined with the delayed-action stomach poison, hydramethylnon. When properly used, this bait will control many of the following insects, including ants, cockroaches, crickets, and silverfish before they can enter a structure. Do not apply other insecticides (such as aerosols, sprays, etc.) on top of or in close proximity to MAXFORCE IBH10, as it will reduce the effectiveness. Expect to see fewer insects within a week.

MAXFORCE IBH10 controls roaches¹, crickets, silverfish, firebrats and a variety of ants including the following species: Acrobat, Argentine, Big Headed, Carpenter, Cornfield, Field, Fire*, Ghost, Harvester, Odorous House, Pavement, Pharaoh, Thief. The delayed action of the active ingredient allows foraging ants to bring the bait back to the nest so that the entire colony, including the queen, is destroyed.

MAXFORCE IBH10 bulk container may be used on the job site or to fill this product's 10 oz. service containers. The bulk container will refill approximately 10 service containers. Reuse only those service containers with current and legible labels.

General Precautions and Restrictions: Do not apply this product by any method not specified on this label. The use of this product on pasture and rangeland is unlawful. Do not graze or feed lawn or sod clippings to livestock. Do not apply other insecticides (such as aerosols, sprays, etc.) on top of or in close proximity to this product, as it will reduce the effectiveness. Do not use on other non-crop areas in California. **DO NOT USE ON EDIBLE FOOD CROPS OR ON AREAS INTENDED FOR EDIBLE FOOD CROP PRODUCTION.** Not for use in USDA meat and poultry plants.

APPLICATION INSTRUCTIONS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **KEEP PEOPLE AND PETS OUT OF AREA DURING APPLICATION.**
FOR OUTDOOR USE: 1. **AROUND STRUCTURES:** MAXFORCE IBH10 may be sprinkled around structures and/or applied to refillable/serviceable bait stations as outlined below. Sprinkle this product evenly in a 1-2 foot wide band adjacent to the structure at a rate of 0.5 oz. (one tablespoon) of bait per 25 linear feet. **NOTE:** Around structures the total application should not exceed 4-8 oz per 200-400 linear feet (or 0.5 oz per 25 linear feet). A typical application would be 4-8 oz adjacent to an average sized home of 200-400 linear feet. Be sure to treat areas such as porches, patios, driveways, sidewalks, flower gardens, landscape timbers and around trees, wood piles, air conditioning units and garbage receptacles. **DO NOT USE ON EDIBLE FOOD CROPS OR ON AREAS INTENDED FOR EDIBLE FOOD CROP PRODUCTION.** Treat visible ant trails as well as cracks or crevices where ants may enter a structure.

REFILLABLE STATIONS: This product may be used in the Maxforce Refillable Bait Station or B&G Perimeter Patrol Station. Place 1 to 3 oz (2 to 6 Tbsp.) of granular bait per station. Refillable stations should be placed every 20 to 30 feet around the perimeter of a structure. Use approximately 2 stations per side of a typical single family home.

For best results, place stations near: air conditioning units, water faucets, foundation vents and weep holes, decks, utility entryways (e.g. electrical, cable TV) and wherever target pests are frequently found. Stations may also be placed along fence lines and property lines to intercept foraging pests.

Regularly inspect all stations and replace bait as needed for continual control. Position Refillable Bait Stations in areas where they will not be damaged by lawn equipment such as mowers and trimmers. When placing the station in turf remove sod layer and place station base plate against the soil. Screw the anchor tube into the ground and lock station lid so bait is not easily accessible to children and pets. If the station is not equipped with a sticker to identify the contents, apply a sticker to the outside or inside of the station.

2. **BROADCAST APPLICATION:** Broadcast this product uniformly at a rate of 1 ounce per 1800 square feet.

3. **FIRE ANTS* AND OTHER MOUND BUILDING ANTS*:** Sprinkle approximately two tablespoons (1 ounce) of bait around each mound. For best results, do not apply bait directly in or on the mound. Do not disturb the mound. Ants that are agitated may not feed on the bait.

FOR INDOOR USE: AVOID CONTAMINATION OF FOOD, FOOD CONTACT SURFACES AND FEEDSTUFFS. **NOTE:** Indoor applications are limited to areas that are inaccessible to children or pets, such as cracks, crevices, wall voids, unfinished attics, crawl spaces and behind electrical switch plates, within residential and non-residential buildings or structures and within non-food/non-feed areas of industrial, institutional, and commercial buildings as outlined below.

Apply up to 0.5 ounces (one tablespoon) of bait per crack, crevice or other inaccessible areas where insects may hide or live. Apply product using suitable application equipment (such as the Centro Bait Master). Wipe up any loose or excess granules. Apply evenly in unfinished attics and crawl spaces at a rate of 0.5 ounces per 100 square feet only if the space is secured or otherwise inaccessible to children and domestic animals.

ACCEPTED

DEC 23 2003

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 432-1262

432-1262

12/23/2003

114

BAIT STATION STICKER

The artwork shown below is 130% of actual size.

PEEL HERE

CAUTION: CONTAINS PESTICIDES.
 DO NOT ALLOW CHILDREN OR PETS TO PLAY WITH THIS STATION OR ITS CONTENTS.
 AVOID EYE AND SKIN CONTACT.


This station contains the following Maxforce products:

- A** Maxforce Professional Insect Control Ant Killer Granular Bait
 Active Ingredient: Hydramethylnon (1.0%). EPA Reg. No. 432-1255
- B** Maxforce IBH10
 Active Ingredient: Pyrimethylnon (1.0%). EPA Reg. No. 432-1252
- C** Maxforce Professional Insect Control Maxforce Killer Bait Gel
 Active Ingredient: Hydramethylnon (1.0%). EPA Reg. No. 432-1255
- D** RBFB
 Active Ingredient: Fipronil (0.01%). EPA Reg. No. 432-1250
- E** Maxforce IBH11
 Active Ingredient: Hydramethylnon (1.0%). EPA Reg. No. 432-1255

For more information call 1-800-331-2557.
 See the complete Maxforce Bait Stations EPA Registration Label on Page 1 of Maxforce Bait Stations.


Serviced By					
Date					
Product Code Letter					

MAXIFORCE
MAXIFORCE



MAXIFORCE


MAXIFORCE is a powerful insecticide that kills and repels a wide variety of insects. It is effective against many of the most common household pests, including ants, bees, wasps, flies, mosquitoes, and beetles. MAXIFORCE is also effective against many types of agricultural pests, including corn earworms, cotton bollworms, and soybean beetles. MAXIFORCE is a contact insecticide, which means that it kills insects when they come in contact with the treated surface. MAXIFORCE is also a repellent, which means that it keeps insects away from the treated surface. MAXIFORCE is available in a variety of formulations, including sprays, dusts, and baits. MAXIFORCE is a safe and effective insecticide that can be used in a wide variety of situations. For more information on MAXIFORCE, please contact your local pest control professional.



FIRE-GRASS

MAXIFORCE also kills and repels the following insects:

- Ants
- Bees
- Wasps
- Flies
- Mosquitoes
- Beetles
- Crickets
- Grasshoppers
- Termites
- Earwig
- Spider
- Scorpion
- Centipede
- Millipede
- Cricket
- Grasshopper
- Termite
- Earwig
- Spider
- Scorpion
- Centipede
- Millipede



MAXFORCE

IBH10

**FOR CONTROL OF ANTS, ROACHES AND CRICKETS
FOR USE NEAR AND AROUND STRUCTURES AND RESIDENTIAL AREAS
RECOMMENDED FOR USE BY COMMERCIAL APPLICATORS**

ACTIVE INGREDIENT:

Hydramethylnon [Tetrahydro-5,5-dimethyl-2(1H)-pyrimidinone, (3-(4-(trifluoromethyl) phenyl)-1-(2-(4-(trifluoromethyl) phenyl) ethenyl)-2-propenylidene)hydrazone].	1.0%
OTHER INGREDIENTS:	99.0%
TOTAL	100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION: SEE BELOW FOR ADDITIONAL PRECAUTIONARY STATEMENTS

FIRST AID

IF ON SKIN: -Take off contaminated clothing.
-Rinse skin immediately with plenty of water for 15-20 minutes.
-Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-334-7577 for emergency treatment information.

For more information, call: 1-800-331-2867.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS CAUTION

Harmful if absorbed through skin. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

Personal Protective Equipment (PPE)
Applicators and handlers must wear: -Shoes plus socks

Follow manufacturer's instruction for cleaning/maintaining PPE. If no such instructions for Washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

User should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. User should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

User should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water, or areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposing of equipment washwaters.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in original container in a cool, dry area (out of reach of children). Keep container closed when not in use. Avoid contamination with other insecticides.

DISPOSAL: If empty: Do not reuse this container.

PESTICIDE DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned stay out of smoke.

MAXFORCE IBH10 is a ready-to-use product for use indoors and outdoors and around buildings, on lawns, and other non-crop areas* such as residential areas, the non-food/non-feed areas of institutional and commercial establishments including warehouses, restaurants, food processing plants, supermarkets, hospitals, nursing homes, motels, hotels, apartment buildings, schools, laboratories, computer facilities, pet shops, zoos, sewers, highway rights-of-way and medians, traffic islands, utility rights-of-way (including powerlines, pipelines, aqueducts) managed turf areas (non-crop*) (including school yards, playgrounds, athletic fields, amusement parks, picnic areas, recreation areas, office parks, industrial grounds, airports, shopping centers, public parks, arboretums, public gardens, monument sites, cemeteries and mausoleums, golf courses, race tracks, fairgrounds, outdoor amphitheaters, sod farms, and ornamental nurseries). The use of this product on pasture and rangeland is unlawful. Do not graze or feed lawn or sod clippings to livestock. The patented formula of MAXFORCE IBH10 contains a special blend of foods, combined with the delayed-action stomach poison, hydramethylnon. When properly used, this bait will control many of the following

insects, including ants, cockroaches¹, crickets, and silverfish before they can enter a structure. Do not apply other insecticides (such as aerosols, sprays, etc.) on top of or in close proximity to MAXFORCE IBH10, as it will reduce the effectiveness. Expect to see fewer insects within a week.

MAXFORCE IBH10 bulk container may be used on the job site or to fill this product's 10 oz. service containers. The bulk container will refill approximately 10 service containers. Reuse only those service containers with current and legible labels.

General Precautions and Restrictions

Do not apply this product by any method not specified on this label. The use of this product on pasture and rangeland is unlawful. Do not graze or feed lawn or sod clippings to livestock. Do not apply other insecticides (such as aerosols, sprays, etc.) on top of or in close proximity to this product, as it will reduce the effectiveness. Do not use on other non-crop areas in California. DO NOT USE ON EDIBLE FOOD CROPS OR ON AREAS INTENDED FOR EDIBLE FOOD CROP PRODUCTION. Not for use in USDA meat and poultry plants.

APPLICATION INSTRUCTIONS

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

KEEP PEOPLE AND PETS OUT OF AREA DURING APPLICATION.

FOR OUTDOOR USE

1. **AROUND STRUCTURES:** MAXFORCE IBH10 may be sprinkled around structures and/or applied to refillable/serviceable bait stations as outlined below. Sprinkle this product evenly in a 1-2 foot wide band adjacent to the structure at a rate of 0.5 oz. (one tablespoon) of bait per 25 linear feet. NOTE: Around structures the total application should not exceed 4-8 oz per 200-400 linear feet (or 0.5 oz per 25 linear feet). A typical application would be 4-8 oz adjacent to an average sized home of 200-400 linear feet. Be sure to treat areas such as porches, patios, driveways, sidewalks, flower gardens, landscape timbers and around trees, wood piles, air conditioning units and garbage receptacles. DO NOT USE ON EDIBLE FOOD CROPS OR ON AREAS INTENDED FOR EDIBLE FOOD CROP PRODUCTION. Treat visible ant trails as well as cracks or crevices where ants may enter a structure.

REFILLABLE STATIONS: This product may be used in the Maxforce Refillable Bait Station or B&G Perimeter Patrol Station. Place 1 to 3 oz (2 to 6 Tbsp.) of granular bait per station. Refillable stations should be placed every 20 to 30 feet around the perimeter of a structure. Use approximately 2 stations per side of a typical single family home.

For best results, place stations near: air conditioning units, water faucets, foundation vents and weep holes, decks, utility entryways (e.g. electrical, cable TV) and wherever target pests are frequently found. Stations may also be placed along fence lines and property lines to intercept foraging pests.

Regularly inspect all stations and replace bait as needed for continual control.

Position Refillable Bait Stations in areas where they will not be damaged by lawn equipment such as mowers and trimmers. When placing the station in turf remove sod layer and place station base plate against the soil. Screw the anchor tube into the ground and lock station lid so bait is not easily accessible to children and pets. If the station is not equipped with a sticker to identify the contents, apply a sticker to the outside or inside of the station.

2. **BROADCAST APPLICATION:** Broadcast this product uniformly at a rate of 1 ounce per 1800 square feet.

3. **FIRE ANTS² AND OTHER MOUND BUILDING ANTS³:** Sprinkle approximately two tablespoons (1 ounce) of bait around each mound. For best results, do not apply bait directly in or on the mound. Do not disturb the mound. Ants that are agitated may not feed on the bait.

FOR INDOOR USE:

AVOID CONTAMINATION OF FOOD, FOOD CONTACT SURFACES AND FEEDSTUFFS. NOTE: Indoor applications are limited to areas that are inaccessible to children or pets, such as cracks, crevices, wall voids, unfinished attics, crawl spaces and behind electrical switch plates, within residential and non-residential buildings or structures and within non-food/non-feed areas of industrial, institutional, and commercial buildings as outlined below.

Apply up to 0.5 ounces (one tablespoon) of bait per crack, crevice or other inaccessible areas where insects may hide or live. Apply product using suitable application equipment (such as the Centiro Bait Master.) Wipe up any loose or excess granules. Apply evenly in unfinished attics and crawl spaces at a rate of 0.5 ounces per 100 square feet only if the space is secured or otherwise inaccessible to children and domestic animals.

TOTAL NET WEIGHT: 10 ounces (283.5 g)

¹ German, American, Oriental, and Smokybrown Roaches

² Native and Imported

³ Pavement, Field, Cornfield, and Harvester Ants

* Do not use on other non-crop areas in California.

U.S. Patent Nos. 4,857,912 and other patents pending.

Bayer Environmental Science
A Business Group of Bayer CropScience LP
95 Chestnut Ridge Road
Montvale, New Jersey 07645



Revised 8/03 amend

EPA Reg. No. 432-1262
EPA Est. No. 39578-TX-01