Please read instructions on reverse	before completing form.	Form Approved, OMB No. 2070-0060, Approval expires 05-31-98			
O ED A	United States		☐ Registration		OPP Identifier Number
EPA	Environmental Protection	n Agency	☐ Amend		288965
	Washington, DC 20460				200303
			⊠ Other:		
	Application		icide - Sectio	u i	
1. Company/Product Number 432-1264		EPA Product Manager J. Tavano			Proposed Classification
4. Company/Product (Name)		PM#			None Restricte
Maxforce ABF4	10			Z None	
5. Name and Address of Applica	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)				
Bayer Environmental Sci of Bayer CropScience LP	(b)(I), my product is similar or identical in composition and labeling to:				
95 Chestnut Ridge Road	EPA Reg. No				
Montvale, N.J. 07645					
PLEASE SEND ALL CO	Product Name				
"CONTACT POINT					
Check if this is a ne					
		Section	ı - II		
Amendment – Explain belo	w.		Final printed tal	bels in response to	Agency letter dated ATION
Resubmission in response		"Me Too" Applic			
Notification - Explain below		Other - Explain	MAR 1 4 2003		
Explanation: Use addition		(For Section			
		Section	- 111		
Material This Product Will Be Child-Resistant Packaging	Packaged In: Unit Packaging	<u> </u>	Water Soluble Packaging Yes		2. Type of Container
Yes*	Yes	İ			Metal
☐ No	☐ No		☐ No		Plastic
	if "Yes"	No. per	if "Yes"	No. per	Glass
*Certification must	Unit Packaging wgt.	container	Package wgt.	container	Paper
be submitted					Other (Specifiy)
		Retail Container			f Label Directions
Label	Container			On Labe	ing accompanying product
6. Manner in Which Label is Aff	ixed to Product Lithogra	aph	☐ Other	I CIT IADE	ing accompanying product
	☐ Paper o	•			
		Section	- IV	······································	
Contact Point (Complete item	s directly helow for identification			essary to proces	s this application)
Name)			Telephone No. (Include Area	
Adrian Krygsman	Manager, Registration		Code) 201-307-6884		
	Certification	on .			6. Date Application
I certify that the statements I han acknowledge that any knowingly under applicable law.	ve made on this form and all atta	chments theret			Received (Stamped)
2. Signature	// 3	. Title	nager, Registra		
(Whi	Call Kriggs			ition	
4. Typed Name 5.		. Date		······································	-

Notification of Additional Brand Name (ABN) per PR Notice 98-10:

NOTIFICATION

MAR 1 4 2003

Maxforce ABF4

EPA Reg. No. 432-1264

Alternate Brand Name: Maxforce Carpenter Ant Bait Gel

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.


Adrian Krygsman,

Manager, Registration

Date

NOTIFICATION

MAR 1 4 2003



STORE BELOW 100°F



STORE BELOW

no antare An

BELOW 1000F t Bait Gel WITH FIPROMIL

KEEP OUT OF REACH OF CHILDREN

CAUTION: (See cautions on back panel)

ACTIVE INGREDIENT: Fipronii*......
OTHER INGREDIENTS......

A Besiness Group of Bayor CropScience 95 Chestont Ridge Road,

Montrate, NJ 07645

Bayer Environmental Science

© Bayer AG, 2003

EPA Reg. No. 432-1264 EPA Est. No. 5813-MS-0

99.99%

*CAS NO. 120068-37-3 For Commedical, Monstrial And Reserbitial Angas, avoid contract with textles and clothing as Bait may stam, use om y in areas not easily accessible to children and pets.

STORE BELOW 100°F

PRECAUTIONARY STATEMENTS:

HAZARIS TO HUMAAIS AND DOMESTIC ANIMALS


CAUTION: May be harmful if swallowed: Avoid contact with skin and clothin. Keep exposed gel awey from open froots and food contact surfaces. Wash hands thoroughly efter handling. FIRST AID: If swallowed, drink two glasses of water and induce contact surfaces. Wash hands thoroughly efter handling. FIRST AID: If swallowed, drink two glasses of water and induce vomiting by rouching back of throat with finger. Do not induce womiting or give anything by mouth to an unactious person. Bet medical attention for information all day or night, call 1-800-334-757? STORAGE AND DISPOSAL: Do not contaminate water, tood or feed by storage or disposal. STORAGE: Store below 100°F in a cool dry area out of reach t children. DISPOSAL: Wrap used prefilled LABELING. Refer to insert for complete directions. Read all directions before using this product. Product may stain textiles and clothing reservoir in several layers of newspaper and discard in trash. Directions for USE: It is a violation of federal Law to USE this product in a manner inconsistent with Its.

roenter Ant


61555.101QQ

STORE BELOW 100°F

B = ItWITH FIPRONIL




MAJOR FRONT



Bayer Environmental Science A Business Group of Bayer CropScience LP 95 Chestnut Ridge Road, Montvale, NJ 07645

1 00 41294 48404 3

MAJOR BACK



71965.001



12-27g NET WT 48404



AVOID EXCESSIVE HEAT DO NOT STORE ABOVE 100°F

MADE IN U.S.A.

I.D.'s: 6⁷/16 x 5⁵/16 x 7⁹/16 CDO #115364

PANEL ROTATION RESPONSIBILITY LIES WITH CORRUGATED VENDOR



FOR USE IN COMMERCIAL, INDUSTRIAL AND RESIDENTIAL AREAS

ACTIVE INGREDIENT:

OTHER INGREDIENTS:99.999%

*CAS NO. 120068-37-3

Contains: 1 plastic reservoir

KEEP OUT OF REACH OF CHILDREN CAUTION: SEE CAUTIONS BELOW

Use only in areas not easily accessible to children and pets.

Product may stain textiles and clothing.

This product provides FAST CONTROL of ants in 3-5 days. MAXFORCE® FC PROFESSIONAL INSECT CONTROL™ ANT KILLER BAIT GEL is formulated to effectively control ants. That's because this product contains Fipronil, a fast-acting active ingredient. Its speed is still slow enough, however, for foraging ants to return to the colony and feed the bait to larvae and queen(s) so that the entire colony is killed through the Domino Effect.™

This product is formulated for effective ant control. This product contains a unique blend of inert ingredients specifically designed for ants. The high moisture content of this gel enhances the bait's attractiveness to target ants. The bait's attractiveness is greatest within two weeks of application. This product is a bait product, formulated to take advantage of ant trophallaxis. Through trophallaxis, worker ants eat the bait while foraging, then feed it to the rest of the colony. The larvae digest the solid bait and produce a liquid containing the Fipronil that is fed to the rest of the colony and queen(s).

This product controls a broad spectrum of ants. This product's unique blend of inert ingredients is attractive to a broad spectrum of ants. Thus this product [not only controls Carpenter Ants, but it also] controls [additional] ants including Argentine, Pharaoh, Pavement, Honey, Acrobat, Odorous House, Thief, Big-headed, Cornfield, and Field.

[When exposed to higher temperatures (above 80°F) for extended periods of time, the gel will change color and lose effectiveness. If the gel outside the tube is darker than the color bar below, do not apply.

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed. Avoid contact with skin and clothing. Keep exposed gel away from open foods and food contact surfaces. Wash hands thoroughly after handling. FIRST AID: If swallowed, drink two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention. In case of emergency, call day or night, 1-800-334-7577.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal. STORAGE: Store in a cool, dry area out of reach of children.

DISPOSAL: Wrap used prefilled reservoir in several layers of newspaper and discard in

For questions or comments about MAXFORCE, call toll-free 1-800-331-2867.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. This package insert should be in possession of applicator. Application rate is dependent on level of infestation and species to be controlled. Bait should be applied as spots.

Applications in Food/Feed Handling Establishments. Application within food/feed areas of food/feed handling establishments is ilmited to crack and crevice treatment only. Apply with syringe applicator or bait injector directly into cracks and crevices. Place applicator tip into cracks and crevices and where ants may travel. Apply get (up to 1 gram) per spot. Apply bait in small amounts between different elements of construction, openings leading into voids and hollow spaces in floors, walls, ceilings, equipment legs and bases, around plumbing pipes, doors and windows, cabinets, sinks, stoves and other places where ants may enter the establishment. During follow-up visits inspect bait placements and reapply when necessary.

Do not apply bait to areas where food/feed, food utensils or food processing surfaces may become contaminated. Do not apply bait in cracks and crevices of areas that are routinely washed, tops of tables, food/feed preparation and prepared food/feed holding surfaces as bait may be removed by washing. Do not apply bait to surfaces where the temperature exceeds 120°F as bait may run. Examples include, but are not limited to, portions of stoves, ovens, grills, fume hoods, heat lamps, coffee urns, steam tables, toasters, fryers, dishwashers and hot water pipes. Care should be taken to avoid depositing gel onto exposed surfaces. If gel contacts an exposed surface, remove it and wash exposed surface.

Food/feed areas include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing edible waste storage, and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas are also considered a food area when food is exposed and facility is in operation. Application of this product in food/feed areas of food/feed handling establishments other than as a crack and crevice treatment is not permitted.

- 1. To apply gel: Remove cap from tip -or- break off, touch tip to surface and depress plunger. Recap after use.
- Apply get in spots in cracks and crevices. For best results, make -or-place many spots of dabs of get where you see ants foraging and entering the structure.
- 3. Do not apply the gel to areas which have been recently sprayed with insecticide or contaminated with foggers, and do not spray insecticide over gel as this may cause the bait to become repellent. Do not apply gel to areas that are routinely washed, such as counter tops, as gel will be removed or diluted and spread onto the surface. If you have recently sprayed, remove the dead ants and thoroughly clean the area before applying the gel.
- 4. Place the bait as follows; Gel can be placed in cracks, crevices, corners and any out of the way place, such as under and behind kitchen appliances, along baseboards, under sinks, in pantry, around pipes and water heater, window and door frames, and in the garage, attic, or crawl space.

For indoor use: Visually inspect for ants and place gel in areas where you see ants. Likely locations for ants and gel placements are areas where ants enter the building structure and areas with potential water damage including: wall voids, cracks and crevices in kitchen, bathroom, under sink, window sills, screen vents, garage, attic, and crawl spaces. Do not place balt in locations that are routinely washed, as balt will be removed by washing. Do not treat food preparation surfaces. Do not use this product in or on electrical equipment where a possibility of shock hazard exists.

For outdoor use: Place gel outdoors into, on or adjacent to structures where you see ants, next to ant traits and suspected areas of ant activity. Likely locations for ants and gel placements are points of entry into structure and areas with potential water damage including: eaves, soffits, weep holes, where wires and pipes come into the building structure, trees, stumps, roots, wood decks, fences, planter boxes, woodpiles, landscaping, and railroad ties. Extreme heat or cold, direct sunlight and water may reduce the residual effectiveness. Apply Gel outdoors into MAXFORCE Refillable Bait Stations or other devices designed to hold and protect bait outdoors. Close Refillable MAXFORCE Bait Station securely after application.

Inspect placements and reapply as needed; The gel will remain attractive to ants for up to two weeks. Inspect gel placements and reapply as needed, reapply in the same area if bait is gone or in a different location is no ant activity is evident.

You will notice fewer ants in days - or- Pest population reduction will be apparent within a week.

Directions for using the Miscionce Balt Injector, loading reservoirs and operation: With the teeth of the drive rod facing up, pull the drive rod all the way back. Attach ant get reservoir to the bait injector with a twist-locking movement. Remove the reservoir outlet cap and attach the dispensing tip. Push the drive rod until the drive plunger seats against the piston in the reservoir of get. Turn drive rod knob until teeth are facing down. Gently squeeze the trigger until the get flows out. Reservoirs that still contain get can be seated with the end cap for future use.

Directions for changing reservabrs: With the arrow on the drive rod pointing up, pull the drive rod out as far as it will go. Remove the empty reservoir, wrap, and place in trash can. Reservoirs that still contain gel can be sealed with the outlet cap for future use. To attach a new reservoir of gel, follow the above directions.

Contains 1 plastic reservoi: TOTAL NET WEIGHT 0.95 oz. (27 g.)

© Bayer AG, 2003
Bayer Environmental Science
A Business Group of Bayer CropScience LP
95 Chestnut Ridge Road, Montvale. NJ 07645

MAXFORCE: CARLEGATER AND BATE CITY OPEN CUT CATE

EPA Pag. No. 432-1264 EPA Est. No. 5813-MS-01